



Product Catalogue

Walkie Talkie

Security > Corporate Solutions > Walkie Talkie



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT104021001TOKIJ

Tokimo License Free walkie Talkie 3 Km



License Free walkie Talkie for upto 3 Km Approx
Frequency range :PMR 446
Channel Capacity- 16 Channels
Channel Spacing -12.5KhZ/25 khz
Frequency Stablilty- +-2.5 PPM
Dimension - 111.2X55.8X34.6 Mm
Professional FM Transceiver
Non standard
CTSS /DCS Input
CTSS/DCS Encoding and decoding
Scramber
Scan function
Vox Fnction
3200 mah Battery
Rugged Design

No warranty app...



Scan product

Ref: KT104021001WT15

Team Walkie Talkie 1 to 1.5 KM Make Vertel



Walkie Talkie 1 to 1.5 KM Make Vertel
Walkie Talkie
Vertel Walky Talky-LF License Free
Radio with Suitable Accessories 1 to 1.5 Km Range
Smart LED Display with 99 Channels
18 hours Battery Life
Comes with USB C Charger, Manual, Belt Case & 1 Year
Warranty
Water Resistant
No recurring cost
No warranty applicable for Battery
ETA Certificate No. : NR-ETA/201900460



Scan product



Ref: KT104021001LNWT

Lenovo Walkie talkie Model Lenovo CC100



Model : CC100
Make : Lenovo
Commercial Walkie -Talkie
16 Channels , 2600mAh battery capacity
Rugged Body,Voice Prompt
PTT Call Function ,Low Battery Warning
Easy to carry
WPC Approved GOVT Order No. -1047(E)
Battery Voltage : 3.7V, Receive Audio Power : 1W

THIS ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL
NAME Lenovo CC 100
Registration No: ETA-SD-20230302432



Scan product

Ref: KT104021001PTMI

Walkie Talkie PT100 Mini 1 to 1.5 Km



Features:
Type-C USB charging
Two-way charger
99 channels
TOT function
Scan function
Power-saving function
General Specifications:
Frequency range: 446-446.2 MHz
Battery: 5000mAh li-ion
Operating temperature range: -20°C to +50°

Technical Specifications:

Model: PT100 MINI
Product Name: Handheld FM radio
Channel Capacity: 99
Channel Spacing: 25KHz/12.5KHz
Operating Voltage: DC...



Scan product



Ref: KT104021001HY02

Walkie talkie Hyundai GP 333 XR 2KM



LICENSE FREE
IDEAL RANGE : 2-3KM
16 CHANNELS
SCAN
1800 MAH BATTERY CAPACITY
12 HRS TALK TIME
BATTERY SAVING
LOW BATTERY PROMPT
500 MW AUDIO OUTPUT
DUST & SPLASH PROOF (IP54)
COMPANDER
SCRAMBLER
SQUELTCH
VOX
BUSY CHANNEL LOCK
TIME OUT TIMER
EMERGENCY ALERT
SOS
CTCSS/DCS

ETA No. : ETA-SD-2019050052



Scan product

Ref: KT104021001WAV1

Walkie Talkie PT101 1.5 to 2KM



Frequency Range-446-446.2 MHZ
Channels 16
Channel Spacing: 25 KHz / 12.5 KHz
Working Temperature: -20°C ~ + 60°C
Antenna Impedance: 50 Ω
Operating Voltage: DC 7.5V (± 20%)
Battery Capacity: 5000 mAh
Frequency Stability: $\leq \pm 2.5$ ppm
Dimensions: 116 x 59 x 38 mm (Without Antenna)

Specification

Transmitting Specifications
Output Power: ≤ 5 W
Modulation: 11K Φ F3E/16K Φ F3E
Rated Audio Distortion: $\leq 5\%$
Adjacent Power: ≥ 60 dB
Modulation Limitation: $\leq + 2.5$ KHz / ± 5.0 KHz
Receiv...



Scan product



Ref: KT104021001HY77

Walkie talkie Hyundai GP 777 HXR



LICENSE FREE
IDEAL RANGE : 4KM
16 CHANNELS SCAN
INTELLIGENT DSP FUNCTION
1W SEMI DIGITAL AUDIO OUTPUT
ACCOUSTIC NOISE CANCELLATION
WATER SPLASH & DUST RESISTANCE (IP54)
36HR TALK TIME
48HR STANDBY BATTERY
AUTO BATTERY SAVE FUNCTION
LOW POWER VOICE ALERT
HIGH GAIN ANTENA
ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL NAME
GP-777HXR Registration No: ETA-SD-20230503865



Scan product

Ref: KT104021001SMAT

Walkie Talkie 1 to 1.5 KM approx Make Vertel, Model Smart Talky



Walkie Talkie 1 to 1.5 KM approx Make Vertel
Vertel Walky Talky-LF License Free
Radio with Suitable Accessories 1 to 1.5 Km Range
Smart LED Display with 99 Channels
Comes with USB C Charger, Manual, Belt Case
Supplied Accessories
Antenna - 1 Qty
Charger -1 Qty
Adaptor -1 Qty
Li-on Battery Pack -1 Qty
Belt Clip -1 Qty
User Manual - 1 qty
Hand Strap -1 qty
Water Resistant

...



Scan product



Ref: KT104021001WAVX

Walkie Talkie PT100 1.5 to 2 Km



Frequency Range-446-446.2 MHZ
Channels 16
Channel Spacing: 25 KHz / 12.5 KHz
Working Temperature: -20°C ~ + 60°C
Antenna Impedance: 50 Ω
Operating Voltage: DC 3.7V (± 20%)
Battery Capacity: 4800 mAh
Frequency Stability: $\leq \pm 2.5$ ppm
Dimensions: 56 x 34 x 107 mm

Transmitting Specifications

Output Power: ≤ 5 W
Modulation: 11K Φ F3E/16K Φ F3E
Rated Audio Distortion: $\leq 5\%$
Adjacent Power...



Scan product

Ref: KT10402100WAVXP

Walkie Talkie PT100 Plus 1.5 to 2 Km



Model : PT100 Plus
Device Name : Wireless Intercom
Channel Capacity : 128
Channel Spacing - 25 KHZ /12.5KHz
Frequency range : 446-446.2 MHZ
Battery Capacity -6800 Mah

ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL NAME
Wavex PT100 Plus
ETA-SD-20250605118



Scan product



Ref: KT1040210017HXL

Walkie talkie Hyundai Wireless 6km



Hyundai GP 777- HXL transceiver
License free ideal range 6 KM
Acoustic noise cancellation 48 hr. Talk time

- License Free Transceiver
 - Ideal Range 6km
 - Intelligent DSP Function
 - IW Semi Digital Audio Output
 - Accoustic Noise Cancellation
 - Water Splash & Dust Resistance (IP54)
- HYUNDAI
- 48 Hr Talk Time
 - 60 Hr Standby Battery
 - Auto Battery Save Function
 - Low Power Voic...



Scan product

Ref: KT104021001PTMR

Walkie Talkie PT100R 2-2.5 KM



Model : PT 100R
Channel Capacity : 16
Channel Spacing - 25 KHZ/12.5 KHZ
Working Voltage -DC 7.5 V
Standard Battery: 5000 mAh Li-Poly
Antenna Impedance -50ohm
Size -118X60X34 mm
Frequency - +/- 2.5 PPM
Reference Sensitivity --119dBm
intermodulation >66 dB
Standard Accesories
Antenna, Battery, Charger, Adapter, Belt Clip, Lanyard

ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL ...



Scan product



Ref: KT104021001PT20

Walkie Talkie PT200 1 to 2KM

Walkie Talkie PT200 15 to 2KM



Frequency Range 446-446.2 MHz
Battery Voltage 7.4V
Channel Capacity 16
Antenna Impedance 500
Weight 319g
PLL Channel Spacing 12.5kHz/25KHz
Battery Capacity 5000mah
Dimensions(without Antenna) 125.7*62.5*41 mm
ETA-SD-20260504183

Specification

16 storage channels
High capacity polymer lithium battery
Extra long standby
VOX voice control
Side key customization
CTCSS/DCS non-standard sub tone programming
Scrambling functio...



Scan product

Ref: KT104021001WTWX

Battery for Wavex Walkie Talkie

Make :Wavex
For Walkie Talkie



Scan product



Ref: KT104021001L00N99

Lenovo Walkie talkie Model Lenovo N99

Model :Lenovo N99

Make : lenovo

Range -1-2 KM

Frequency PMR 446 Mhz

ETA-SD-20220706321

Channels -16

Size : 131X58X36 MM Without Antenna

Battery Capacity -3000 mAh

Non-magnetic Speaker

Logo Warning Light

PTT button

Application Scenario :

Security ,Construction site , KTV ,Hotel ,Market , Residential
,Wharf & Many Other aspects.



Scan product

Ref: KT104021001WTBH

Battery for Walkie Talkie Make Hyundai

Battery for Team Walkie Talkie - Make Hyundai

No warranty applicable for Battery



Scan product



Ref: KT104021001KENW

Kenwood Walkie Talkie Model No TK 3501

KENWOOD'S TK offers a long battery life and weatherproofing.



Frequency Range : 446-446.2 Mhz

No. of Channel - 16 Channel

Range : 2 to 2.5 km

Compact Design

Tough and water Resistant

Enhanced Audio Quality

Multiple Signaling

Channel -16

- Built-in VOX function
- Key Lock function
- Preset 10 Calling Alert
- Proceed Tone/PTT Release Tone
- All Reset Mode
- Busy Channel Lock Out



Scan product

Ref: KT104021001WTP9

Walkie Talkie 2 3 KM Range Make Access P9

Walkie Talkie up to 2-3 KM Range.

Walkie Talkie (LF) Trans Receiver PMR446Mhz License Free

WPC Approved, Govt order no - 1047 (E) Dated 18 Oct 2018

Main Functions :

Scan, Battery Saving ,Busy Channel lock ,CTCSS/DCS ,Active

view display with a led light ,Wide/narrow bandwidth setting,

Side key programmable ,

Frequency Range : 446-446.025MHZ

Channel : 99

Working Temperature : -3...



Scan product



Ref: KT104021001HY77E

Walkie talkie Hyundai GP 777 HXE

LICENSE FREE
IDEAL RANGE : 2KM
16 CHANNELS SCAN
INTELLIGENT DSP FUNCTION
1W SEMI DIGITAL AUDIO OUTPUT
ACCOUSTIC NOISE CANCELLATION
WATER SPLASH & DUST RESISTANCE (IP54)
24HR TALK TIME
36HR STANDBY BATTERY
AUTO BATTERY SAVE FUNCTION
LOW POWER VOICE ALERT
HIGH GAIN ANTENA
BATTERY 3.7V 4400mah
ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL NAME
GP-777HXE Registration No: ETA-SD-202...



Scan product



Ref: KT1040210GP66LV

Walkie talkie Hyundai GP 666LV

Model No.:GP-666LV
Brand - Hyundai
Analog Two Way Transceiver
* License Free Transceiver
* Ideal Range 1.5km
* 1W Audio Output
* Accoustic Noise Reduction
* Waterproof & Dust Resistance (IP54)
* 16 Channel Group Calling
* 15 Hr Talk Time
* 30 Hr Standby Battery
* Low Power Voice Alert
* High-Gain Antenna
ETA Certificate No. : ETA-SD-20250403389



Scan product



Ref: KT104021001RANGV9

Ranger V9 vertel upto 6Km walkie talkie

Ranger V9 vertel upto 6Km walkie talkie

LICENSE-FREE WALKIE TALKIE

V9 BLUETOOTH WALKIE TALKIE IP67 WATER & DUST PROOF

GENERAL SPECS

Frequency range : 446-446.2 MHz

Channel capacity : 199 Channels

Channel spacing : 12.5KHz

Operation Voltage : DC 7.4V

Battery Capacity : 4500mAh (Li-ion)

4500mAh (Li-ion) : About 20 hours

Frequency Stability : ± 2.5 ppm

Operating Temperature : -20 t...

Specification

Ideal for hotels, events, schools, hospitals, and large facilities requiring instant team communication.

Useful for coordinating operations, emergency response, maintenance, and fi...



Scan product



Ref: KT104021001PK50

wallkie talkie KENWEE Model K 50

wallkie talkie KENWEE Model K 50

General:

Frequency Range: 446 MHz

Channels: 128

Working Voltage: 7.4 V DC

Working Temperature: -20°C to +60°C

Antenna: High-Gain Antenna

Antenna Impedance: 50 Ω

Mode of Operation: Simplex or Semi-Duplex

Weight: 248 g (with 5200 mAh battery)

Transmitter:

Frequency Range: 446.000 - 446.025 MHz

RF Power: 0.5 W

Modulation Type: FM

Spurious Radiation...

Specification

An IP65 Rating means the Radio has the highest level of dust protection,

and is able to withstand low-pressure water jets from all directions.

IP65 is not a waterproof Radio.



Scan product



Ref: KT104021001POC1

Walkie talkie POC100 SIM Based



Wavex : POC-100 walkie talkie SIM Based

1.44 "color screen

Dual card single standby, automatic/manual switching

Polymer lithium battery

Extra long standby

Multi-member single call

Key lock

Battery display/low battery warning

TECHNICAL SPECIFICATIONS

Sim Required in client scope : Vi, Airtel, Jio

Model: POC-100

Device name: LET POC NETWORK RADIO

Working voltage: DC: 3.4V-4.2V

...

Specification

The simplest app for simulating traditional hardware. Users just tune into the same randomly generated channel number (line) to instantly speak, functioning like a public or privat...



Scan product

Ref: KT104021GP777HXS

Walkie talkie Hyundai GP 777 HXS



Digital Two-Way Transceiver Hyundai GP777HXS

* License Free Transceiver

* Ideal Range 5km

* Next Generation Digital CPU 2W Digital Audio Output

* Accoustic Noise Cancellation

* Waterproof (IP67)

* Intrinsically Safe Equipment

* 32 CH, Tier 2 Communication

* 48 Hr Talk Time

* 60 Hr Standby Battery

* Auto Battery Save Function

* Low Power Voice Alert

* High Gain Antenna

Specification

The Hyundai GP-777 HXS Walkie Talkie is a compact and reliable two-way communication device designed for clear and convenient communication.

It is suitable for security teams, offi...



Scan product



Ref: KT1040210GP9DXR

Walkie talkie Hyundai GP 999DXR

Model No.:GP-999DXR

Brand - Hyundai

Battery Capacity -3600 MAH BATTERY CAPACITY

LICENCE FREE

1024 CHANNELS

TIER2 COMMUNICATION

SCAN

24 HRS TALK TIME

LOW BATTERY PROMPT

KEYPAD PASSWORD LOCK

1 MW AUDIO OUTPUT

CELL DETECTION

CELL PROMPT

CONTACT VIEW AND EDIT

MESSAGE VIEW AND EDIT

CALL VIEW AND EDIT

DUST AND SPLASH PROOF (IP54)

COMPANDER

SCRAMBLER

VOX

BUSY CHANNEL LOCK

TIME OUT T...



Scan product

Ref: KT104021001RANGV7

Ranger V7 Vertel Walkie talkie 4 KM

Ranger V7 Vertel Walkie talkie 4 KM

TECHNICAL SPECIFICATIONS

Frequency range : 446-446.2 MHz

Channel capacity : 99 Channels

Operation Voltage : DC 7.4V

Antenna Impedence : 50Ω

Channel spacing : 12.5KHz

Operating Temperature : -20°C to +60°C

Frequency Stability : ±2.5 PPM

Dimension : 149*64*37mm

Weight : 292g

Battery Capacity : 4200mAh

LICENSE-FREE WALKIE TALKIE IP67 Waterproof ...

Specification

Ideal for hotels, events, schools, hospitals, and large facilities requiring instant team communication.

Useful for coordinating operations, emergency response, maintenance, and fi...



Scan product



Ref: KT104021001L00N7

Lenovo Walkie talkie Model Lenovo N7



Model :Lenovo N7

Make : lenovo

Range -1-2 KM

Frequency PMR 446 Mhz

Channels -16

Size : 120X58X34 MM

Battery Capacity -1700 mAh

Application Scenario :

Security ,Construction site , KTV ,Hotel ,Market , Residential
,Wharf & Many Other aspects.



Scan product

Ref: KT104021001PA33

Walkie Talkie Airlink A33 15 to 2 KM



Walkie Talkie Airlink A33 15 to 2 KM

General:

Channel: 16

Working Voltage: 3.7V DC

Working Temperature: -20°C ~ +50°C

Weight: 180g (including Antenna and Battery)

Dimensions: 114 x 59 x 33mm

Transmitter:

Frequency Range: 446 - 446.200 MHz

RF Power: 0.5W

Modulation Type: FM

Spurious Radiation: $\leq 7.5\mu\text{W}$

Modulation Noise:

Specification

TOT • Scan • English Voice Prompt

• Battery Saver Function • Low Battery Prompt

• Narrow/Wide Bandwidth Selection • VOX

• Scrambler • Busy Channel Lock • Squelch Level

• Programmin...



Scan product



Ref: KT104021001RANGV2

Ranger V2 Vertel Walkie talkie upto 2 KM

Ranger V2 Vertel Walkie talkie upto 2 KM

TECHNICAL SPECIFICATIONS

Walkie Talkie upto 2.5 KM Make Vertel

Frequency range : 446-446.2 MHz

Channel capacity : 16 Channels

16 Channels : DC 3.7V

Battery Capacity : 3000mAh

(Li-ion)

Battery Life : About 15 hours

Frequency Stability : ± 2.5 ppm

Operating Temperature : -200C to +600C

Antenna Impedance : 50 Ω

Dimension (HxWxD) With Antenna...

Specification

RECEIVER SPECIFICATIONS

Receiving Sensitivity : 0.20 μ V@12dB SINAD

Adjacent Channel Selectivity : >70dB

Audio Output Power : >500mW

Audio Distortion :



Scan product



Ref: KT104021001RANGV5

Ranger V5 Vertel Walkie talkie upto 3 KM

Ranger V5 Vertel Walkie talkie upto 3 KM

TECHNICAL SPECIFICATIONS

Walkie Talkie upto 3.5 KM Make Vertel

Frequency range : 446-446.2 MHz

Channel capacity : 199 Channels

Channel spacing : 12.5KHz

Operation Voltage : DC 7.4V

Antenna Impedance : 50 Ω

Operating Temperature : -20 to +600C

Frequency Stability : ± 2.5 ppm

Dimension : 130*57*34mm

Weight : 240g

Battery Capacity : 3800mAh (...)

Specification

Ideal for hotels, events, schools, hospitals, and large facilities requiring instant team communication.

Useful for coordinating operations, emergency response, maintenance, and fi...



Scan product



Ref: KT10402100BPK50

Spare Battery with Belt clip for KANWEE K50 Radio



"Spare Battery with Belt clip for KANWEE K50 Radio"

Brand: Kanwee

Model: BT-K50

Battery Type: Lithium Battery Pack

Rated Voltage: 3.7 V DC

Battery Capacity: 5200 mAh

Energy Rating: 19.24 Wh

Safety Information:

Do not disassemble.

Do not dispose of in fire.

Do not change or charge the battery in hazardous locations.

Do not short-circuit the terminals.

Specification

An IP65 Rating means the Radio has the highest level of dust protection, and is able to withstand low-pressure water jets from all directions. IP65 is not a waterproof Radio.



Scan product