



Product Catalogue

Fire Blanket

Safety > Fire Safety Solutions > Fire Blanket



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT1070030011218

Fire Blanket 1.0 X 2.0

Fire Blanket Size: 1.0 meter X 2.0 meter.
Material : Fiberglass



Scan product

Ref: KT107003001WJFB

Water Jel Fire Blanket

Water Cool Jel Blanket- CERTIFIED by CDSCO
SIZE-6' X 5' & 8' X 6'

Certification: Sterilized At "This Blanket is specially sterilized by Gamma Radiation Processing at Bhabha Atomic Research Centre (BARC) - Govt. of India, Mumbai."
Shelf Life: The Shelf Life is 3yrs for Medical Purposes & 5yrs for Fire Purposes.



Scan product



Ref: KTI07003001CE22

Fire Blanket 2 X 2

Signature Fiberglass Fire Blanket

Model No.: DSZFG0.6

Working Temp.: 600 C To 900 C

Colour : White

Thickness : 0.6 MM

Size : 2 X 2 Meter



Scan product

Ref: KTI070030011228

Fire Blanket Vermiculite Coated Ceramic

Vermiculite Coated Ceramic fiber welding Blanket

Working temp.: 1260 C

Dimension :- 1*2 Meter

Thickness: 3.2 mm



Scan product



Ref: KT107003001WJAG

Water Jel Fire Blanket Agni Kawach

Size - 5 ft x 6 ft

Usage/Application Fire Fighting

Brand : Agni Kavach

Color : Silver

Materials Woolen blanket with water soluble and biodegradable GEL.



Scan product

Ref: KT10700300HS96

Signature Welding Blanket Size 1 X 2 Meter

Signature Non Asbestos Blanket DSZHS96.1.4

Working Temp.: 1200 C

Melting Point: 1760 C

Thickness: 3.2 mm

Weight : 1200 GSM

Size: 1 X 2Meter

Colour: Brown

silica Metallic

silica material with a high weight of 96%

Utility :-

moving, covering and protecting furniture, appliances, gear and more.



Scan product



Ref: KT107003001WB26

Welding Fire Blanket 2X6

Signature Medium Duty Welding Blanket
Model No. : DSZMDWB2.4
Working Temp. : 1100 C & With TC 900 C
Colour : Brown
Thickness: 2.4 mm
Size: 2 X 6 Meter
Approved Standard :
IS 11871 (Method A & B)
IS 15381
According Test ISO 15025



Scan product

Ref: KT107003001FB56

Water Jel Fire Blanket Pouch 5'x6'

Case Pack: 4 pouches individually boxed
Case Weight: 56 lbs.
Case Size: 19.5in. x 11.75in. x 11in. (49.5 x 29.9 x 27.9 cm)
Blanket Dimensions / Unit: 6' x 5' (182.8 x 152.4 cm)
A full-size blanket that adequately covers a burn patient and can be used to extinguish flames and smoldering clothes or dangerous white phosphorous. Conveniently packaged in a flat, durable foil pouch t...



Scan product



Ref: KT107003001WEFB

Welding Fire Blanket

Signature Medium Duty Welding Blanket
Model No. : DSZMDWB2.4
Working Temp. : 1100 C & With TC 900 C
Colour : Brown
Thickness: 2.4 mm
Size : 5 X 5 Meter
Approved Standard :
IS 11871 (Method A & B)
IS 15381
According Test ISO 15025



Scan product

Ref: KT10700300FW28

Signature Welding Blanket Size 5 X 5 Meter

Signature Welding Blanket DSZVCF3.2
Working Temp.: 1260 C
Melting Point: 1760 C
Thickness: 3.2 mm
Weight : 1500 GSM
Size: 5 X 5 Meter
Colour: Brown
SS Metallic
Ceramic Material with Vermiculite Coating



Scan product



Ref: KT10700300HSC3

Signature Welding Blanket Size 2 X 2 Meter

Signature Welding Blanket

Model No. : KTZVCF3.2

Temp. : 1260 C to 1760 C

Size : 2 x 2 Meter

Colour : Brown (SS Metallic Reinforced) OR Vermiculite Coated Ceramic.



Application: This Cloth Is Widely Used In Welding, Foundry Works, Aluminum And Steel Mills, Boiler Insulation And Seal, Shipyards, Refineries, Power Plants And Chemical Plants.



Scan product