



Product Catalogue

Home Security Automation Solutions

Security > Home Security Automation Solutions



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT108003001OLWM

Sensinova PIR Motion Sensor SN PR15

Applications



Lift
Lobby
Multi apartment complexes
Common staircases
Basement or covered parking areas
Shopping malls
Garden lights
Floodlights/ street lights in any industrial areas
Power Source 220-240V/AC
Power Frequency 50Hz
Detection Range 180°
Detection Distance 12m max(



Scan product

Ref: KT108003SENIRS8

Sensinova PIR Motion Sensor IRIS S8



Model no.: IRIS S8 PIR Motion Sensor
Power Source :110-240V/AC
Working Temperature:-20 c~+40 C
Hold Time:Min. 10Sec, Max. 7Min
Detection Range :360°
Rated Load: 400W (220-240V/AC),200W (110-130V/AC)
(Incandescent), 200W (220-240V/AC), 100W (110-130V/AC)
(LED Load)
Power Frequency :50/60Hz
Detection Distance :8m max(



Scan product



Ref: KT108003001MSWM

PIR Motion Sensor

PIR Motion Sensor (White)
Material: Plastic; Color: White
Compatible Device: Incandescent, LED, Fluorescent and Halogen
Operating Voltage: 230V AC
Load Wattage : 1200W Incandescent and 300W Fluorescent
Installation Height: 1.8 - 2.5 Meters
Special Feature: 180° angle with Detection range of 12 meters



Scan product

Ref: KT108001012DCMA

12 Device Control Module Appliance Home Automation System

12 Device Control Module Appliance - Home Automation System



Scan product



Ref: KT118010009EMAS_230_V_Without_Flasher

Emergency Alarm system for Outdoor 230 V Without Flasher



Emergency alarm system Consisting of

- 1) 230 V operated Electronic Siren
- 2) Push-Release Switch
- 3) 10 Meter 3 Core 1.5 Sq MM Cable
- 4) Junction Box



Scan product

Ref: KT120001000TVDP

IP VDP One touch Villa Model

Model No.: OT-IP-VDP-V5 + OT-IP-VDP-C3

Display: 7" LCD Touch Screen

Protocol : SIP V.2

Resolution: 800×480

Megapixel Video Door Bell

Power Supply: DC12V / PoE 802.af

Maximum Power: Up to 8W

Network Interface: RJ45

Transmission Speed: 10M/100M

Security Alarm: 8 Zone

Temperature: -10°C~+55°C

Ambient Humidity: 10%~95%

Installation: Wall mount

Onetouch IP video Door Phone(indoor) + One...



Scan product



Ref: KT120001001KT03

Video Intercom KIT Dahua Video Door phone 7 Inch

Model : DHI-KTA03 with Memory Analog
7" TFT screen

Video intercom function: Unlock, voice call, video call,
volume

adjustment, doorway monitoring

Support digital wide dynamic range (DWDR)

Display : 7.0" TFT

Resolution : 1024 × 600

Indicator Light : 1 indicator light; Green: Power on

Communication Method : Analog

Camera : 1/4" 1.3 MP CMOS

Field of View : Horizontal: 70° Ver...



Scan product

Ref: KT10800200HVDP

Door Protect 8IN

Wireless magnetic opening detector

- Installation method: Indoors

- Activation threshold: Small magnet - 1 cm, Big magnet - 2
cm

- Allows connection to a third-party wired detector



Wireless opening detector that notifies of first signs of room
intrusion by means of a broken door or window. It can be
mounted on all types of doors including a metal base.

The device consists of ...



Scan product



Ref: KT120001000TVDP_A4

VDP One touch Villa Model A4 PRO

Model No.: OT-ADP-A4 PRO

Analog VDP One touch Villa Model A4 PRO

Smartphone

Integration

- 7" Capacitive HD Touch screen
- 1024*600 Screen Resolution
- 2K FHD video resolution
- Designer Edge-Lit Display
- 2.4/5G Dual Band Wi-Fi
- SD Card Support (up to 512 gb)
- H.265 video compression
- ONVIF IP Camera Viewing & Recording



Visitor

Snapshot

Tamper

Alarm

* Resolution : 2M...



Scan product

Ref: KT108002005C81

Space Control 8IN

Security system key fob with panic button

- Number of buttons: 4 (Arm/Dis Arm/Night Mode/Panic)

Application : Wireless indoor siren that loudly notifies of an alarm during detector activation. It is installed indoors to warn of danger or deter intruders.



Used of / utility : Jeweller shop , Home ,Office etc ...

No Warranty of Battery



Scan product



Ref: KT120001000IP41

IP VDP One touch 4 Indoor, 1 Outdoor

A)Model No.OT-IP-VDP-V5 (WiFi)

Onetouch 7 inch WiFi Touch Screen Indoor Monitor ,)


PoE 802.af ,8 Zone Alarm Panel Built)

4 Indoor Quantity)

B)OT-IP-LP-C7 -Outdoor Unit

Onetouch 5 Button Video Entry with Built in Mifare Card Reader , 2 Out Relays , 3 Megapixel Wide Angle Camera , IP65 Grade

Onetouch Mobile APP per User Per Year(1 Year will be free)
After 1 year rate will be...



Scan product

Ref: KT10800200HSSI

Home Siren 8IN

Wireless Indoor Siren

- Connector for external LED: Available

- Sound volume level: Adjustable, 81–105 dB

- Protection class of body: IP50

Home Siren is a wireless home siren with the capacity up to 98 db. Developed only for indoor use. It can be quickly installed and set up, is furnished with a LED (plus allows connecting an external LED), and can operate up to 5 years from...



Scan product



Ref: KT108003SENIS12

Sensinova PIR Motion Sensor IRIS S12

Model: IRIS S12

Power Source: 220 -240v/ac

Detection Range: 360c

Detection Distance: 12m Max

Hold Time: Min. 10 Sec +- 3 sec, 7 Min +-2 min

Rated Load: 1200W (Incandescent),300W (LED Load)

Installation Height : 2.2 -4 m



Scan product

Ref: KT101001002SKIS

Video Door Phone Hikvision DSKIS603PC Video Intercom Network Bundle

IP video intercom bundle for villa or house

One call button for easier calls

Convenient Hik-Connect APP Mobile Control

Including: DS-KV6113-WPE1(C) × 1, DS-KH6320-WTE1 × 1,
PSU × 2

Power adapter included in the package



Door Station

Operation system

Embedded Linux operation system

Flash
32 MB

RAM
256 MB

Camera

Camera

2MP HD camera

Night ...



Scan product



Ref: KT108003SENMW12

Sensinova Motion Sensors Model no. Nano W12

Specification

Power Source 220-240V/AC

Power Frequency: 50/60Hz

HF System: 5.8GHz CW radar, ISM band

Transmission Power:



Scan product

Ref: KT12000100OTAVDP

Analog VDP One touch Villa Model

Model No.: OT-ADP-A4

Display : 7" LCD Touch Screen, (1024X600 Resolution)

Ultra-thin and Slim design

Built-in Memory for about 120 photos

Support max 128GB SD card

Extendable to 2 outdoor units , 3 indoor units, 2 security cameras.

Recording & snapshot available

Call transfer and intercom between any two monitors

Voice Changer and Voice Message

Digital Photo Frame, Smart Phone ...



Scan product



Ref: KT120001001SA70

Video Door Phone 7inch With Memory Panasonic

Model : VL-SA70SX

Premium 7Inch Large LCD

Features:

- Up to 4 indoor monitors and 2 door stations supported
- Possibility of CCTV camera integration (analog system)
- Possibility of integration of sensors and detectors
- 7" Flat screen LCD TFT monitor
- Illumination: 0.1 LUX
- View angle: 120° wide angle
- Camera resolution: 700 TV lines, CMOS lens
- Volume & contrast controls
- Bright...



Scan product

Ref: KT120001000T10

Onetouch 10inches Screen Smart Video Door Phone with NVR redefines residential security standards

Key features includes :

- Crisp HD video quality,
- Dual band wireless 2.4/5 Ghz
- Continuous recording 4CH & 8CH live view with H.265 compression
- Motion detection and real-time alerts on mobile app.
- IP66 zinc alloy doorbell with 2 relay ports
- color black and white



Scan product



Watch video



Ref: KT108003SENIS10

Sensinova PIR Motion Sensor IRIS S10

Model: IRIS S10

Power Source: 220 -240v/ac

Detection Range: 360c

Detection Distance: 10m Max



Scan product

Ref: KT108003SENNO4T

Sensinova MW Motion Sensors Model no NOVA 4T

The product is a new saving-energy product; it adopts microwave sensor mould with high-frequency electromagnetic wave (5.8GHz) and integrated circuit. It gathers automatism, convenience, safety, saving-energy and practical functions. The wide detection field depends on detectors. It works by receiving human motion. When one enters the detection field, it can start the load at ...



Scan product



Ref: KTI20001000TVDP_V9V4

VDP One touch Villa IP Model V9

Model No.: OT-IP-VDP-V9 + C3P
 7 Inch SIP Linux Based Screen (Dual Interface)
 black Color
 Onetouch 2MP Camera
 Audio Calling Apt to Apt
 Built in 8 Zone Alarm
 Advanced Motion Sensor
 Doorbell with BLE/Mifare/NFC Card Access
 SD Card
 Vandal Alarm,
 125° Viewing Angle,
 IP65 Grade,
 PoE based



Scan product

Ref: KTI200010007IV8

ONETOUCH SIP VIDEO DOOR PHONE

Model No.: OT-IP-VDP-V8 + OT-VDP-C1
 Display: 7" LCD Touch Screen
 LCD Screen Resolution: 800× 480 Slot : Sd Card
 Network Interface: 10/100 Mbps Camera : 1.3 M Pixel CMOS
 Sensor Viewing Angle : 120 degree
 Night Vision: White LED Lights Relay : Door Lock Relay Port
 Common Parameters (IDU/ODU) Speaker : 2W (90 dB)
 Temperature: 0°C~+55°C
 Power Supply: PoE 802.af / 12V DC Installa...



Scan product



Ref: KT120001000TVDP_V4

VDP One touch Villa IP Model

Model No.: OT-IP-VDP-V4 (ANDROID) + OT-IP-VDP-C3
Android Indoor Monitor

- 10 inch LCD Screen with Android 6
- Resolution 1280 X 800
- SIP Based IP Video Door Phone with 2 Line SIP Account
- Soft Dialpad
- One Way Video and Two Way Audio intercom
- Dual Ethernet + WiFi
- Support Community Contact Directory
- Sd Card Slot – Supporting up to 32 Gb
- Directly Connect to Video Door ...



Scan product

Ref: KT101001002DSKH

video door phone KH6 Series IPBased Indoor Station

Key Feature

- New UI V2.0: User friendly design
- 7-inch colorful touch screen with resolution 1024 × 600
- Standard PoE
- Stores messages and capture pictures in the TF card
- Remote unlocking via the client software or the mobile client
- Views live videos of door stations and linked cameras

Specification

System Parameters

Operating System

Embedded Linux operat...



Scan product



Ref: KTI01001002DSMF

Face Recognition Terminal Hikvision DS K1T671MF



7-inch LCD touch screen

- 2 MP wide-angle dual-lens
- Adjusts supplement light brightness manually
- Face Recognition in dark environment
- Face Recognition distance: 0.3 to 3 m
- Suggested height for face Recognition between 1.4 m and 1.9 m
- Deep learning algorithm
- 5,000 face capacity, 5,000 recognition capacity, and 50,000 event capacity



Scan product

Ref: KTI20001001KT01

VDP Analog Dahua DHI-KTA01

VDP Analog Dahua

- Screen dimension: 7 inch
- Indoor monitor function: Unlock, video call, volume adjustment, and doorway monitoring
- Quantity of outdoor station and indoor monitor: 2 outdoor station + 3 indoor monitor
- Applicable scenario: Villa



Technical Specification

DHI-VTO2010D

Button Type Mechanical keyboard keys

Camera 1/2.7" 2MP CMOS

Field of View H:70°, V:38°, ...

Specification

The Dahua DHI-KTA01 Video Door Phone system provides secure visitor communication and access control for residential and small commercial properties. It enables users to view, comm...



Scan product



Ref: KT108001001HAMS

Varni Home Automation System

Varni Home Automation System
Customized Home automation units

Specification

Customized Home automation units



Scan product

Ref: KT108001018DCMA

18 Device Control Module Appliance Home Automation System

18 Device Control Module Appliance - Home Automation
System



Scan product



Ref: KT10800200B8IN

Wireless Button 8IN

Wireless Panic Button / Smart Button

- False Alarm Prevention: Yes (In the Panic mode)
- Adjustable Alarm types: Intrusion, Fire, Medical Help, Panic button, Gas leak
- Protection class: IP55



Scan product

Ref: KT10800200HKPD

Wireless Keypad 8IN

Wireless touch keypad to arm/disarm an Ajax system

- Installation method: Indoors
- Protection against password attack & passcode guessing
- Arming/disarming indication: Yes



Scan product



Ref: KT10800200MCOD

Motioncam Outdoor 8IN

Wireless outdoor IR Motion detector with a photo camera to verify alarms

- Sensing element: Two PIR sensor
- Motion detection distance: Adjustable, up to 3-15 m
- Motion Detection angles: Horizontal - 90° & Vertical - 80°
- Protection class: IP55 (Hood comes along with sensor)



Scan product

Ref: KT10800200MMPO

Motion Protect Outdoor 8IN

Wireless IR motion detector for outdoor & indoor use

- Sensing element: Two PIR sensor
- Motion detection distance: Adjustable, up to 3-15 m
- Detection angles: Horizontal - 90°
- Protection class: IP55



Scan product



Ref: KT10800200WODC

Dual Curtain Outdoor 8IN

Wireless outdoor bidirectional curtain IR Motion detector
- Motion detection distance: 4 to 15 m (depending on setting)

- Protection class: IP54

- Compatible with Hub2, Hub2 (4G), Hub2 Plus & ReX/ReX2
DualCurtain Outdoor is a wireless bidirectional curtain-type motion detector. With two PIR sensors on each side, the DualCurtain Outdoor detection zone reaches 30 meters, effective...



Scan product

Ref: KT108003001MW76

Sensinova PIR Motion Sensor SNMW765

Model No. : SN-MW765 IP65 Wall Mounted Microwave Motion Sensor

Rated Load : 1200W (Incandescent) 300 W (LED Load)

Time Delay : 10 sec - 12 min Adjustable

Micro Wave motion sensor

IP Rating : IP 65

Detection Angle : 360



Scan product



Ref: KT108003004CWCS

Atigo Common wireless Curtain Sensor

Model : PI201A

Sensor : Double frequency (original import) and low voice instruction.

when an unauthorized person intrudes , it will be triggered.
can be installed upon windows, balcony, upper side of doors
and so on



Scan product

Ref: KT108003006WIS2

Atigo Wireless Indoor Flash Siren Model No SIWO2

Waterproof, Weatherproof.

Sound Volume: 120dB.

Fixed 1 tone or circled 6 tone alarm indication.

Arm/Disarm: Can be set as ON/OFF

Flash: Different flashlights for choice

Wireless Sensors: Up to 100

Power Supply: AC 100 V / 220 V



Scan product



Ref: KT10800300MWS01

Atigo Mini Wired Siren Model No MWS01

Mini Wired Siren
Mini Buzzer for WiFi Security System
Warranty:- 1 Year



Scan product

Ref: KT108003010B200

Beam Detector 200 Ft

BATTERY OPERATED PHOTOELECTRIC DETECTOR
Model -AX-200TFR
Range -60m(200ft.)
Beam frequency selection -4 Channel
Interruption period -Variable between 50, 100, 250, 500msec
(4 steps)



Scan product




Ref: KT108003010BA20

Atigo Beam Detector 20 Meter

hotoelectric infrared beam sensor works with alarm system. Power Supply: 12V DC Adapter.

Covering Distance: 20m

Anti-interference of light arrives at IP85.



Scan product

Ref: KT108020H24G8IN

Wireless Fire Alarm Control Panel Hub2 4G 8IN

Hub2 4G (8IN)

Control Panel supporting Jeweller & Wings protocols with 4G

- Communication: Ethernet, Dual SIM (2G/3G/LTE)

- Supported Notification types: Push, SMS, Calls

No image



Scan product



Ref: KTI20001001H701

VDP Analog CP Plus CP-UVK-701MTA

VDP Analog CP Plus

- 7" TFT screen (17.78cm)
- Video intercom function: Unlock, voice call, video call, volume adjustment, doorway monitoring
- System Capacity: 2 door stations + 3 indoor monitors
- Multiple bell sounds
- Supports digital wide dynamic range (DWDR)
- In-Built Memory (200 Snapshots)

Button Type: Touch Keypad

Display: 7.0" TFT (17.78 cm)

Screen Resolution: ...

Specification

CP PLUS has introduced a wide range of Video Door Phones (also known as video door entry or video intercom) which are stand-alone intercom systems that you can use to manage call...



Scan product



Ref: KTI20001001HI10

IP Indoor Station Hikvision VDP 10 Inch

DS-KH8520-WTE1

KH8 Series Indoor Station

10.1-inch TFT touch screen with 1024 × 600 resolution

Convenient Hik-Connect APP Mobile Control

Receive calls, open the door and live view remotely

Easy to use without PC

Easy wizard for quick set up



Scan product



Ref: KT120001001N511

Video Door Phone 5.2 With Memory Panasonic

2 VL-SVN511

5.2-inch Large IPS-TFT Monitor

Flash Light Out Door Station

Up-To 4 Smart Phone Connect

Smartphone connect Yes

Monitor Power source Power supply unit (VL-PS240)

Power source 24 V DC, 0.5 A

Power consumption Standby: Approx. 1.8 W,

Power consumption During operation: Approx. 10 W

Dimensions (H x W x D) Approx. 186 x 161 x 23.5 mm

Dimensions (H x W x D) (excluding...



Scan product



Ref: KT120001000LCDD

Display 3.5" LCD Display

Display : 3.5" LCD Display

Camera : 2 MP

Night Vision: High Intensity LEDs

Speaker : 2W

Network Interface: Rj45

Card Reader : 13.56 Mhz Mifare

Transmission Speed: 10M/100M

Temperature: -10°C~+55°C

Ambient Humidity: 10%~90%

Power: 12V /2Amp DC or PoE 802.af

Ingress Protection : IP 64 Grade

Installation: Flush Mount



Scan product



Ref: KT12000100OSVDP

IP VDP One touch Sip Base



Scan product

Ref: KT12000100OTLU

IP One touch Lobby Unit OT IP LP C8



IP One touch Lobby Unit - OT-IP-LP-C8

IP Lobby Video Door Phone

Wide Angle Camera :110 degree

Numeric Keypad

SIP V .2 Compliant

I.O/100 Mbps TCP/IPLAN Port

BuiltinSpeaker and Microphone

EM Lock Integration

Unlock Lobby Door from Apartment

Video Codec : H.263 / H.264

Audio Codec :G.711,G.711μ,G.722 ,G.729

Wall Mounting

Display :Single Line LCD Display

Camera :2MP

Night V...



Scan product