




Product Catalogue

PIR Motion Sensor

Security > Home Security Automation Solutions > PIR Motion Sensor

PIR Motion Detector



 CIRCUITS BY




KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT1080030010LWM

Sensinova PIR Motion Sensor SN PR15

Applications



Lift
Lobby
Multi apartment complexes
Common staircases
Basement or covered parking areas
Shopping malls
Garden lights
Floodlights/ street lights in any industrial areas
Power Source 220-240V/AC
Power Frequency 50Hz
Detection Range 180°
Detection Distance 12m max(



Scan product

Ref: KT108003SENS20

Sensinova PIR Motion Sensor IRIS S20 Occupancy Sensor 360° Ceiling Mount

IRIS-S20



Power Source: 220-240V/AC
Power Frequency: 50Hz
Detection Range: 360°
Detection Distance: 20m max
* Warranty – Break and Burned doesn't come under Warranty.



Scan product



Ref: KT108003SENIRS8

Sensinova PIR Motion Sensor IRIS S8



Model no.: IRIS S8 PIR Motion Sensor
Power Source :110-240V/AC
Working Temperature:-20 c~+40 C
Hold Time:Min. 10Sec, Max. 7Min
Detection Range :360°
Rated Load: 400W (220-240V/AC),200W (110-130V/AC)
(Incandescent), 200W (220-240V/AC), 100W (110-130V/AC)
(LED Load)
Power Frequency :50/60Hz
Detection Distance :8m max{



Scan product

Ref: KT108003SEC36CM

Securico PIR Motion Sensor Ceiling Mount SEC SAC



Stand alone
220 V AC operation
Ceiling mount
Can independently switch electrical load of up to 400W
Can switch heavier electrical load by connecting additional relay /s.
Dual Element Pyro Electric sensor
Detection angle 360°
Detection range 6m at 3m height at 25°C
Sealed optics
Sensitivity control
Lux (Light) level control for operation
Device on Time control from 10 seconds to...



Scan product



Ref: KT108003001MSWM

PIR Motion Sensor

PIR Motion Sensor (White)
Material: Plastic; Color: White
Compatible Device: Incandescent, LED, Fluorescent and Halogen
Operating Voltage: 230V AC
Load Wattage : 1200W Incandescent and 300W Fluorescent
Installation Height: 1.8 - 2.5 Meters
Special Feature: 180° angle with Detection range of 12 meters



Scan product

Ref: KT108003001HC7D

Securico PIR Motion Sensor

- Stand alone
- 220 V AC operation
- Wall mount
- Can independently switch electrical load of up to 1000W
- Can switch heavier electrical load by connecting additional relay /s.
- Dual Element Pyro Electric sensor
- Detection angle 110°
- Detection range 12m
- Sealed optics
- Sensitivity control
- Lux (Light) level control for operation
- Device on Time control from 10 seconds to...



Scan product



Ref: KT108003SENMW16

Sensinova MW Motion Sensors Model no. Nano 16

The product is a new saving-energy product; it adopts microwave sensor mould with high-frequency electromagnetic wave (5.8GHz) and integrated circuit. It gathers automatism, convenience, safety, saving-energy and practical functions. The wide detection field depends on detectors. It works by receiving human motion. When one enters the detection field, it can start the load at ...



Scan product

Ref: KT108003SEN46B

Sensinova PIR Motion Sensor Ceiling Mount SNPR46B

Detection Rang:360°
Power Source: 110-130 v/Ac 220-240 v/Ac
Rated Load:Max.1000 w (110-130 v/Ac)
2000 w (220-240 v/Ac)
Detection Distance: Max.20m



Scan product



Ref: KT10800300120WM

Securico PIR Motion Sensor Wall Mount SEC SAE

Features:



Microcontroller based.

12V DC operation

Controller board with connected motion sensor.

Wall / ceiling mount motion sensor.

Can independently switch electrical load of up to 1000W.

Can switch heavier electrical load by connecting additional relay.

Detection angle 85-100°.

Sealed optics.

Sensitivity control.

Sanitisation machine on time control from 5 / 1...



Scan product

Ref: KT108003001SECG

GSM Dialer Securico

SEC GSMD



- GSM based speech and SMS dialer
- Microcontroller based
- 18 key back lit key pad
- 16x4 LCD display
- 2 voice messages
- Separate intrusion message
- Separate fire message
- 15 telephone numbers for each message
- 15 telephone numbers for fire message
- 20 second recording time for each message
- Alarm SMS with alarm type, time and date information
- System status ...



Scan product



Ref: KT108003SENIS12

Sensinova PIR Motion Sensor IRIS S12

Model: IRIS S12

Power Source: 220 -240v/ac

Detection Range: 360c

Detection Distance: 12m Max

Hold Time: Min. 10 Sec +- 3 sec, 7 Min +-2 min

Rated Load: 1200W (Incandescent),300W (LED Load)

Installation Height : 2.2 -4 m



Scan product

Ref: KT108003SENMW12

Sensinova Motion Sensors Model no. Nano W12

Specification

Power Source 220-240V/AC

Power Frequency: 50/60Hz

HF System: 5.8GHz CW radar, ISM band

Transmission Power:



Scan product



Ref: KT108003SENIS10

Sensinova PIR Motion Sensor IRIS S10

Model: IRIS S10

Power Source: 220 -240v/ac

Detection Range: 360c

Detection Distance: 10m Max



Scan product

Ref: KT108003SENNO4T

Sensinova MW Motion Sensors Model no NOVA 4T

The product is a new saving-energy product; it adopts microwave sensor mould with high-frequency electromagnetic wave (5.8GHz) and integrated circuit. It gathers automatism, convenience, safety, saving-energy and practical functions. The wide detection field depends on detectors. It works by receiving human motion. When one enters the detection field, it can start the load at ...



Scan product



Ref: KT10800300180WM

Sensinova PIR Motion Sensor Wall Mount



Motion Sensor
 Detection Range: 180°
 Power Source: 110-130v/AC 220-240v/AC
 Rated Load: Max. 500w (110-130v/AC) 800w (220-240v/AC)
 Detection Distance: Max. 15m (<24°C)
 Time Delay: 10sec±3sec To 15min±2min (Adjustable)
 Ambient Light: <3-2000lux Adjustable IP44
 Warranty:- 1 Year



Scan product

Ref: KT10800300120MS

Sensinova Microwave Sensor Ceiling Mount



Model no.: Nano 16
 Power Sourcing : 220-240 V/AC
 Power Frequency : 50/60 Hz
 Detection range : 360 Degree
 Detection Distance : 1-8 m(radius)Adjustable

HF System 5.8Ghz CW Radar, ISM Band
 Transmission Power
 Detection Range 360°
 Detection Distance 2-16m (Dia.), Adjustable
 Ambient Light 3-2000LUX
 No. of Wires 4
 Install Height 1.5-3.5m
 Power Consumption Approx 0.9W
 Detection Moti...



Scan product



Ref: KT10800300120MW

Sensinova Microware Sensor Wall Mount

Power Sourcing : 220 -240V/AC
Power Frequency : 50/60Hz
Ambient Light : < 3-2000LUX (adjustable)
Time Delay : Min. 10sec $\pm$ 3sec, Max.12min $\pm$ 1min
Rated Load : 1200W, 300W
Detection Range : 180°
Detection Distance : 5-12m (adjustable)
HF System : 5.8GHz CW radar, ISM Band
Transmission Power : < 0.2mW
Installing Height : 1.5-3.5m
Power Consumption : Approx 0.9W
Detection Motion S...



Scan product

Ref: KT108003001MW76

Sensinova PIR Motion Sensor SNMW765

Model No. : SN-MW765 IP65 Wall Mounted Microwave Motion Sensor
Rated Load : 1200W (Incandescent) 300 W (LED Load)
Time Delay : 10 sec - 12 min Adjustable
Micro Wave motion sensor
IP Rating : IP 65
Detection Angle : 360



Scan product



Ref: KT108003001SECP

Securico PIR Motion Sensor Wall Mount SEC PIR Pet immune



Dual Element Pyroelectric Pet Immunity - Up to 25kg (max height 2 ft) Detection range - 15m, 110° RFI Immunity - Ave. 20V/m (10-1000 MHz) Power Supply - 9 ~ 16 V DC, 12V Typical Current Consumption - 20mA, 12 V DC Alarm Output - NC/NO 30 V DC, 0.2A max.

Warranty: 1 Year

x



Scan product

Ref: KT108003001SPCD

Speech Dialer Securico



Micro-controller Based

1 Message

Can Store 7 Telephone Numbers

20 Second Recording Time for Message

Message Playback for Recorded Messages

13 Key Backlit Keypad

4 Digit User Code to Arm, Disarm and Enter Programming Mode

Telephone Number Check

Non-volatile Memory Restores Select Programmable Settings in Case of System Reset

Operates With Both Tone & Pulse Power, Dialing and Pro...



Scan product



Ref: KT108003SENMw75

Sensinova PIR Motion Sensor Ceiling Mount SnMw753



360° Flush Mount Ceiling Mount Occupancy Detector

Detection Range: 360°

Power Source: 110-

130v/Ac 220-240v/Ac

Hf System: 5.8ghz Cw

Radar, Ism Band

Rated Load :Max. 800w

(110-130v/Ac)1200w

(220-240v/Ac)

Detection Distance:1-

8m (Radius),Adjustable

Time Delay:10sec±3sec

To 12min±1min

(Adjustable) Ambient

Light:



Scan product

Ref: KT108003SENTRCW

Sensinova TULIP 18W ROUND CW ON OFF



SENSINOVA TULIP 18W ROUND CW (ON/OFF),

Mounting Type: Surface Mounting

Lighting Color :Cool White

Lighting Type LED

Frequency 50 Hz

IP Rating IP20



Scan product



Ref: KT108003SENTRNW

Sensinova TULIP 18W ROUND NW DIM)

SENSINOVA TULIP 18W ROUND NW (DIM),
Mounting Type: Surface Mounting
Lighting Color :Cool White
Lighting Type LED
Frequency 50 Hz
IP Rating IP20



Scan product