



Product Catalogue

Vacuum Cleaner

Automation > House Keeping Solution > Vacuum Cleaner



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT109004001VCSW

Vacuum Cleaner SW52 S

Vacuum Cleaner

Model : SW 52IS

Rated voltage : 230 V

Power max. : 2400 W

Mains cable : 12 m

Low pressure, max. : 240 mbar

Air flow, max. : 116 l/s

Number of motors : 2

Working width : 400 mm

Suction hose : 2.5 m

Tank capacity : 78 l

Noise level : 80.5 dB(A)

L x B x H : 650 x 590 x 1050 mm

Weight 30 kg



Specification

The SW 52IS is a heavy-duty, 78-litre commercial and industrial wet & dry vacuum cleaner engineered by Columbus Clean for large-scale professional cleaning. Powered by a robust 2400...



Scan product

Ref: KT109001001A429

Vacuum Cleaning Machines Amsterdam 429

Brand:- IPC

Power:- 2800 W

Voltage:- :250/50V

Air Flow:- : 510 m3/h

Tank Capacity:- 41/62L

Noise Level : 68 db

Body : Steel

No of motors : Double motor

Warranty:- 1 Year



Scan product



Ref: KTI09001001VCLAVA

Upholstery, Carpet Vacuum Cleaners LAVA 27 LTR

Upholstery/Carpet Vacuum Cleaners LAVA 27 LTR5

Voltage:- 220-240/50V

Tank Capacity:- 27 Ltrs

Power:-1200 W

Air Flow:- 210 m3/hr

Pump(W) :- 48

Pump Capacity (l/Min) :- 0,8

Pump Pression :- 2 (bar)

Warranty:- 1 Year



Scan product

Ref: KTI0900100PC25

Industrial ATEX Wet, Dry Vacuum MODEL C 25 EX TC

Industrial ATEX Wet & Dry Vacuum for ZONE-22

MODEL: C-25 EX TC WET & DRY

Longer life brushless motor available. Always with 4 x H14 HEPA filters

Ideal for housekeeping and general cleaning

By-pass Ametek long life motor

Includes 4 HEPA filters. Class H14. Individually factory tested

Includes an indicator light to warn of vacuum blockage

For wet & dry recovery

All stainless steel...



Scan product



Ref: KT109001001A115

Vacuum Cleaning Machines Amsterdam 115



Model: Amsterdam 115
Voltage:- 220V
Tank Capacity:- 15L
Power:- 1000-3000w
Air Flow:- 175 m3/hr
Automation Grade:- Semi-Automatic
Warranty:- 1 Year



Scan product

Ref: KT109001001A151

ASPIRO Steel vacuum cleaner 35 ltr Model ASPIRO 151



Professional vacuum cleaner (Dry/Wet)
Suitable For Wet And Dry Vacuuming
Suitable For All Users
Trolley For Small Surfaces
Head With Anti Foam System
Robust Steel Tank
Trolley With Tilted System For Big Quantity Of Waste
(ASPIRO 730-740)
Head With Cable Hook
Max Power 1200 (W)
Supply 250/50 (V/Hz)
Air Flow 200 (m2 /h)
Tank Capacity 35 (Litter)
Tank (Body Type) PP
Noise Level 65...



Scan product



Ref: KT109001001A315

Vacuum Cleaning Machines Amsterdam 315



Brand:- IPC
Power:- 1500 W
Voltage:- 220-240 V
Air Flow:- 255 m3/h
Tank Capacity:- 33L
Noise Level : 65 db
Body : Steel
No of motors : single motor
Warranty:- 1 Year



Scan product

Ref: KT109001001AMPL

Vacuum Cleaning Machines Amsterdam Plast



Professional vacuum cleaner Amsterdam Plast Vacuum Cleaner.
Supply (V/Hz):- 250/50
Air Flow (m3/h):- 210 - 510
Warranty:- 1 Year



Scan product



Ref: KT109001001CDEX

ATEX Vacuum for Zone 21 Model No CD 2600 EX CR MFS Z1 2 21 22

Model : CD-2600 EX (MFS) CAT. 2GD Z1-21

Legally certified explosion proof/dust ignition proof

Less than 10 ohms of resistivity

HEPA filter with an efficiency of 99.995% at 0.3 micron.

Tested IEST-RP-CC001. H14 by MPPS method as per EN 1822

and OSHA compliant. All of our HEPA vacuum systems are

aerosol leak tested before leaving our facility -optional

Cleanroom compatible with I...



Scan product

Ref: KT109001001P1AT

Flame proof Vacuum Cleaning Machine PLANET 152 ATEX

Model: PLANET 152 ATEX

EXCLUSIVE FEATURES

RELIABLE CONSTRUCTION FOR INTENSIVE USE

DETACHABLE TANK AND SOLID CART

MANUAL FILTER SHAKER

BIG AND BRAKED WHEELS

INDUSTRIAL FRAMEWORK WITH AISI 304 WITH DETACHABLE TANK

STARSHAPED FILTER, PCB PREFILTER AND ADDITIONAL CARTRIDGE

VACUUM RELIEF VALVE AND FILTRATION LEVEL INDICATOR

LONG LASTING TURBINE WITH PERFECT PERFORMANCE

EXPLOSION PRO...



Scan product



Ref: KTI09001001P50P

Basic, Daivaccum, Cleaners

VACUUM CLEANERS - INDUSTRIAL SOLUTIONS - BASIC/DAILY USE

PLANET 50P PLANET 50 MONO

Number of phases; 3 phases

Voltage:400V

N. and type of turbine :1x3 stages

Power :3000 W

Water lift :mmH2O2100

Airflow:m3/h350

Diameter of inlet : 60mm

Filtration surface : cm26.630 + 3.000

Dimensions (LxWxH) :1200x590x960

Weight :75kg



Scan product



Ref: KTI0900100P22SA

Industrial ATEX Vacuum for ZONE 22 MODEL PLANET 22S ATEX

Industrial ATEX Vacuum for ZONE-22

MODEL: PLANET 22S ATEX

M & H FILTER CLASSIFICATION

TOTAL FILTRATION

H CERTIFICATION

ESD COMPLIANCE

MULTI STAGE FILTRATION

DOUBLE STAGE MOTORS AND TURBINE

BIG AND BRAKED WHEELS

NEW CONCEPT PROTECTIONS FOR INTERNAL ZONE 20

EXPLOSION PROOF TURBINE AND DESIGN FOR ATEX ZONE 22

CONDUCTIVE WHEELS WITH BRAKES

STATIC DISSIPATING FILTERS

CONDUCTIVE POLY...



Scan product