



Product Catalogue

Bird Repeller

Automation > Hygiene Automation Solutions > Bird Repeller



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT11000300BTRIO

Ultrasonic Repeller For Bird Industrial Trio High Power Model BR 124

Ultrasonic Bird / Pigeon Repeller (Industrial High Power Surround Sound) Model No: BR -124
Power Supply 220 VAC, 50 cycles
Frequency Range 25000 Hz to 65000 Hz
(Auto variable) sophisticated Installations.
(Plug & Play) Protects up to 3500 sq. ft.



[Watch video](#)



[Scan product](#)

Ref: KT110003001UBRS

Ultrasonic Bird Repeller Double Speaker Model No BR 115

High Pressure sound & Double Power Supply 220 VAC, 50 cycles Frequency Range 25000 Hz to 65000 Hz (Auto variable) Sophisticated Installations.(Plug & Play)
Speakers for Factory outside continues sonic sound irritated Birds
Double speaker. Model No: BR-115
Protects up to 800 sq. ft. for indoor. up to 600 sq ft. for outdoor



Ultrasonic Bird Repeller Double Speaker Model No BR 115



[Scan product](#)



Ref: KT110003003USSR

Ultrasonic Snake Repellent Model SC 111



100% Water Proof

For Garden, flowerbed, firms, etc.

Repels Snakes

Cover up to 800 Square meter (with out optical)

Door Area

size -17" to 18" approx.

Item Length- 60.96 cm

Material-Metal Body

Special Feature: Install into the soil to keep the top cover at least 1-2 inches above ground level & Power on 24 Hrs round the clock.



Scan product



[Watch video](#)

Ref: KT110003002D112

Ultrasonic Rat Repeller Digital Model No Dig 112



Ultrasonic Rat Repeller (Digital)

Model No: Dig-112

Home, Office, ATM etc.

High Pressure sound

Power Supply 220 VAC, 50 cycles

Protects up to 100 sq. ft. Indoor

Warranty: 1 Year



Scan product



Ref: KT110003005SSPR

Ultrasonic Bird Repeller Industrial Model No SS BR 135

Model No: SS BR 135
High Power Surround Sound
Power Supply 220 VAC, 50 cycles
Output Sound pressure : 110 db
Frequency Range 25000 Hz to 65000 Hz (Auto variable)
Sophisticated Installations
Protect up to 4000 sqft for Indoor and upto 3000 Sqft
outdoor
Size: 17"X17"X6"



Scan product

Ref: KT110003002D101

Ultrasonic Rat Repeller Digital Model No 101A

Ultrasonic Rat Repeller (Digital)
Home, Office, ATM etc.
Power Supply 220 VAC, 50 cycles/24 Volts DC 80 ma
Protects up to 400-500 sq. ft
power consumption : 10 watts
output sound pressure: 115 Decibels



Scan product



Ref: KT11000300MRTRIO

Ultrasonic Repeller For Monkey Industrial Trio High Power Model MON 125



UltrasonicMonkey Repeller (Industrial High Power)
Model No: MON -125
Power Supply 220 VAC, 50 cycles
Frequency Range 25000 Hz to 65000 Hz (auto variable)
sophisticated Installations. (Plug & Play)
Protects up to 1200 sq. ft. for indoor upto 1000 sqft for
Outdoor
Output sound Pressure 90 db.
Size: 11" * 4" * 4"
Monkey and Birds away.



Scan product

Ref: KT110003001101A

Ultrasonic Pest Repeller Industrial Model No Ind 101A



Model No: Ind-101A
High Pressure sound & Double
Speakers for Factory/Sweet/
Protects up to 600-800 sq. ft. Indoor.
Warranty: 1 Year



Scan product



Ref: KT110003003USRS

Solar Ultrasonic Snake Repellent



[Watch video](#)

Solar Snake Repellent

For Garden, flowerbed, firms, etc.

Repels Snakes

Cover up to 800 Square meter (with out optical)

Door Area

size -17" to 18" approx.

Item Length- 60.96 cm

Material-Metal Body

Special Feature: Install into the soil to keep the top cover at least 1-2 inches above ground level & Power on 24 Hrs round the clock.



[Scan product](#)

Ref: KT110003001ULCG

Telescopic Canon

Telescopic Canon For Bird/ Monkey/Wild Animal

Blasting Sonic Ultrasonic Sound

Input power supply 12/24 V DC

Range: 500 Meter

Size: Depth: 4 ", Length: 21 ", Breath: 2"

Warranty : 6 Months



[Scan product](#)



Ref: KTI10003001UMRDS

Ultrasonic Monkey Repeller Double Speaker Model No MON 116

Ultrasonic Monkey Repeller (Double Speaker)

Model No: MON -116

Power Supply 220 VAC, 50 cycles

Frequency Range 25000 Hz to 65000 Hz (auto variable)

sophisticated Installations. (Plug & Play)

Protects up to 800 sq. ft. for indoor upto 600 sqft for Outdoor

Output sound Pressure 90 db.

Size: 8" * 4" * 4"



Scan product

Ref: KTI10003003TRIO

Ultrasonic Repeller For Rat Trio Model PR 123

Model PR-123

Protects up to 1000- sq. ft. Indoor only

Grocery/ For Hotel / Restaurant / Go down / Computer center, Bank,

Power Supply 220 VAC, 50 cycles

Frequency Range 25000 Hz to 65000 Hz (Auto variable)

Warranty: 1 Year



Scan product



Ref: KT110003001AL17

Algae Control Device

Material:- Metal Body with appoxy

Usage/Application:- ALGAE REMOVE WATER TREATMENT
for Swimming pool & All types
of water tanks cement, ceramic tiles, fiber synthetic, steel
etc.

Model : AL 107

Capacity up to 100 cubic Miter.



Scan product

Ref: KT110003004SSBR

Ultrasonic Pest Repeller Industrial Model No SS BR 136

Model No: SS BR 136

High Power Surround Sound

Power Supply 220 VAC, 50 cycles

Frequency Range 25000 Hz to 65000 Hz (Auto variable)

Sophisticated Installations

Protect up to 4000 sqft Indoor

Warranty: 1 Year



Scan product



Ref: KT110003004SSMON

Ultrasonic Monkey Repeller Industrial Model No SS MON 136

Model No: SS MON 136

High Power Surround Sound

Power Supply 220 VAC, 50 cycles

Frequency Range 25000 Hz to 65000 Hz (Auto variable)

Sophisticated Installations (plug and play)

Protect up to 2500- 3000 sqft

Quutput sound pressure 110 db

Size: 17"X17"X6"



Scan product