



Product Catalogue

Soap Dispenser

Automation > Hygiene Automation Solutions > Soap Dispenser

KT Automation Pvt. Ltd.
Making India Safer, Smarter & Automated!

Soap dispenser

Model No: OR/SD/01

Model No: OR/SD/08

Model No: OR/SD/01A

Model No: OR/SD/04

Model No: OR/SD/03

Contact – 9227788393/9227788384/9227788388
D-32&33 Kamalanjali, Above HDFC Bank, Nr. Radhakrishna Char Rasta, Akota,
Vadodara - 390020, Guj. India Ph. +91 265 2330398, +91 92277 88388
Web: www.ktautomationindia.in, Email: enq@ktautomationindia.in

KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KTI10015001S120

Automatic Soap Dispenser 1000ML



Contact-less hand soap
1000 ml capacity
Lockable with window design
Built-in infrared smart sensor
UV disinfection can kill virus on the hand
Support DC and battery, the battery can use 30,000+ times push
Light Indicator for low power
Light indicator for detecting there is some error under dispenser
In case of internal error it will stop working to avoid leakage
Stand type is ...



Scan product

Ref: KTI1001500ES06N

AUTO SOAP DISPENSER 1100ML EURONICS ES06N



Operation: Automatic Infra-Red Sensor
Power: Battery (4 x AA Alkaline Duracell)
Material: ABS Casing
Capacity: 1100 ML
Sensing Distance: 2 cm



Scan product



Ref: KTI10015001IONC

Automatic Soap Dispenser Infra Red Sensor

Automatic Soap Dispenser Infra-Red Sensor
Capacity :300 MI
Warranty:- 6 Months



Scan product

Ref: KTI10015001360M

Manual Soap Dispenser

Manual Soap Dispenser
Capacity : 1000ML
Color : White & gray
Material : ABS
SD/08



Scan product



Ref: KT110015001350C

ABS Manual Soap Dispenser 350ML Clear Body

Construction :Polycarbonate Abs Casing

Capacity :350 MI

Dispense Volume :2 MI

Warranty:- 6 Months



Scan product



Ref: KT110015001ASD6

Automatic Soap Dispenser

Automatic Soap Dispenser

Capacity : 1000ML

Color : White & gray

Material : ABS

ASD/06



Scan product



Ref: KT110015001ES04

S.Steel Soap Dispenser 1000ML Euronics ES 04 SATIN FINISH



Construction : Polycarbonate Abs Casing
Operation : Manual
Capacity :1000ML X 2
Dispense Volume :2 ML
Warranty:- 6 Months



Scan product

Ref: KT110015001A400

ABS Soap Dispenser 400ML Euronics ES17



Construction :Poly-carbonate Abs Casing
Operation :manal
Capacity : 400 ML
Color :White
Dimension :90mm (D) X 100mm (W) X 194mm (H)
Warranty:- 6 Months



Scan product



Ref: KTI10015001ES81

AUTO SOAP DISPENSER 1100ML EURONICS ES81A

Operation - Automatic Infra-Red Sensor
Power - Battery (4 x AA Alkaline Duracell)
Material - Stainless Steel #304 Grade
Capacity - 1100 ML
Sensing Range - 8 cm
Product Warranty - 6 Months



Scan product

Ref: KTI10015001A800

ABS Soap Dispenser 800ML Euronics ES23

Construction :Polycarbonate Abs Casing
Capacity :800 MI
Dispense Volume :2 MI
Warranty:- 6 Months



Scan product



Ref: KTI10015001ES06

ABS Automatic Soap Dispenser ES 06 N

ABS Automatic Soap Dispenser- ES 06 A

Make : Euronics

Model : ES 06 A

Construction: Polycarbonate ABS Casing

Operation: Touch – Free Infra-Red activation

Capacity: 1100 ML

Spray Amount: 1 ML

Sensing Range: 2 CM

Battery Operated: 4 x AA Duracell

Size: 235 x 140 x 107 mm



Scan product

Ref: KTI10015001ES05

S.Steel Soap Dispenser 800ML Euronics ES 05

Container :18-8 S, Type-304, Stainless Steel

Valve :Brass Cylinder, Stainless Steel Spring

Capacity :800 MI

Dispense Volume :one Drop 2ml

Warranty:- 6 Months



Scan product



Ref: KT110015001ES14

S.Steel Soap Dispenser 1250ML Euronics ES 14H

Container :18-8 S, Type-304, Stainless Steel
Capacity:1250 MI
Valve :Brass Cylinder, Stainless Steel Spring
Dispense Volume :one Drop 2ml
Warranty:- 6 Months



Scan product

Ref: 10015001KSDT7

AUTO TAP CUM AUTO SOAP DISPENSER 2 IN 1 KSDT7W G

KSDT7W-G
AUTO TAP CUM AUTO SOAP DISPENSER (2 IN 1)
Wall Mount
Operation : Automatic Infra-Red Sensor
Finish : Gold
Power : Electrical (AC 220V, 50Hz)
Liquid Volume (Soap Dispenser) : 1500ML
Supply Volume Per Drop (Soap Dispenser) : 2ml
Detecting Distance (Soap Dispenser) : 9 - 20 cm adjustable
Detecting Distance (Faucet) : 8-20 cm adjustable
Applicable Water Pressure (Faucet) ...



Scan product



Ref: KTI10015001300S

S.Steel Soap Dispenser 300ML

Construction : S Steel

Operation : Manual

Capacity :300 MI

Warranty:- 6 Months



Scan product

Ref: KTI10015001350A

ABS Manual Soap Dispenser 350ML

Construction :Polycarbonate Abs Casing

Capacity :350 MI

Dispense Volume :2 MI

Warranty:- 6 Months



Scan product



Ref: KT110015001ES19

S.Steel Soap Dispenser 1500ML Euronics ES 19



Container :18-8 S, Type -304, Stainless Steel
Capacity :1500 MI
Value : Brass Cylinder, Stainless Steel Spring
Dispense Volume :One Drop 2ml
Warranty:- 6 Months



Scan product

Ref: KT110015001KSDT3

KSDT3 Auto Tap, Auto Soap Dispenser 2 In 1



Auto Tap + Auto Soap Dispenser
Model : KSDT3
Operation - Automatic Infra-Red Sensor
Power - Electrical (AC 220V, 50HZ)
Liquid Volume (Soap Dispenser) - 1500ML
Supply Volume Per Drop (Soap Dispenser) - 2ml
Detecting Distance (Soap Dispenser) - 09-20 cm
Detecting Distance (Faucet) - 09-20 cm
Water Pressure - 1 to 1.5 Bar (Min 1 bar working pressure required)
Mechanism & Soap Refi...



Scan product



Ref: KT11000700AXES1

Soap Dispenser Axeon S1 Euronics

Soap Dispenser Axeon S1 Euronics
 Operation: Automatic Infra-Red Sensor
 Power: Electrical (AC 220V, 50Hz)
 Material: Brass
 Finish: Chrome Plating
 Capacity: 1000 ML
 Mechanism: Under the Counter

Specification

This automatic under-counter sensor soap dispenser ensures touch-free, hygienic soap dispensing with a concealed installation for a sleek and modern washroom design. Ideal for hote...



Scan product


Ref: KT11000700DEA52

Twin Dispenser EA52 Euronics

Twin Dispenser EA52 Euronics
 Operation: Manual
 Material: ABS Plastic
 Capacity: 300 ML × 3
 Pump Option: Gel/Liquid
 Refill Type: Refillable Bottle
 Installation: Wall-Mounted
 Dimension: 208 (L) × 85 (W) × 222 (H)

Specification

This triple-chamber manual dispenser provides a convenient solution for dispensing soap, shampoo, sanitizer, or lotion from a single wall-mounted unit. Ideal for hotels, hospitals,...



Scan product



Ref: KT11000700DEA53

Triple Dispenser EA53 Euronics

Triple Dispenser EA53 Euronics

Operation: Manual

Material: ABS Plastic

Capacity: 300 ML × 3

Pump Option: Gel/Liquid

Refill Type: Refillable Bottle

Installation: Wall-Mounted

Dimension: 208 (L) × 85 (W) × 222 (H)

Specification

This triple-chamber manual dispenser provides a convenient solution for dispensing soap, shampoo, sanitizer, or lotion from a single wall-mounted unit. Ideal for hotels, hospitals,...



Scan product

Ref: KT11000700DES12

SS Soap Dispenser ES12 Euronics

SS Soap Dispenser ES12 Euronics

Operation: Manual

Material: 304 Stainless Steel

Capacity: 450 ML

Valve: Brass Cylinder, Stainless Steel Spring

Specification

This manual stainless steel soap dispenser provides a reliable and hygienic solution for dispensing liquid soap in high-traffic areas. Ideal for offices, hospitals, hotels, schools...



Scan product



Ref: KT11000700DES37

Under Counter Soap Dispenser ES37 Euronics

Under Counter Soap Dispenser ES37 Euronics

Operation: Manual, Under Counter

Material: Brass – Pump

Finish: Brass – Pump (Piston, Spout and Top Cover)

Capacity: 1000 ML

Dimensions: 188 (L) × 75 (B) × 428 (H)

Specification

This under-counter manual soap dispenser offers a clean, space-saving solution with a durable brass pump for long-lasting performance. Ideal for hotels, restaurants, hospitals, off...



Scan product

Ref: KT11000700DES66

Soap Dispenser ES66 Euronics

Soap Dispenser ES66 Euronics

Material: ABS Plastic

Installation: Wall Mounted

Capacity: 1000 ML

Sensing Range: 10 cm

Installation Height: 20-25 cm

Power: 4 × AA (LR6) Alkaline Batteries

Battery Low Reminder: Yes

Dimension: 135 (L) × 102 (W) × 261 (H)

Quality Standards: ISI / CE

Specification

This automatic wall-mounted sensor dispenser delivers touch-free dispensing for improved hygiene and reduced cross-contamination. Its durable ABS plastic construction and battery-o...



Scan product



Ref: KT11000700DES82

SS Soap Dispenser ES82AS Euronics



SS Soap Dispenser ES82AS Euronics
Operation: Automatic Infra-Red Sensor
Material: 304 Stainless Steel
Capacity: 1100 ML
Installation Height: 20-25 cm
Power: Battery (4 × AA Alkaline Duracell)
Sensing Distance: 10 cm
Quality Standards: ISI / CE

Specification

This automatic infra-red sensor soap dispenser provides touch-free hand hygiene, reducing the spread of germs and cross-contamination. Its durable 304 stainless steel body makes it...



Scan product

Ref: KT11000700KARS1

Soap Dispenser Arctic S1 Euronics



Soap Dispenser Arctic S1 Euronics
Operation: Automatic Infra-Red Sensor
Power: Electrical (AC 220V, 50Hz)
Material: Brass
Finish: Chrome Plating
Capacity: 1000 ML
Mechanism: Under the Counter

Specification

This automatic under-counter sensor soap dispenser provides touch-free, hygienic dispensing with a concealed design for a neat and modern washroom appearance. Ideal for hotels, hos...



Scan product



Ref: KT11000700KSD18

Automatic Soap Dispenser KSD18 Euronics



Automatic Soap Dispenser KSD18 Euronics
Operation: Automatic Infra-Red Sensor
Power: Electrical (AC 220V/50Hz)
Material: Brass
Finish: Chrome Plating
Capacity: 1000 ML
Mechanism: Under the Counter
Weight: 1.05 kg
Quality Standards: ISI / CE



Scan product

Ref: KT11000700KSD8L

Automatic Soap Dispenser KSD8L Euronics



Automatic Soap Dispenser KSD8L Euronics
Operation: Automatic Infra-Red Sensor
Power: Electrical (AC 220V/50Hz)
Material: Brass
Finish: Chrome Plating
Mechanism: Under the Counter
Quality Standards: ISI / CE

Specification

This automatic under-counter sensor soap dispenser provides touch-free, hygienic dispensing with a concealed installation for a clean and premium washroom appearance. Ideal for hot...



Scan product



Ref: KT11000700KSD9L

Automatic Soap Dispenser KSD9L Euronics

Automatic Soap Dispenser KSD9L Euronics

Operation: Automatic Infra-Red Sensor

Power: Electrical (AC 220V/50Hz)

Material: Brass

Finish: Chrome Plating

Capacity: 1000 ML

Quality Standards: ISI / CE

Specification

This automatic sensor soap dispenser delivers touch-free, hygienic dispensing with a durable chrome-plated brass body for reliable performance. Ideal for hospitals, hotels, offices...



Scan product

Ref: KT11000700TIERRA

SS Soap Dispenser Tierra Euronics

SS Soap Dispenser Tierra Euronics

Operation: Automatic Infra-Red Sensor

Material: 304 Stainless Steel

Capacity: 1100 ML

Installation Height: 20-25 cm

Power: Battery (4 × AA Alkaline)

Sensing Distance: 10 cm

Dimension: 124 (L) × 103 (W) × 278 (H)

Quality Standards: ISI / CE

Specification

This automatic infrared sensor soap dispenser offers touch-free, hygienic dispensing with a durable 304 stainless steel body for reliable everyday use. Ideal for hospitals, hotels,...



Scan product



Ref: KTI1000700TRIMS1

SS Soap Dispenser Trimax S1 Euronics

SS Soap Dispenser Trimax S1 Euronics

Operation: Automatic Infra-Red Sensor

Material: 304 Stainless Steel

Capacity: 1100 ML

Installation Height: 20-25 cm

Power: Battery (4 × AA Alkaline)

Sensing Distance: 10 cm

Dimension: 137 (L) × 96 (W) × 267 (H)

Specification

This automatic infrared sensor soap dispenser provides touch-free, hygienic dispensing with a durable 304 stainless steel body for long-lasting performance. Ideal for hospitals, ho...



Scan product

Ref: KTI100070EKSD14

Automatic Soap Dispenser KSD14 Euronics

Automatic Soap Dispenser KSD14 Euronics

Operation: Automatic Infra-Red Sensor

Power: Electrical (AC 220V/50Hz)

Material: Brass

Finish: Chrome Plating

Capacity: 1000 ML

Mechanism: Under the Counter

Weight: 0.96 kg

Quality Standards: ISI / CE

Specification

This automatic under-counter sensor soap dispenser provides touch-free, hygienic dispensing with a durable chrome-plated brass construction for long-lasting performance. Ideal for ...



Scan product



Ref: KT1100070EKSD15

Automatic Soap Dispenser KSD15 Euronics

Automatic Soap Dispenser KSD15 Euronics

Operation: Automatic Infra-Red Sensor

Power: Electrical (AC 220V/50Hz)

Material: Brass

Finish: Chrome Plating

Capacity: 1000 ML

Mechanism: Under the Counter

Dimension: 173 (L) × 34.3 (W) × 80 (H)

Weight: 0.56 kg

Specification

This automatic under-counter sensor soap dispenser delivers touch-free, hygienic soap dispensing with a concealed design for a clean and modern countertop appearance. Ideal for hot...



Scan product

Ref: KT1100070EKSD4W

Automatic Soap Dispenser KSD4W Euronics

Automatic Soap Dispenser KSD4W Euronics

Operation: Automatic Infra-Red Sensor

Power: Electrical (AC 220V, 50Hz)

Material: Brass

Finish: Chrome Plating

Capacity: 1000 ML

Quality Standards: ISI / CE

Specification

This automatic infrared sensor soap dispenser provides touch-free, hygienic soap dispensing with a durable chrome-plated brass body for reliable daily use. Ideal for hospitals, hot...



Scan product



Ref: KT1100070ES83AC

SS Soap Dispenser ES83AC Euronics



SS Soap Dispenser ES83AC Euronics
Operation: Automatic Infra-Red Sensor
Capacity: 1000 ML
Material: 304 Stainless Steel
Power: Battery (4 × AA Alkaline Duracell)
Sensing Distance: 8 cm
Installation Height: 15-18 cm
Dimension: 135 (L) × 93 (W) × 241 (H)
Quality Standards: ISI / CE

Specification

This automatic infrared sensor soap dispenser ensures touch-free, hygienic dispensing with a durable 304 stainless steel body and battery-operated convenience. Ideal for hospitals,...



Scan product

Ref: KT1100070KSDT11

Automatic Tap Cum Automatic Soap Dispenser KSDT11 Euronics



Automatic Tap Cum Automatic Soap Dispenser KSDT11 Euronics
Operation: Automatic Infra-Red Sensor
Power: Electrical (AC 220V/50Hz)
Inlet Water Pressure: 1.5 to 4.0 Bar (Min. 1 Bar Working Pressure Required)
Material: Brass
Finish: Chrome-Plated
Supply Volume Per Drop (Soap Dispenser): 2 ML
Liquid Volume (Soap Dispenser): 1000 ML
Detecting Distance (Soap Dispenser): 09-20 cm
Weig...

Specification

This automatic sensor soap dispenser provides touch-free, hygienic soap dispensing with precise infrared detection for enhanced cleanliness. Ideal for hospitals, hotels, airports, ...



Scan product



Ref: KTI100150011000

ABS Soap Dispenser 1000ML Euronics ES16 S



Construction :Polycarbonate Abs Casing
Operation :Manual
Capacity :1000 MI
Dispense Volume :2 MI
Warranty:- 6 Months



Scan product

Ref: KTI10015001350M

ABS Automatic Soap Dispenser 350ML



Construction :Polycarbonate Abs
Operation :Automatic
Capacity :350MI
Warranty:- 6 Months



Scan product

Ref: KT10015001400A

ABS Manual Soap Dispenser 400 ML

Capacity :400ml
Material :ABS
Color :White/Chrome
Metals Type-Stainless Steel
Plastic Type-PVC
Shape-Oval



Scan product

Ref: KT10015001600M

ABS Automatic Soap Dispenser 700ML

Construction :Polycarbonate Abs
Operation :Automatic
Capacity :700 ML
Warranty:- 6 Months



Scan product



Ref: KT110015001800M

Manual S.Steel Soap Dispenser 800ML

Container :18-8 S, Type-304, Stainless Steel
Valve :Brass Cylinder, Stainless Steel Spring
Capacity :800 ML
Dispense Volume :one Drop 2ml
Warranty:- 6 Months



Scan product

Ref: KT110015001ES07

Under counter S Steel Soap Dispenser 250ML Euronics ES 07 L

Piston, Spout and Top Cover
Type :304 Stainless Steel
Valve : Steel Cylinder, Stainless Steel Spring
Capacity :250 ML
Finish :Chrome
Warranty:- 6 Months



Scan product



Ref: KTI10015001ES08

S.Steel Soap Dispenser 1200ML Euronics ES 08 A



Container - 18-8 S, type-304, 22-gauge (0.8mm) stainless steel with satin-finish. Body is drawn, one-piece, seamless construction. Back plate has mounting bracket attached. Furnished with concealed wall plate. Equipped with a clear acrylic refill-indicator window and a locked, hinged stainless steel lid for top filling.

Capacity - 1200 ML

Dispense Volume - One Drop 2ML

Valve - ...



Scan product

Ref: KTI10015001ES09

Table Top S.Steel Soap Dispenser 400ML Euronics ES 09



Container :18-8 S, Type-304, Stainless Steel

Material :Non Corrosive Steel

Capacity :400 MI

Dispense Volume :2 MI



Scan product



Ref: KT110015001ES10

Dual Soap Dispenser 400ML Euronics ES10D



Construction : Polycarbonate Abs Casing
 Operation :Manual
 Capacity :400 MI X 2
 Dispense Volume :2 MI
 Warranty:- 6 Months



Scan product

Ref: KT110015001ES20

Table Top S.Steel Soap Dispenser 450ML Euronics ES 20



Container :8-8 S, Type-304, 18-gauge (1.0 Mm) Stainless Steel With Satin-finish. Non Corrosive Steel. Body Is Drawn, One-piece, Seamless Construction. Open The Top Stainless Steel Nozzle For Top Filling
 Capacity :450 MI
 Dispense Volume :2ml
 Warranty:- 6 Months



Scan product



Ref: KTI10015001ES27

Under Counter Mounting Soap Dispenser Euronics ES27H NW



Piston, Spout And Top Cover: Brass, Chrome Plated
Valve :Brass Cylinder Stainless Steel Spring
Capacity :1000 ML
Finish :Chrome
Warranty:- 6 Months



Scan product

Ref: KTI10015001ES43

Manual Soap Dispenser 1000 ML ES43



Operation : Manual
Material : ABS Plastic
Capacity : 1000 ML



Scan product



Ref: KT110015001ES80

S.Steel Soap Dispenser 700ML Euronics ES 80A



Type: Automatic
Brand:euronics
Operation : Automatic
Capacity : 700 ML
Sensing Range : 5~15 CM
Battery : 6 x AA Alkaline Duracell
Dispense Volume : 1~2 ML
Warranty:- 6 Months



Scan product

Ref: KT110015001IONF

Automatic Soap Plus Sanitizer Dispenser



Automatic Soap Plus Sanitizer Dispenser
Capacity :250 MI
Warranty:- 6 Months



Scan product



Ref: KTI10015001KS2D

Under counter S Steel Soap Dispenser 1000ML Euronics KINOX KSD2A



Operation :Automatic Infra-red Sensor
Power : Electircity Or Battery (4 X D Size Alkaline)
Capacity :1000 MI
Dispense Volume :one Drop 2 MI
Sensing Range : 5 - 150 Mm
Soap Refill:From The Top
Mechanism:Under The Counter
Warranty:- 6 Months



Scan product

Ref: KTI10015001KSD1

S.Steel Soap Dispenser 400ML Euronics KINOX KSD 1



S.steel Soap Dispenser (Heavy Traffic)
Container: 18-8s,type-304,stainlesssteel
Material: Non Corrosive Stee
Capacity: 40ml
Dispense Volume: 2ml
Warranty:- 6 Months



Scan product



Ref: KTI10015001PSD1

S.Steel Soap Dispenser 900ML Euronics PSD10



Material: Stainless Steel Cover Plate, ABS Back body
Foam Pump: 20ML Foam(0.6MLliquid)
Dimensions: 255mm(H) x130mm(W)x 120mm(D)
Weight: 2Kgs
Liquid Pump: 2ML
Spray Pump: 0.5ML
Institutional Pump: 1ML
Capacity: 900ML
Warranty:- 6 Months



Scan product

Ref: KTI10015001TSPA

Tissue Paper

Tissue Paper



Scan product