



Product Catalogue

Urinal Flusher

Automation > Hygiene Automation Solutions > Urinal Flusher

EURONICS

Touch-less

WC Flusher Converter

Convert your Manual WC Cistern Flusher to Automatic in 5 minutes

KEY FEATURES

Material	Stainless Steel
Power	12V AC or 24V DC
Induction Time	0.5s
Induction Distance	10 mm
Induction Range	1000 mm
Induction Type	Inductive

TECHNICAL DRAWING

100mm x 100mm x 100mm

+91 82000 00000 | info@euronics.in | www.euronics.in

KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KTI10017001EU04

Urinal Flusher Euronics EU03B

Automatic Urinal Flusher Out wall
(Battery)



Scan product

Ref: KTI10017001KINO

Urinal Flusher Euronics KINOX KUF

Peration :Automatic, Pre & Post Self Flush Infra-red Sensor
Water Output : 0.5 L - 1 L /flush, Intelligent Technology
Sensing Range : 40 - 70 Cm
Mount : Wall Mounted
Battery Operated :4 X Aa Duracell, 66% Water Saving
Mechanism Equipped For Green Building
Warranty:- 6 Months



Scan product



Ref: KTI10017001EW01

Urinal Flusher Euronics EW 01

Urinal Flusher(Euronics-EW 01)

Operation :Self Flush Infra-Red

Sensor + Manual

Water Pressure :0.1-0.7 Mpa

Sensing Range :65 ± 5 CM

Power : AC 220V, 50Hz

Pressure: 1 Bar 2 Bar 3 BarWater Discharge:(per use in liters)



Scan product

Ref: KTI10017001EY40

Sensor base Urinal Flusher EU54E

EU54E Sensor Urinal Flusher

Mounting :Recessed

Operation : Self Flush Infra-Red Sensor

Working Water Pressure ;0.1 MPa – 0.7 MPa

Sensing Range : 65 cM

Power :Electrical (AC 220V, 50Hz)

No image



Scan product