



Product Catalogue

Metal Detector Solutions

Security > Metal Detector Solutions



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT112001005AT89

Mouthpiece For Alcohol Detector AT8900

Mouthpiece for Alcohol Detector Alcohol Detector AT8900

Warranty:- Not Applicable

No image



Scan product

Ref: KT11200105MS90C

Mouthpiece For MS9000C

Mouthpiece for MS9000C



Scan product



Ref: KT112005008YKE4

Led Light Model KT E4

Model KTE4

Led : 15 W

Body/ Color:ABS/Black

Dimensions: L – 223 x B – 122 x H – 144 mm Approx.

Weight: 1.5 kg Approx. (Including Battery)

Powerful 15W Rechargeable LED Search Light

Operation Modes : 5 Modes – Low – Medium – High – SOS – Flasher

Operation Time :Low – Upto 8.5 Hours / High – Upto 6 Hours

Charging Time : 8 hours (Approx)

Light Range : Upto 1000m (Approx)

Batt...



Watch video



Scan product

Ref: KT112004001S141

Hand Held Metal Detector LED Bar Scorpion 700141

Features:

- Single Push to ON.
- Automatic Setting (no adjustments required)
- Super high sensitivity, Detect all type of Metals
- Audio, Visual & Vibration alarm
- Visual indication for "ON", "METAL", "LED BAR"
- Operate of 9V Rechargeable Battery
- Power control : ON, OFF, Vibration
- Safe for Pregnant women and Pacemakers
- Single push button to adjust sensitivity
- ABS Plas...



Scan product



Ref: KT112004002GP30

Hand Held Metal Detector GP3003B1

Specification :

Power Voltage : 9V Standard Dry Cell

Operating Voltage : 9V

Operating Temperature : -10°C to + 55 °C

Net Weight : 500gms approx

Features:

- Single Push to ON.
- Automatic Setting (no adjustments required).
- Dual Indicator, Green for ON & Red for Metal.
- Operate on 9V Battery Dry Cell (Non Rechargeable).
- Detect all type of ferrous & non Ferrous Metal
- Audio ...



Scan product

Ref: KT112005003P10W

Protector LED Search Light Hand Held 10 Watt

Led Lamp : 10w

Range Up to 1000 meter

Surface :Wear Proof Anodized Oxide

Rechargeable Battery : SMF Lead Acid

Operation Time : Up to 4 Hours

6v - 4 AH Lead Acid Battery

Weight with Battery : 1800g

Battery Charger : Inbuilt

Operation Mode : strong , medium , flasher



Scan product



Ref: KTI12005FOSRH55W

RECHARGEABLE LED SEARCH LIGHTS FOS 55W



Light Colour Temperature 3000k - WARM WHITE
LUMINUOS FLUX ~1800 LUMENS
BEAM RANGE ~ 1 Kilometre
BATTERY SPECIFICATIONS 12 V - 7 Ah, Sealed Lead Acid (SMF)
OPERATION MODES CONTINUOUS - Manual FLASHER - TIMER
SWITCH TYPE PUSH BUTTON + Toggle (Mode Selector)
OPERATION TIME Up to 80 minutes
BATTERY CHARGER In-Built Charger
CHARGING TIME 8-10 Hours
LED INDICATORS for Charging a...



Scan product

Ref: KTI12002AT8000S

Breath Analyzer with Printer and Camera Model No Alcostop 8000S



Technical Specifications
Measurement Modes: The device operates in both active and passive modes.
Active Mode: Measures BAC in the range of 0 to 550 mg/100ml.
Passive Mode: Measures BAC in the range of 0 to 100 mg/100ml.
Measurement Ranges:
BAC: 0-550 mg/100ml
Physical and Environmental Conditions:
Operation Temperature: 0°C to 40°C.
Storage Temperature: -30°C to 70°C.
Pressur...



Scan product



Ref: KT112002001AE50

Breath Analyzer with Printer Model Alcoeasy A50



.Product Description: This Breath Analyzer with Inbuilt Printer A50 is mainly known for rough and tough use.

Features:

Fuel cell Sensor with 2.8 inch Touch Screen

Inbuilt Thermal Printer with 20,000 Memories

Data collection report using PC Software utility.

Specification:

- Measurement Mode: Active Mode and Passive Mode
- Sensor type: Fuel cell Sensor
- Display: 2.8 inch full ...



Scan product

Ref: KT11200200WPT30

Wall Mounted Breathalyzer with Bluetooth Printer



Model : PT304P

PT304 Wall-mount Quick Screening Tester with microprocessor based. For quick screening test of the factory, railway, school bus, taxi company, logistic company train/airline staff...etc. 88,000 test records with time stamp and download to PC via USB.

Product Feature:

1. Sensor: Electrochemical fuel cell sensor with microprocessor-based.
2. Build alarm Light: 3 Col...



Scan product



Ref: KT11200500850WR

RECHARGABLE LED FLOOD LIGHT 50W

RECHARGABLE LED FLOOD LIGHT 50W

MODEL NO: HISRFL-50W- 8HR

Rechargeable 50W 24Led Work Spot Flood Emergency Lights
Camping Light with USB Ports to Charge Mobile Devices and
Special SOS Modes.

SPECIFICATION:-

Power: 50W,Color of light: white (6000-6500K)

Luminous flux: 2400LM

Li-ion battery: 3.7V 18650 Li-batteries *6 Nos 2600maH BIS
certified
battery.

Input voltage: 12V 1A DC...



Scan product

Ref: KT112002WOAT720

Non Contact BreathAnalyser AT7200 without Printer

Description

Duel functions alcohol tester---pump suction and accurate
test, AT7200 adopt fuel-cell sensor and semi-conductor as its
core component that can inspect accurately concentration of
the breath alcohol.

Both fuel cell and semiconductor sensor-accuracy and fast

Both accurate and rapid pump suction test method

3.7V/5000 mAh Lithium battery

Traffic baton with white an...

Specification

Our hand-held breath alcohol analyzer, Quick Test MS-10QC. to have
a better experience on this product,

Quick Test MS-10QC. is a rapid breath alcohol analyzer for quick
testing

Sen...



Scan product



Ref: KT112002MS9SIPL6

Breath Analyzer with Memory SIPL6

Digital Breath Alcohol Analyser with Memory,
Model: SIPL-6 (32GB SD Card, Taptic Vibrator, BMS, Data logging)

High performance 16 bit ADC
High accuracy and faster response time
32GB SD Card for memory storage
Store up to 3 lakh readings
Three Status indicators - safe, warn & alert
Password restricted menu access
Quick test mode with no delay
Guided test sampling process
Confidenc...



Scan product

Ref: KT11200100139WP

Breath Analyzer Uniphos 395 Without Printer

Breath Alcohol Analyzer Uniphos -395 With out Printer

Features :

Advanced Micro -Controller Based technology.

Active / Passive Sampling With fast response.

detects breath alcohol level between 0 to 500mg /100ml of blood or 0.000 to 0.500BAC .

In -Built memory stores upto 3000test results along with time and date .

wired /wireless Connectivity .

Specification :

Sensor : Fuel...



Scan product



Ref: KTI12002001PT30

Wall Mounted Breathalyzer without printer

Model : PT304

Bluetooth Printer extra

PT304 Wall-mount Quick Screening Tester with microprocessor based. For quick screening test of the factory, railway, school bus, taxi company, logistic company train/airline staff...etc. 88,000 test records with time stamp and download to PC via USB

Product Feature:

1. Sensor: Electrochemical fuel cell sensor with microprocessor based. 2. Bu...



Scan product

Ref: KTI12004002D160

Hand Held Metal Detector ZK D160

Model : ZK-D160

Make :Zketeco

Features:

- Digital design, strong anti-interference ability.
- Adjustable sensitivity with high, medium and low.
- Simple operation, easy to use and convenient.
- High sensitivity to all metals.
- Two alarm modes of vibration and sound.
- Uses AA battery type which is easily available, and can work continuously for more than 70 hours.
- Charging,...



Scan product



Ref: KT112005006PERA

Pelican 3315R, RA Right Angle Light

Ultra compact, special designed lithium rechargeable with a "Boost" mode that delivers nearly 1,000 lumens make the Pelican™ 3310R-RA one of the most powerful flashlights available for its size. Its compact design fits comfortably in your hand and requires little space for storage or transport.

The 3310R-RA produces 385 lumens in its high mode and provides up to 50 hours of c...



Scan product

Ref: KT1120020KT8080S

Breath Analyzer A 8080TC Sim Base

A8080TC - The safe Breath Analyzer with Sim Base.

Main specifications

Measuring Mode 1. Active Mode

2. Passive Mode (Manual sampling)

Measuring Range 0-550 mg/100ml (BAC)

Measuring Resolution 1 mg/100mj (BAC)

Measuring Unit mg/100ml(BAC), %0(BAC), mg/L (BrAC)

Measuring Accuracy 1. +/- 5 mg/100ml absolute error at range from 0~100 mg/100ml

2. +/- 5% of measured value at ran...



Scan product



Ref: KTI12002001MSP1

Wall Mounted Alcohol Breath Analyzer MSP 1001

Model NO.: MSP 1001

Wall Mounted alcohol Detector

Adaptable sensor unit: Replaceable Plug-In sensor module

Temperature Range: From -20 to +50degree

Automatic flow detect: to monitor the continuous breath sampling

Calibration: Advance calibration function

Breath sampling: about 6 seconds continuous breath

Cycle time: about 10 seconds

Calibration Period - after 1 year



Scan product

Ref: KTI12004002MTMD

Ultra High Sensitive Hand Held Metal Detector MTMHD 003

Model No.: MTHHMD-003

Dimension - 410mmX85mm X45 mm

Comes with Auto setting, which does not require adjustment

Detects all types of metals

Light Weight, handy and easy to use

Audio & Visual alarm during metal detection

Power ON, Metal detection and battery Charging indication

Long-lasting battery.



Scan product



Ref: KT112005008YKM5

Led Light Model YK M5

20W Rechargeable LED powerful search light with an inbuilt solar panel.

Multi-utility search light with 6 Mode Operations.

Dimensions 28 × 17.5 × 18 cm

Light Source 20W


Battery 18650 Li-ion Battery (8000 mAh)

Body Material/Colour Aluminium & ABS / Black

Battery Adaptor External 5V 2Amp

Charging Dual charge AC Mains 220V50Hz/Through inbuilt solar panel

Light range Up to 1000m(ap...



Scan product

Ref: KT112002003MGHI

Door frame Metal Detector 18 Zone with Software

Door Frame Metal Detector - 18 Zone
with Software TCP / IP Protocol

Traffic Counter : "IN" "OUT" "With Bar Display"

Model No.: MT -VIC

Multi Zone -18

Construction Material :Wooden Laminated Frame

DImension : OD : 2253 H X860 B X 570 D

ID : 2000 H X720 B X570 D

Power Supply -220V AC , 50 HZ

Power Consumption -Less than 40 watts

Alert mode: Visual and Alarm mode

Detection ...



Scan product



Ref: KT11200500RS250

250 W Motorised revolving LED Search Light with Speed Control



watt : 250 w
 Up-Down Control & On-Off control of light through remote,
 Input Voltage : 230 VAC
 Power Factor : HPF 0.987
 Operating Current of LED Bread : 1500 mA Cont. current
 Driver
 Led Chip Brand ; OSRAM OSLO3030
 Certification : LM 80 /IS16106
 Beam Angle : 5-9 degree
 Mounting : 360 degree Rotational



Scan product

Ref: KT112001001MS_A2020

Breath Analyzer A2020



Model : A2020 BREATHALYZER & ELECTROCHEMICAL
 SENSOR
 Model Name/Number : MSIPL/A2020
 Packaging Type :Box
 Grade :ManualPowe,Power : 10440 rechargeable battery
 Accuracy: +/- 0.006%BAC at alert point
 Temperature: 0 to 50 DegreeC
 Types Of Breath Alcohol Analyzer Active and Passive
 Application Workplace
 Usage/Application Alcohol abuse detection at work place
 Automation Fully Automa...



Scan product



Ref: KT112002001MPT1

Breath Analyzer with Printer Model PT100P



AlcoPatrol PT100P is a hand held, portable breath alcohol tester
 AlcoPatrol ,Breath analyser is fuel cell based and designed for professional use,
 This device can be connected with compact sized printer to print out the
 data alcohol concentration, date and time.
 It has facility to record 2000 memory, portable and modern design, real
 time clock display support, optional mini pri...



Scan product

Ref: KT112002003MGHS

Door frame Metal Detector-18 Zone



Model No.: MT -VIC
 Multi Zone -18
 Construction Material :Wooden Laminated Frame
 DImension : OD : 2253 H X860 B X 570 D
 ID : 2000 H X720 B X570 D

Power Supply -220V AC , 50 HZ
 Power Consumption -Less than 40 watts
 Alert mode: Visual and Alarm mode
 Detection of material : Ferrous and non ferrous
 Senisitivey calibration level - 0-255
 Appllication :Indoor/Outdoor
 Traffic ...



Scan product



Ref: KT112002PT5000P

Breath Analyzer with Printer PT 5000P

Digital Alcohol Breath Analyzer, PT 5000P

Electrochemical/Fuel Cell sensor: The fuel cell is a porous disk with a thin layer of platinum black on both faces and any alcohol that comes in contact with the cell's surface is broken down chemically.

2.Printer: Inbuilt thermal printer, printing on spot with all information which entry.

3.Display: Color 3.2" TFT LCD with touch screen

4...



Scan product

Ref: KT112001005MAWPM

Mouthpiece For Alkokhoj 2018 with out Printer

Mouthpiece for Alkokhoj 2018 without Printer



Scan product



Ref: KT11200400HM520

Hand Held Metal Detector ESSL HM520PRO

Model : HM520PRO

Features:

Operating Frequency : 25Khz,

Power Consumption : 60mw,

Voltage : 2.4v-3.5v ,

Operational Current : 100-200ma ,

Battery Type : 9V 6F22 Battery .

TECHNICAL SPECIFICATIONS

Operating Frequency : 25Khz

Power Consumption : 60mw

Voltage : 2.4v-3.5v

Operational Current : 100-200ma

Battery Type : 9V 6F22 Battery

Standby Current : 25ma

Charging Time : >10H

...



Scan product

Ref: KT112005006P335

Pelican 3335R Z0

The Peli™ 3335RZ0 is a small & light rechargeable intrinsically safe torch certified for ATEX/UKEX Zone 0 applications.

246 Lumens

ATEX Safety Certified Zone 0 (Cat. 1)

Up to 246 Lumens

Up to 58 hours run time

IP67 Rating

3 modes High / Strobe / Low

Full Time Battery Level Indication

Right-Angle Accessory (#3317, sold separately) transforms the 3335R into hands free wearable fl...



Scan product



Ref: KT112005008YKM2

Led Light Model YK M2

15W Led Range upto 500 m Approx with 3600 mAh Li-ion Battery

Multi Utility Search Light , Work & Signal Light

Power Bank. Water Resistant

Soft Touch Push Button Switches

Operation Modes (Front LED) - Super Strong - Strong - Flasher

Brand POINT BLANK

Manufacturer Point Blank Range Pvt. Ltd. (MFR & Supplier)

Country of Origin India

Model number Led Searchlight : YK-M2

Colour ...



Scan product

Ref: KT11200500TRPC15

Tripod Mounted Revolving LED search light 150Watt

150W and 300 Meter range

SALIENT FEATURS

PHOTOMETRICAL DATASHEET

Efficacy 150-165 lumens per watt

Luminous Flux 7500-66000Lumens

Light colour WHITE

CCT 5700-6000K

Led Chip Brand OSRAM/SAMSUNG

Certification LM 80 /IS16106

CRI 80 LED Life span 50,000

Optic Lenses material Polycarbonate Lenses Reflector NA



Scan product



Ref: KTI12002WAT720P

Non Contact BreathAnalyser AT7200 with Printer

Description

Dual functions alcohol tester---pump suction and accurate test, AT7200 adopt fuel-cell sensor and semi-conductor as its core component that can inspect accurately concentration of the breath alcohol.

Both fuel cell and semiconductor sensor-accuracy and fast

Both accurate and rapid pump suction test method

3.7V/5000 mAh Lithium battery

Traffic baton with white an...

Specification

Our hand-held breath alcohol analyzer, Quick Test MS-10QC. to have a better experience on this product,

Quick Test MS-10QC. is a rapid breath alcohol analyzer for quick testing

Sen...



Scan product

Ref: KTI12005009415I

Pelican 9415I Flashlight

9410L + Safety = 9415i

392 Lumens

Carrying Strap included

High/Low/Flashing Modes

Length: 22.2 cm

Battery Type: NiMH

Battery Quantity4

Rechargeable yes

Charge Time: 15 hrs



Scan product



Ref: KTI16003001UVSC

Under Vehicle Search Trolley Mirror with camera

Technical Specification:

NetWeight(mainunit) : 4.15 Kg

Dimension(mainunit): 440 mm(L)x340mm (W) x 172 mm(H)

Telescopic rod (compressed) : 560 mm(1.8feet)

Telescopic rod (extended) : 1730 mm(5.6 feet)

Camera : Camera with DVR

Recording : 7-10 days recording LED for Night vision

Mirror: 12 inch (30.48 cm) convex mirror.



Scan product

Ref: KTI12001002H18G

Door Frame Metal Detector 18 Zone 700318G

Door frame metal detector scorpion 700318g

- stable performance, 18 zones.
- based on auto-set microcontroller.
- detects all types of ferrous and non-ferrous
- security level up to 100 levels.
- sensitivity of each zone from 0 to 200.
- self-calibration starts once powered on.
- 2 light bars with human body localization
- counter: record the pass and alarm numbers.
- operation...



Scan product



Ref: KT11200500P92GX

Night Stick Intrinsically Safe Scene Light XPR5592GX

Model :XPR-5592GX

Item Number - XPR-5592GX - 017398807005

CASE MATERIAL

- Glass-filled nylon polymer
- Serialized for personal identification

LUMENS/RUNTIME

- HIGH: 1200L, 6 hrs. runtime
- LOW: 650L, 12 hrs. runtime

WATER RATING

- IP-67 (dust-proof, waterproof)

DROP RATING

- 2 meters

DIMENSIONS

- LENGTH: 13.5 in (343mm)
- WIDTH: 9.25 (235mm)
- DEPTH: 3.5 in (89mm)
- WEIGHT: 4 l...



Scan product

Ref: KT11200500YK7301

LED Rechargeable Search Light YK 730 15000 mAh

Description

High Brightness Upto 2000 Lumens.

Swivel Stand. Long Working Time.

Lithium Polymer battery. Rugged Body

Bigger Reflector. Dual Charger. Light Weight. Optionally

Available with Solar Charging

Weight 1480 g

Dimensions 26.9 × 22.2 × 22.2 cm

Lighting Type:LED

Body Material :ABS

Battery Type ;li-ion

Voltage: 7.4v

Rechargeable : YES WITH EXTERNAL CHARGER.

Battery Included...




Scan product



Ref: KT112001001A80T

Alcohol Detector A8080T Breath Analyser with camera



A8080T Breath Analyser with camera

Measuring mode - Active Mode, Passive Mode

Measuring Range : 0-550 mg/100 ml (BAC)

Measuring Resolution -1 mg/100 ml (BAC)

Sensor Type -Dart 16 mm , Electromechanical Measuring sensor

Display -3.5 inch LCD 480*320 65K Color with touch panel

GPS -Supports GPS Function

Camera -5 MP with wide range >130 Degree (Optional)



Scan product

Ref: KT112005006US14

Flash Light Ultralite SF14



Make : Ultralite

Model : SF-14

2 Light Modes ,270M Beam Range

UP TO 13 Hours Runtime

Pocket Clip

Key Features :

Intrinsically safe led right angle hand torch for use in Zone 0 , 1, 2 Hazardous areas

High Powered LED -CREE XP-E-G2

Powered by 4 x AA batteries

ANSI IP54 Rating

ATEX Certification

M1 Ex ia I Ma I II 1G Ex ia IIC T4 Ga

Usefull :

lameproof LED Torch is desig...



Scan product



Ref: KT112005006P706

Pelican 7060 Flashlight

The Pelican 7060 LED light employs a revolutionary dual switch technology that allows the light to be activated by either a body-mounted patrol switch or a tail-mounted tactical switch. The dual switches, which include a momentary mode and high/strobe/medium/low beams, allows the user to grip the light in several positions and still control activation. In addition, the 7060 is ...



Scan product

Ref: KT1120050P09470

Pelican 9470 Remote Area Light

High Flux LED: 50 0 0 0 hrs.
 Tested Lumen Value: 120 0 0 (High) ,10 0 0 (Lo w)
 Number of LEDs:6 LEDs per head
 Battery Burn Time: 7 hrs. (High) 40 hrs. (Low)
 Battery Charging Time: 12v Re chargeable
 Voltage: 12v



Scan product



Ref: KT112002001ACPA

Breath Analyzer with Printer Model Alcopatrol

AlcoPatrol is a hand held, portable breath alcohol tester
Specifications : AlcoPatrol Breath Analyzer is fuel cell -based and designed for professional use

Quick and Precise Analysis ; 32 - Bit embedded processor secures high performance of the system.

Power Supply : Built in Li-ion battery reliable and long -time testing action.

Memory Capacity : Data storage of 2000 test re...

2. AlcoPatrol Breath Alcohol Analyzer with Printer

Product Description : We are leading provider of AlcoPatrol Breath Alcohol Analyzer with Printer to our client.

Specifications : Universal AlcoPatrol Breath analyzer is fuel cell-based and designed for professional use. It is a handheld instrument primarily to determine a subject's breath alcohol level quickly and precisely.

- Quick and Precise Analysis: 32-bit embedded processor secures high performance of the system.
- The built-in Electrochemical Fuel Cell Sensor: Highly specificity to alcohol, unaffected by other possible breath contaminants.
- Data Handling Ability: Compact gas circuit design and advanced analysis process secures fast, accurate and stable testing performance.
- Power Supply: Built-in Li-ion battery reliable and long time testing action. Memory Capacity: Data storage of 2000 test results. Key test results can be downloaded to PC.
- After Sales Service: Independent intellectual property rights integrated with research, development and production ability guarantee strong after sales service.



Scan product

Ref: KT112001001UN39

Breath Analyzer Uniphos 395 With Printer

Breath Alcohol Analyzer Uniphos -395

Features :

Advanced Micro -Controller Based technology.

Active / Passive Sampling With fast response.

detects breath alcohol level between 0 to 500mg /100ml of blood or 0.000 to 0.500BAC .

In -Built memory stores upto 3000test results along with time and date .

wired /wireless Connectivity .

Specification :

Sensor : Fuel Cell Technology ...



Scan product



Ref: KT100000KT08300

Breath Analyzer WithOUT Bluetooth Printer KT8300



KT-8300P Breath Alcohol Tester With Bluetooth Printer With Electro chemical fuel cell based and designed for professional use

KT- 8300 is a handheld.

Dimension (L*W*H) - 170x 75x 35 Centimeter (cm)

Temperature Range: -10 to 50 Celsius (oC)

Special Features: Wireless Communication: Bluetooth

Power Supply: Built-in Li-ion battery realizes reliable and long-time testing action.

M...



Scan product

Ref: KT112001001ABWP

Alcohol Detector Alkokhoj 2018 with Printer



Model : Alkokhoj 2018 With Printer

ACTIVE MODE- EXAMINER ID ENTER FACILITY With Printer

PASSIVE MODE - ALPHANUMERIC CREW ID ENTER FACILITY

With Printer

QUICK MODE - CREW NAME ENTER FACILITY With Printer

BLOW FAILURE INDICATION - TRAIN NO. ENTER FACILITY With

Printer

LOW BATTERY INDICATION - PC DATA DOWNLOADING With

Printer

CALIBRATION REMINDER INBUILT LITHIUM- ION BATTERY

EASY ...



Scan product



Ref: KT112001002PTMD

Pole type detector CEIA MSD

Detection of magnets and ferromagnetic metals
 Detection of all cell phones and other ferrous contraband concealed on the person or in body cavities (including keyfob cell phones, smart phones, radio transceivers, etc.)
 Constant Sensitivity across the detection area in pass-through operations
 Multi-Zone targeting indication identifies the location of contraband on the body
 Cover...



Scan product

Ref: KT11200100HPOLZ

Pole Type Metal Detector MDS100

Model MDS100
 Maximum Detection Distance: 120 cm
 Detection Radius: Up to 80cm
 Throughput Rate 50 people/minute
 Sensitivity Level 100
 Alarm Zone 2 Zones (Standard), 3 Zones (Optional)
 Touch Screen Size 3.5inches
 Alarm Volume 1 to 10 Levels
 Alarm Ring 6 Types(selectable)
 Input Voltage 15V
 Embedded Rechargeable Battery 8Hrs to be fully charged ;
 Supports 26 Hrs of operation
 Battery...

Specification

- Detect smartphone (switch ON/OFF mode), smartwatch and ferrous contraband
- Strong anti-Interference ability
- Cutting-Edge Single-Axis Magnetic Field Sensor Supporting a High ...



Scan product



Ref: KT11200100PMD33Z

Door Frame Metal Detector 33 Zone 800333W

Door Frame Metal Detector 33 Zone 800333W

Characteristic & Function :

- 11/22/33 zones to precisely identify locations vertically from head to toe.
- LED Display for visualization.
- Operating Frequency can be adjusted manually or automatically
- Working frequency (0~99), with adaptive function according to the working environment.
- Multi-alarm sounds to choose. (Different sou...

Specification

Used at airports, railway stations, courts, and other high-security checkpoints for screening people for concealed metal objects. Provides fast, non-intrusive security checks with h...



Scan product

Ref: KT112002001D918

Door Frame Metal Detector 18 Zone ESSL

D9018 WALK THROUGH METAL DETECTOR - 18 ZONE DIGITAL

Vertical dimension: 2230 x 920 x 440 mm,

Vertical aisle dimension: 2000 x 715 mm,

Net weight: 40 Kg ,

Gross weight: 45 Kg,

Operating voltage: AC90V ~ 240V 50/60Hz.

Pow erconsum pΘ on :20W

Regionald etectm etalprecision range:

M axim um sensiΘ vity ≥10gm etal



Scan product



Ref: KTI12002001MPT-5020

Quick Test non contact Alcohol Breath Analyzer PT 5020

Quick Test /non-contact Alcohol Breath Analyzer
 Model no - PT-5020
 Dimension(L*W*H) : 170x 75x 35 Centimeter (cm)
 Weight 250 : Grams (g)
 Technology : Fuel Cell Sensor
 Material : ABS Plastic
 Input Power :12 Volt (V)
 Temperature Range -10 to 55 Celsius (oC)

SPECIFICATIONS :

Display: TFT 2 .4" TFT QVGA
 Keyboard: 3 Keys operation.
 Power supply: 4 pcs AA Battery.
 Heat warm up: Cha...



Scan product

Ref: KTI1200200USBA1

Breath Analyzer Model No US BA1

NON CONTACT ALCOHOL BREATH ANALYZER
 Model : US BA-1
 Waterproof device count , Vibration motor, Non-slip grip,
 Strong magnetic adsorption
 Sensor : Electrochemical fuel cell type sensor
 Measurement mode : Quick screening, automatic pumping
 Pumping method : Continuous pumping volume is not less than 0.8L/min
 Test distance : 3-5cm test
 Measuring range : 0-180mg/100ml BAC (blood alc...



Scan product



Ref: KTI12005001F11E

FENIX ATEX FLP LED Torch WF11E

Fenix WF11E ATEX FLP LED Torch

The torch itself is made with explosion-proof and antistatic plastics including RTP 399 X 133887 Polycarbonate. The LED is a Cree XP-G2 Neutral white with a lifespan of 50,00 hours. Make your work environment even safer with the Fenix WF11E flashlight.

Specifications

Cree XP-G2 neutral white LED

Three Output Levels

High - 200 Lumens/10 Hours

Med ...



Scan product

Ref: KTI12005008TS27

LED Rechargeable Search Light TS 27STD

Type of Lamp / watt : 30 w

Dia of search light : 152mm

Dimensions : 290 L X 152 Dia x 152h mm

Color Temperature : 6500 k

Battery (Rechargeable) : 4 x 18650- 8800Mah Lithium 3.7h

Range : UP 1 km approx.



Scan product



Ref: KT11200500RS100

Motorized revolving LED Search Light with Speed Control 100 MTR



Motorized 100w with 180 deg left right
And up down
Auto left light
Certification CE/ BIS ON CONTROL GEAR
Input Voltage 110v to 300vac
Frequency 50/60 Hz



Scan product

Ref: KT1000000MRT700

Underground Cable and Pipe Locator Mrt 700



The MRT-700 device is an underground cable and pipe locator, which makes it possible to trace distribution networks quickly, easily and accurately. It can locate energised and de-energised cables, as well as low, medium, and high voltage lines, and both metallic and non-metallic pipelines. It also includes functionalities for contractors, maintenance departments, and civil work...

Specification

Receiver: [object Object]

Transmitter: [object Object]



Scan product



Ref: KT11200021PD240

Hand Held Metal Detector CEIA PD240



Model No. -PD240

□ Dimensions (WxDxH):

450 mm x 325 mm x 115 mm

□ Weight: 2.2 kg

1 PD240 Hand Held Metal Detector

2 HHDS Docking station

3 Coupling pins for side-by-side docking station placement

4 NIJ compliant Calibration Test Piece

5 Universal AC adapter

(100-240 Vac, 50-60Hz, 6W)

6 US, EU, UK, JP plugs adapter

7 Wrist strap

8 Instruction manual

9 Quick Reference Guide

POWE...



Scan product

Ref: KT112001002PMD18

Door Frame Metal Detector 18 Zone 828518W



Door Frame Metal Detector 18 Zone 828518W

Characteristic & Function:

- 18 zones to precisely identify locations horizontally and vertically from head to toe.
- LED Display for visualization.
- Operating Frequency can be adjusted manually or automatically
- Working frequency (0~99), with adaptive function according to the working environment.
- Multi-alarm sounds to choose. (Di...

Specification

Used at airports, railway stations, courts, and other high-security checkpoints for screening people for concealed metal objects. Provides fast, non-intrusive security checks with h...



Scan product



Ref: KTI12001002PMD33

Door Frame Metal Detector 33 Zone 828533W



Door Frame Metal Detector 33 Zone 828533W

Characteristic & Function :

- 33 zones to precisely identify locations horizontally and vertically from head to toe.
- LED display for visualization.
- Operating Frequency can be adjusted manually or automatically
- Working frequency (0~99), with adaptive function according to the working environment.
- Multi-alarm sounds to choose. (Di...

Specification

Used at airports, railway stations, courts, and other high-security checkpoints for screening people for concealed metal objects. Provides fast, non-intrusive security checks with h...



Scan product

Ref: KTI1200100ESPO6

Pole Type Metal Detector 6 Zone D468



6 Zone Single Door Panel Walk-through Metal Detector
Model -D468 -6

Working principle: Electromagnetic

Materials: ABS (Acrylonitrile Butadiene styrene) raw materials

Frequencies : 0-99.

External size : 2203x580x117mm

Distance between person and door

Specification


Working principle : Electromagnetic ,

Materials : ABS (Acrylonitrile Butadiene styrene) raw materials,

Frequencies : 0-99,

External size : 2203x580x117mm ,

Weight : net weight 19 K...



Scan product



Ref: KT1120010TSSPOL5

Wall Type Metal Detector Trust Safety TSSPOL 5 Zone

Wall Type Metal Detector Trust Safety TSS-POL 5 Zone
Detection objects : Prohibited goods such as mobile phone and metal

Modular product

Easy maintenance

Special material High-intensity & lightweight

Production line assembling Ultra high precision

Detection ability: more than 100 people in 1 minute

3.7-inch LCD display

Integrated four-button panel operation mode

Pass people sta...



Scan product

Ref: KT112002001GO11

Deep Search Metal Detector Model Go Find 22

Deep Search Metal Detector Model Go Find 22

The GO-FIND® 11 is a compact, no-fuss metal detector that's easy to learn and even easier to master. With intuitive controls and a simple setup, you'll be out detecting in minutes. Lightweight and collapsible, it's designed to move with you. From parks and fields to beaches and backyards, the GO-FIND 11 packs down small and is comfort...



Specification

Operating Frequency 8 kHz

Sensitivity 3 Levels

Noise Cancel No

PORTABILITY

Collapsible

FIND MODES

2

SEARCH COVERAGE

Regular (8-inch coil)

TREASURE VIEW LEDS

NO

TARGET DEPTH IN...



Scan product



Ref: KTI12002001MGHS

Ultra High Sensitive DFMD 8 Zone

Model No. : MT-IIIC

Zone -Multi Zone 8 Zone

Size : 2240HX820WX700L

Power supply -230V AC 50 HZ

- Bi-directional Detection and Counter
- High Discrimination and Throughput
- Unmatched Anti-interference Performance
- Real-time Monitoring for Environmental Interface
- Full-module Design for Easy and Rapid Assembly
- LED on the Front side of door Frames (Entry)
- Ultra high-sen...



Watch video



Scan product

Ref: KTI12002001MPT-032

Non Contact Quick Test Breath Alcohol Analyzer PT 032

Non Contact Quick Test Breath Alcohol Analyzer

Model - PT-032

Weight 200 Grams (g)

Dimension(L*W*H) 170x 75x 35 Centimeter (cm)

Features :

Quick Test, PT 032 breath alcohol tester is a kind of tester designed to measure concentration without mouth piece and without blowing result of the breathed alcohol in the human body. This device adopts advanced flat surfaced alcohol se...



Scan product



Ref: KT112002001V340

Deep Search Metal Detector Model Vanquish 340

Deep Search Metal Detector Model Vanquish 340

The VANQUISH 340 is the ideal metal detector for beginners, offering the essential features needed to start your treasure-hunting journey. With its Multi-IQ technology, waterproof V10 coil, and straightforward audio control, the VANQUISH 340 is as simple as it is powerful. Its compact and lightweight design ensures excellent perform...

Specification

Three Find Modes: Choose from Coin, Jewelry, or All Metal modes, each pre-programmed and optimized to deliver excellent performance in any environment, be it a park, field, or beach...



Scan product

Ref: KT112002001V440

Deep Search Metal Detector Model Vanquish 440

Deep Search Metal Detector Model Vanquish 440

The VANQUISH 440 is designed for detectorists ready to elevate their treasure hunting experience. Equipped with Minelab's revolutionary Multi-IQ technology, a waterproof V10 coil, and advanced audio controls, the VANQUISH 440 ensures precision with its pinpoint mode, making it ideal for those who require accuracy in their search. Wi...

Specification

Four Find Modes: Choose from Coin, Relic, Jewelry, or Custom modes, each pre-programmed and optimized to deliver the best performance across various environments like parks, fields...



Scan product



Ref: KT112002001V540

Deep Search Metal Detector Model Vanquish 540

Deep Search Metal Detector Model Vanquish 540

The VANQUISH 540 is designed for the serious detectorist who demands top-notch performance. Featuring Minelab's revolutionary Multi-IQ technology, advanced audio controls, and pinpoint precision, the VANQUISH 540 offers everything you need for a successful hunt. It includes adjustable Iron Bias Control, a red LED backlight for low-l...

Specification

Four Find Modes: Choose from Coin, Relic, Jewelry, or Custom modes, each pre-programmed and optimized for different targets and environments. You can also save your preferred setti...



Scan product

Ref: KT112002001X700

Deep Search Metal Detector Model Equinox 700

Deep Search Metal Detector Model Equinox 700

High-Resolution Target Identification: 119 target ID numbers (99 for non-ferrous metals and 20 for iron).

Superior Target Separation: Features iron bias adjustment and target recovery speed settings, helping to differentiate valuable finds from trash.

Outstanding Performance on Any Terrain: Search modes include "Park," "Field," "Beac...

Specification

Search Modes: "Park," "Field," "Beach."
All-Metals Mode Quick Access Button: Yes.
Customizable Search Profiles: 6.
User Profile Button: No.
Operating Frequencies (kHz): Multi, 4, 5...



Scan product



Ref: KT112002001X800

Deep Search Metal Detector Model EQUINOX 800

Deep Search Metal Detector Model EQUINOX 800
Equinox 800 is a cutting-edge, multi-frequency metal detector designed for serious treasure hunters. Featuring revolutionary Multi-IQ technology that simultaneously operates five frequencies, it excels in all soil types and metal targets. Fully waterproof up to 10 feet, it's perfect for underwater exploration. With four customizable ...



Specification

CUSTOM MODE MASTERY - Four specialized detect modes with customizable profiles to tailor your search like a pro.
MULTI IQ POWERHOUSE - Simultaneously runs 5 frequencies for unmatched...



Scan product

Ref: KT112002001X900

Deep Search Metal Detector Model EQUINOX 900

Deep Search Metal Detector Model EQUINOX 900
The EQUINOX 900, driven by Minelab's proven ground-breaking Multi-IQ technology, boasts an impressive 119 High Resolution Target ID system, superior target separation, and is fully waterproof to 5 m (16 ft) with IP68 rating. With upgrades like its 3-piece carbon-fibre collapsible shaft system and advanced audio controls, plus fully-l...



Specification

SEARCH MODES-Whether you're swinging in the goldfields or snorkelling at the beach, EQUINOX 900 has no limits and dominates all targets and all terrains.

WATERPROOF-With IP68 water...



Scan product



Ref: KTI12002001XTER

Deep Search Metal Detector Model XTERRA Elite

Deep Search Metal Detector Model X-TERRA Elite
Discover the all-new Minelab X-TERRA ELITE series powered by Multi-IQ — a breakthrough in treasure detection combining cutting-edge technology and affordability. Designed for the savvy hunter in search of a fully waterproof, feature-rich machine with proven Multi-IQ technology, the X-TERRA ELITE stands unbeatable.

Specification

RICH AUDIO- With multiple tone audio, the sound of treasure is clear. X-TERRA ELITE's all-tone audio means you'll not only 'hear' if a target is trash or treasure but you'll also b...



Scan product

Ref: KTI12002001XTHT

Deep Search Metal Detector Model XTREM HUNTER

Model No. :XTREM HUNTER with Remote Control
ACCURATE TARGET AT DEPTH
OF UP TO 5 METERS (17 FEET)
FMF® FAST MULTI FREQUENCY
WIRELESS CONVENIENCE
SEAMLESS COMPATIBILITY WITH THE DEUS II
WIRELESS ECOSYSTEM
EASY TO USE
EASY TO TRANSPORT
WATERPROOF CONSTRUCTION
BUILT TO LAST



Sensitivity 99 levels
Discrimination IAR on 5 levels
Threshold 20 levels
Reactivity 3 levels
Auto Tune 3 lev...



Scan product



Ref: KTI12002001XTPR

Deep Search Metal Detector Model XTERRA Pro

Deep Search Metal Detector Model X-TERRA Pro Elevate your treasure hunting experience with the brand-new X-TERRA PRO detector by Minelab. With its easy-to-use design, simply select the appropriate search mode—Park, Field, or Beach—to match your terrain, and let the detector do the rest, helping you discover hidden treasures with ease. As you become more experienced, the X-TERR...



Specification

earch Modes: Park, Field, and Beach
Fully Waterproof: Rated to IP68, waterproof up to 5 meters (16 feet)
Optimized for Beach: Capable of detecting in saltwater
Lightweight and Comp...



Scan product

Ref: KTI12002001ZK01

Door Frame Metal Detector Single Zone ZKD1010L

Model -ZK-D1010L
Power Supply -AC 100V to 240V
Working Temperature --20°C to 55°C
Channel Dimensions (mm) 14

Dimension (L*W*H) 2236*827*380 (mm)
Dimension with Packing (L*W*H)2280*282*560 (mm)
Power SupplyAC 100V to 240V
Running Power 18W
Storage Temperature -20°C to 55°C
Weight (kg)33kg
Working Frequency 3KHz to 8KHz
Working Humidity



Scan product



Ref: KTI12002003MGMT

Door frame Metal Detector 33 Zone



Model No. -MT-VII C

Multi zone - 33

Dimension -OD: 71 OL X 840W X 2220H

Body -Wooden imported laminated frame

Counter -Intelligent traffic counter for transit.

Speed of PAssing through-Auto adjust by the person's speed/foot swing

Power supply -230 V AC($\pm 10\%$), 50 Hz($\pm 3\%$)

Battery Backup- 12V DC upto 6 Hrs

Detection of Material -Ferrous, Non-Ferrous & Alloy metals



Scan product

Ref: KTI12002AT84800

Breath Analyzer without Printer Model No Alcostop 4800



Breath Analyzer without Printer Model No Alcostop 4800

Sensor Fast fuel cell

Measurement range 0-100mg/ 100ml

Measurement time Minimum 1 second, adjustable

Zeroing time < 5 seconds

Blow volume 1.0L or according to customer requirement

Display Digital and full graphic backlight display

Data store up to 50'.XJ measured value

Real time clock No

Battery Li-ion , rechargeable batter...



Scan product



Ref: KT112002MS8PT100

Breath Analyzer Model PT100S with Printer

Breath Analyzer Model PT100S with Printer

Technical Specification

Parameter: Specification

Measurement Method: Rapid Assessment

Operating Mode: Continuous Data Acquisition

Measurement Range: 0mg/100mL–400mg/100mL (BAC)

Sensitivity: 0.5mg/100mL BAC

Measurement Unit: mg/L (BrAC), mg/100mL (BAC) Optional

Sensor: Semiconductor high-precision intelligent sensor

Display: 1.4-inch LCD...

Specification

Breath Alcohol Analyzer PT100s is fuel cell based and designed for professional use, It is a handheld Instrument preliminary to determine a subject's breath alcohol level quickly a...



Scan product

Ref: KT112002MS9DBA2

Breath Analyzer Model DBAnPro Rev2

Model : DBAnPro Rev.2

Dimension -75 x 140 x 32 (L x H x D)

High performance 8 bit microcontroller chip

Precise digital readout & audio alarm Three Status indicators

Built-in regchargable battery with BMS protection

Charging & full charge indicator

Ready to use in a Kit-Form

Reading peak hold facility

Three Status indicators

Long life sensor

BAC Indication -0 to 120 (mg/100ml of...



Scan product



Ref: KT112002MS9PT100

Breath Analyzer Model PT100S Without Printer

Breath Analyzer Model PT100S

Technical Specification

Measurement Range: 0mg/100mL – 400mg/100mL (BAC)

Sensitivity: 0.5mg/100mL BAC

Measurement Unit: mg/L (BrAC), mg/100mL (BAC) (optional)

Sensor: High-precision intelligent semiconductor sensor

Display: 1.4-inch LCD color display screen

Green color indicates sobriety with voice prompt: "Thank you for your cooperation." Red color ...

Specification

Breath Alcohol Analyzer PT100s is fuel cell based and designed for professional use. It is a handheld instrument preliminary to determine a subject's breath alcohol level quickly a...



Scan product



Ref: KT112004001MTMD

High Sensitive Hand Held Metal Detector MTMHD 002

Model No. -MTHHMD-002

Type -High sensitivity

Construction of Material -ABS

Dimension (in mm) -410 L X 85 W X 15 H

Alert mode-Light (LED), Sound (Buzzer) & Sense (Vibration)

Indicator visual -Red Light - Alarm, Green Light - Power ON,

Amber Light - Low battery alert

Alarm Signal -Audible - Alarm with Red LED, Silent - Vibrate with Red LED

Power -Standard 9V Rechargeable Ba...

Specification

Equipped with holster

In-built charging circuit (charger separate)

Selectable modes:

- i. Switch on
- ii. Metal detection
- iii. Low battery indication
- iv. Low sensitivity button
- v. Medi...



Scan product



Ref: KT1120050012010

Search Light 10 Watt model Panther 2010



Beam Light reaches (In clear weather) : Around 500-800mtr
 LED : 10W
 Power Source :Rechargeable Battery
 Battery Capacity : 2 x 18650 Li Battery
 Battery Charger : Charged by Power Adopter
 Body Material : ABS Plastic
 Operational: 3 Mode (Super Bright, Bright & Flash)
 Operation Time : Around 6 Hrs.
 Charging Time: Up to 6-8 Hrs
 Charging : 220V A/c Mains External Charger Provided



Scan product

Ref: KT112005001F1C7

Fenix C7 Torch Light



Fenix C7 - 3000 Lumens - 470 Meter Beam Distance
 Max output of 3,000 lumens and 470m beam distance
 Utilises a Luminus SST70 LED
 Runs off a 5000mAh 21700 Li-ion battery (included)
 Controlled via the easy to use side switch
 USB-C rechargeable to fully charge in 3 hours
 Magnetic base for hands free use
 Battery level indicator
 Made of durable A6061-T6 aluminium
 Premium type HAIII ...



Scan product



Ref: KT112005001FL50

FENIX ATEX FLP LED Torch LR50

The Fenix LR50R USB rechargeable flashlight throws a super bright beam of 12000 lumens reaching over 1,038 yards, specifically designed for search and rescue. USB-C FAST CHARGING HIGH CAP BATTERY - The LR50R comes with a 16,000 mAh battery pack that can be easily fast recharged with the included USB type-C charging cable. It doubles as a power reservoir to power other devices.



Scan product

Ref: KT112005005PHSL

Rechargeable Search Light 15W

Philips Blaze Rechargeable LED Torch with Emergency Light
 Make : Phillips
 Bright, flicker-free light
 Five adjustable light modes
 Fast 5-hour charging
 Up to 4-hour backup
 Auto ON during outages
 Overcharge protection included
 Battery: 2200mAh Rechargeable
 Charging Time: Approx. 5 Hours
 Backup Time: Up to 4 Hours
 Material: Durable ABS Plastic
 Lighting Modes: 5 Modes (Low to High ...)



Scan product



Ref: KT1120050068060

Pelican Tactical Flashlight 8060



Model : Pelican
 Make :8060 Tactical Flashlight
 MEASUREMENTS Length12.67" (32.2 cm)
 Weight With Batteries : 23.2 oz (658 gr)
 Light Modes: High / Strobe / Medium / Low / Flashing
 Battery Type : NiMH
 Batteries Included: yes
 Rechargeable : yes
 Battery Level Indicator : Low battery warning
 Body Material : Xenoy
 Shroud Material : Aluminum
 Lens Material : Polycarbonate (PC)



Scan product

Ref: KT112005006BS17

Brightstar 2217 LED Flashlight

Worksafe LED Flashlight Earns The Highest
 Global Safety Approvals At The Most
 Affordable Price



Features

Class I, Division 1 safety approvals
 Intrinsically safe
 Three-way switch: On-Momentary-Off
 Waterproof, IP67 ratings
 Anti-Roll
 Easy Grip For Tube
 Gloved Hands
 "Switch Guard" prevents
 Accidental Lighting
 Impact resistant to one meter

Specifications

Power Source: 2D-cell Alk...



Scan product



Ref: KT112005006BS24

Brightstar 2224 LED Flashlight

250 Hour Run Time With The Safety Ratings Needed For Hazardous Atmospheres

Features



- Class I, Division 1 safety approvals
- Intrinsically safe
- Three-way switch: On-Momentary-Off
- Waterproof, IP67 ratings
- Anti-Roll
- Easy Grip For Tube
- Gloved Hands
- "Switch Guard" prevents Accidental Lighting
- Impact resistant to one meter

Specifications

Power Source: 3D-cell Alkaline Batteries
Ligh...



Scan product

Ref: KT112005006PECC

Pelican 3315CC Flashlight

Black 3315R Flashlight.
3 modes High / Strobe / Low - Up to 132 Lumens
Rechargeable - Special lithium rechargeable
Safety Certified Class I, Division 1 / IECEx ia + IPX7
Waterproof
Special Lithium rechargeable battery provides 2,000 cycles



Scan product



Ref: KT112005008SFLR

SuperLightweight, FullSize, Long Range Rechargeable Lantern

Features:

Dual Mode Spot Beam: High /Low
Intrinsically safe
Waterproof and submersible
Steady-on/ flashing modes and rear signaling tail light
Super Tough Nylon Construction
Low battery indication: red for charging, green for fully charged

Safety Ratings

Intrinsically Safe
UL 913 CSA C22.2 No 157
Class I, II, III, Divisions 1 & 2,
Groups C-G, T1
Ingress Protection Level...



Scan product

Ref: KT112005008W100

Rechargeable LED Flood Light 100W

Main charger output - 8.4v 500ma
Material - Die cast Aluminum
IP Grade -IP65
Beam Angle -120 Degree
Charging time -4 Hours
Working time - 4 Hours
Certificates -CE & RoHs
Life Span -50000Hours
Power -100W
Input -24V/230V AC
Battery -15000Mah
Lumen -90lm
Mode -3 Mode

RECHARGEABLE LED FLOOD LIGHT 100W



Scan product



Ref: KTI12005008Y520

Led Light Model YK 520 20 Watt



Light source : 20W
 Battery :18650 Li-ion Battery (8000mAh)
 Body material/Color:Aluminum / Silver
 Battery Adaptor :External
 Charging :AC Mains 220V50Hz
 Light Range : Up to 1200 M (Approx)
 Dimensions :228x113x124 mm Approx
 Shoulder Strap :Adjustable
 Operation Time :Up to 8 hours
 Weight :465 gms Appro
 Charging Time :8hrs (Approx)
 Operation Modes :5 Modes



Scan product

Ref: KTI12005008YK730

LED Rechargeable Search Light YK 730



Description
 High Brightness Upto 2000 Lumens.
 Swivel Stand. Long Working Time.
 Lithium Polymer battery. Rugged Body
 Bigger Reflector. Dual Charger. Light Weight. Optionally
 Available with Solar Charging
 Weight 1480 g
 Dimensions 26.9 × 22.2 × 22.2 cm
 Lighting Type:LED
 Body Material :ABS
 Battery Type ;li-ion
 Voltage: 7.4v
 Rechargeable : YES WITH EXTERNAL CHARGER.
 Battery Included...



Scan product



Ref: KT112005009RVBL

Solar Revolving Light

Solar Revolving Light
Color Blue



Scan product

Ref: KT11200500P4GMX

Night Stick XPR5584GMX LED Flashlight

ITEM NUMBER/UPC

XPR-5584GMX UPC# 0 17398807586

MARKET APPLICATIONS

Hazardous work environments, fire, rescue, industrial and automotive

CERTIFICATIONS

- ATEX, IECEX, InMetro, CE, cULus, UKCA, KOSHA

- Charger meets requirements of NFPA-1901 (2009) Mounted in any Position

CASE MATERIAL

- Glass filled nylon polymer

LUMENS/RUNTIME

FLASHLIGHT

- HIGH: 600L, 13 hrs. runtime

- LOW: 2...

No image



Scan product