





Product Catalogue

Parking Paint

Safety > Road Traffic Safety Solutions > Parking Paint



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KTI16014002TPPH · PAAS

KTI Thermoplastic Road Painting Hot Process

Thermoplastic Road Marking paint (Hot Process)
width -4"/100 MM

Colour: White/yellow

After a primer single coat of thermoplastic paint will be done
The thickness will be 2-2.5 mm, Yellow color, 3"/4". width
reflectorisng glass beads @ 250gms. Per sqm area,
thickness of 2.5 mm is exclusive of surface-applied glass
beads as per IRC:35 .
The finished surface to be level, uniform...

Thermoplastic/ Epoxy Road Marking Paint (Cold/Hot)



[Watch video](#)



[Scan product](#)

Ref: KTI16014002TPCO

KTI Thermoplastic Road Painting Cold Process

"Make - KTI"

Thermoplastic Road Marking (Cold Process)

Width:4", Text , Arrow

Color: White/yellow


Thermo Plastic Road Marking Material /paint / Compound
"tuff & Wintuss Or Equivalent
Hot Applied Trmm On Aliphatic Chemistry Offers Superior
Weathering Resistance And Colour Stability For Tropical
Indian Condition , Its Synthetic Resign Based Thermo Setting
Material Which Is Having...



[Watch video](#)



[Scan product](#)



Ref: KTI16014002TPPC

KTI Parking Painting Charges Cold Process

"Make - KTI"

Acrylic Polyurethane Base Material

Cold Process

--> Color : Yellow / White

3/4Inch Width. Including Primer

Coat And Two Coats Of Required Shade

Yellow

Warranty:- Not Applicable



Scan product