



Product Catalogue

## LED Searchlights

Security > LED Searchlights



### Search Light 12 Watt

KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,  
Radhakrishna Crossing, Akota · 390020 Vadodara



Search Light 12 Watt

Ref: KT112005006PELI

## Pelican 3315 Led Flashlight

Light Source Batteries Voltage  
LED 3x AA (Included) 4.5  
Length Weight w. batteries Weight w/o batteries  
15.6cm (6.15") 0.18kg (6.2oz) 0.10kg (3.7oz)  
Light Output Runtime (Hrs/Mins) Safety Approvals  
110 Lumens 19 Hrs IECex certified  
Waterproof Rating Beam Distance Peak Beam Intensity  
IPX7 164 metres 6698 candela  
Voltage :4.5  
Weight :0.18kg length : 15.6cm  
Beam distance :164 metr...



Watch video



Scan product

Ref: KT112005008KT11

## KTI Led Light Model KT 111 15 Watt

Make - KTI  
Led : 15 W  
Body/ Color: Abs Black  
Dimensions: 17 X 145x 105 Mm Approx.  
Weight: 1070 Gms Approx. (Including Battery)  
Range: Up To 1000 M Approx.  
Battery: 4v 8 Ah Lead- Acid Battery



Scan product



Search Light 12 Watt

Ref: KT112005008YKE4

## Led Light Model KT E4

Model KTE4

Led : 15 W

Body/ Color:ABS/Black

Dimensions: L – 223 x B – 122 x H – 144 mm Approx.

Weight: 1.5 kg Approx. (Including Battery)

Powerful 15W Rechargeable LED Search Light

Operation Modes : 5 Modes – Low – Medium – High – SOS – Flasher

Operation Time :Low – Upto 8.5 Hours / High – Upto 6 Hours

Charging Time : 8 hours (Approx)

Light Range : Upto 1000m (Approx)

Batt...



Watch video



Scan product

Ref: KT112005001BR12

## BRITELITE SEARCH LIGHT 1200 MTRS

BRITELITE SEARCH LIGHT (1200 MTRS)



Scan product



Search Light 12 Watt

Ref: KT112005001RP81

## Search Light RP 8109

Search Light RP-8109

Royal power Rp-8109 Metal 40 w Rechargeable Waterproof  
Bright Led Torch Light Laser Long Range Distance High  
Power Search Light Kisan Rechargeable Emergency  
Lights(Multi-Color)



Colour multi  
Material Plastic  
Batteries Required No



Scan product

Ref: KT112005005HEAD

## LED Head Lamp

1500 Mah High Rated Capacity, Hermetical Rechargeable  
Lead Acid Battery  
The Long Life Battery Is Able To Circularly Used For 250  
Times Between Charge And Discharge  
With 7w Long Life, High Brightness White Led Bulbs  
With Two Switch Gears, First Gear Weak Lights, Second Gear  
Strong Lights  
Energy Saving And Longtime Led, First Gear Last For 12hrs,  
Second Gear Last For 8hrs  
Warrant...



Scan product



Search Light 12 Watt

Ref: KT112005001KTZ5

## KTi ZOOMBALE BRIGHT SEARCH LIGHT 200MTR



HP375

Zoomable Metal LED Torch, 5 Modes, Rechargeable, Bright Light •

Durable and Weather-Resistant: Constructed from robust materials such as aircraft-grade aluminum alloy or high-strength plastic, the torch withstands rugged use and outdoor elements like rain, snow, or dust.

• Outdoor Adventures: Illuminate campsites, trails, and remote areas with a powerful beam that enhan...



Scan product

Ref: KT11200500100W

## Cree Led light

High Power Waterproof Flashlight Zoom able Focus

This item has aluminum alloy resistance body. Head can be used for other Tactical Self Defensive purpose .

Internal wiring applies the high efficient booster circuit, and can utilize the batteries in the largest extent.

Suitable for outdoor sport lovers to do some outdoor activities, such as hunting, cycling, climbing, and camp...



Scan product



Search Light 12 Watt

Ref: KT112005001BR19

## **BRITELITE SEARCH LIGHT 1900 MTRS**

BRITELITE SEARCH LIGHT (1900 MTRS)



Scan product

Ref: KT112005003DL40

## **Pen Toruch DL 40**

Model - DI 40

MAke : Eveready

10-20 times more battery life

2 x stronger output than non-LED

Strong durable plastic body

Slide switch for easy handling

Slim ergonomic design to fit into your pocket easily

Focused white light



Scan product



Search Light 12 Watt

Ref: KT112005001BR25

## **BRITELITE SEARCH LIGHT 2500 MTRS**

BRITELITE SEARCH LIGHT (2500 MTRS)



Scan product

Ref: KT1120050052755

## **Pelican Head Lamp**



Model : 2755 Headlamp  
Make : Pelican  
Dimensions : Length : 2.25"  
Material : Polycarbonate (PC)  
O-Ring : Over -molded TPR  
Lens : Polycarbonate (PC)  
Shroud : Polycarbonate (pc)  
Lamp Life : 50000 hrs IPX4  
Battery Size : AAA  
Battery Type : Alkaline ,Battery Quantity : 3 ( inc.)  
Volts : 4.5 v  
Weight With Batteries :3.400z  
Light Modes : High/Low /Flashing  
Class I Division 1 IE...



Scan product



Search Light 12 Watt



Ref: KT11200500TRPC30

## **Tripod Mounted Revolving LED search light 300 Watt**

300W and 700 Meter range

SALIENT FEATURS

230 v supply

- Instant glow by power LED.
- Beam range more than 700 meters.
- Powerful narrow beam upto 5 degree.
- Life more than 1,00,000 burning hrs.
- Suitable to fit in various stands as per use.
- High reflectivity mirror back lens cum reflector

Manually operated, suitable for mounting of search-lights inside / outside of watch...



Scan product

Ref: KT112005003P10W

## **Protector LED Search Light Hand Held 10 Watt**

Led Lamp : 10w

Range Up to 1000 meter

Surface :Wear Proof Anodized Oxide

Rechargable Battery : SMF Lead Acid

Operation Time : Up to 4 Hours

6v - 4 AH Lead Acid Battery

Weight with Battery : 1800g

Battery Charger : Inbuilt

Operation Mode : strong , medium , flasher



Scan product





Search Light 12 Watt

Ref: KT112005001BR17

## **BRITELITE SEARCH LIGHT 1700 MTRS**

BRITELITE SEARCH LIGHT (1700 MTRS)



Scan product

Ref: KT112005008YKNH

## **Rechargeable Pocket Type Torch Yk NHP Night Hunter Plus**

LED Light

Model no: YK NHP

LED : 10 W

Body Material: Hard Anodized high Grade Alluminium Alloy

Color: Black

Dimensions: 148 (L) x 45 (W) x Front Dia x 25 (H) Tail Dia

Weight: Approx: 216 Gms

Range: Approx: Up to 500 m

Zoom: Rotatable Head Zoom

Battery: 1 x 18650 Li Rechargeable

Battery: External

Charging: AC Charging :AC220V50Hz

Operation modes: 3 Modes -Super Strong- Strong- Fl...



Scan product



Search Light 12 Watt

Ref: KT112005006NSFL

## Nightstick 5418 Led Flashlight



Light Source Batteries Voltage  
LED 3x AA (Included) 4.5  
Length Weight w. batteries Weight w/o batteries  
15.6cm (6.15") 0.18kg (6.2oz) 0.10kg (3.7oz)  
Light Output Runtime (Hrs/Mins) Safety Approvals  
110 Lumens 19 Hrs IECex certified  
Waterproof Rating Beam Distance Peak Beam Intensity  
IPX7 164 metres 6698 candela  
Voltage :4.5  
Weight :0.18kg length : 15.6cm  
Beam distance :164 metr...



Scan product

Ref: KT112005003TRYE

## Search Light Tricolor



Item Code-LED Railways Tri Color Signal Torch  
Battery Type-Lithium Ion  
Wattage-12W  
Lighting Color-Tri-Coluur  
Type-Signal  
Capacity-5000-7999 mAh  
Body is made of Aluminum and color in Black  
Poly carbonate front glass-non breakable, with thickness of  
1.5 mm  
Battery can be removed and inserted from back side and can  
be closed  
with spring loaded cap  
Product Weight: 171 G without bat...



Watch video



Scan product



Search Light 12 Watt

Ref: KT112005005HEWA

## Waterproof High Power LED Head Lamp

Waterproof Outdoor High Power Rechargeable Led Headlamp

Light Source: Led

Lumen Value: 280

Battery: 2 \* 18650 Rechargeable Battery

Light Mode: Strong - Weak - Flashing

Beam Range: 300 - 500 Mtr

Focus: Rotating Zoom

Led Life: 1,00,000 Hrs



Scan product

Ref: KT112005005E300

## CS Mounted Revolving LED search light 300 Watt

high intensity, long range, LED searchlight, universal bracket,

beam range 700 meters,

300 watt,

7 degree beam, LM6 housing dia > 450mm, 90 - 300V AC 50hz,

power factor > 0.95, , toughened clear glass with gasket, universal bracket, CCT is

5500K-6000K, CRI > 70, optics used- PMMA/PC lens, LED efficacy > 140 l/w, lux at

10 meter- 6000 (min.), driver efficiency > 90%, over volt / under ...



Scan product



Search Light 12 Watt

Ref: KT112005FOSRH55W

## RECHARGEABLE LED SEARCH LIGHTS FOS 55W



Light Colour Temperature 3000k - WARM WHITE

LUMINOUS FLUX ~1800 LUMENS

BEAM RANGE ~ 1 Kilometre

BATTERY SPECIFICATIONS 12 V - 7 Ah, Sealed Lead Acid (SMF)

OPERATION MODES CONTINUOUS - Manual FLASHER - TIMER

SWITCH TYPE PUSH BUTTON + Toggle (Mode Selector)

OPERATION TIME Up to 80 minutes

BATTERY CHARGER In-Built Charger

CHARGING TIME 8-10 Hours

LED INDICATORS for Charging a...



Scan product

Ref: KT1120050063415

## Pelican 3415M Led Flashlight



The 3415M (magnet version) is the ultimate safety certified compact work light. The Class I II III Division 1 certifications provide the security needed for most hazardous locations. The 3410M is equipped with both a spot and flood LED for close-up as well as distance, so you can have wide area light in the immediate work area and still penetrate darkness hundreds of yards away...



Scan product



Search Light 12 Watt

Ref: KT112005001NL20

## Rechargeable Search Light HP 371S

Tiger Head Power HP-371S Rechargeable Emergency Torch Light with Hammer & Belt Cutter | Laser + SMD | Type-C | 1500mAh

Ultra-Bright Illumination: Equipped with powerful LEDs, our torch delivers an impressive brightness, perfect for outdoor adventures or emergency situations.

□ Type-C Fast Charging: Enjoy quick and convenient charging with the modern Type-C interface, ensuring ...



Scan product

Ref: KT11200500RLFL30W

## Rechargeable Led Flood Light 30 Watt

Rechargeable LED Flood light 30W  
2400LM with stand and car adapter+ Charger

Rechargeable 30W 24Led Work Spot Flood Emergency Lights  
Camping Light with USB Ports to Charge Mobile Devices and  
Special SOS Modes

Specification :-

Power: 30W, Color of light: white ( 6000-6500K )

Luminous flux: 2400LM

Li-ion battery: 4 3 3.7V 18650 Li-batteries

Input voltage: 12V 1A DC Material: a...



Scan product



Search Light 12 Watt

Ref: KT112005006USF7

## Flash Light Ultralite SF7

Make : Ultralite

Model : SF-7

2 Light Modes ,231M Beam Range

UP TO 69.10 Hours Runtime High Impact Lens

Non Clip Handle

Key Features :

Intrinsically safe led flash light for use in Zone 0 , 1, 2

Hazardous areas

High Powered LED -CREE XP-E-LED

Tough and durable casing

Powered by 4 x AA batteries

ATEX Certification

EX-II 1 G I Ex ia IIC T4 IP67

Usefull :

lamproof LED T...



Scan product

Ref: KT112005001NL10

## Search Light 10 Watt

Search Light - 10 watt

Features :

1. Constant brightness : Led Hi-lite light can supply constant brightness on operating state , the light cannot change according to the capacity of battery and voltage , and can supply constant brightness throughout .

2. High brightness: With domestic 10-watt LED, maximum brightness can reach to 2500 lumens at 1 meter. Dist.

3. Light-gatheri...



Scan product



Search Light 12 Watt

Ref: KT11200500SF14

## Intrinsically safe Torch Model No SF14

Model No.: SF-14  
Zone 0,1,2 M1 Atex Right Angle hand torch  
2 light Modes  
Rubberised Handle  
135M Beam Range  
Up to 13 Hours Runtime  
Pocket clip  
Intrinsically safe LED right angle hand torches for use in  
Zone 0,1,2 Hazardous area  
2 Light modes High 270lm , low 135lm  
Up to 135/72 Meter beam?  
Mining -EX/M1 Ex ia /ma  
Powered by 4XAA batteries  
Drop proof upto 1M  
ANSI IP54 rat...



Scan product

Ref: KT11200500850WR

## RECHARGABLE LED FLOOD LIGHT 50W

RECHARGABLE LED FLOOD LIGHT 50W  
MODEL NO: HISRFL-50W- 8HR  
Rechargeable 50W 24Led Work Spot Flood Emergency Lights  
Camping Light with USB Ports to Charge Mobile Devices and  
Special SOS Modes.  
SPECIFICATION:-  
Power: 50W,Color of light: white ( 6000-6500K )  
Luminous flux: 2400LM  
Li-ion battery: 3.7V 18650 Li-batteries \*6 Nos 2600maH BIS  
certified  
battery.  
Input voltage: 12V 1A DC...



Scan product



Search Light 12 Watt

Ref: KTI12005003RIS5

## Rechargeable Search Light WRAL 5200

Make : Rising  
Model -WRAL 5200  
Battery -3.7 V 5200 mAh Li-ion Battery  
LED -10W SMD High power LED  
Luminous Flux -130 Lm/W  
Charging time -5-6 Hrs (When Fully Discharge )  
Lighting Time- Power Saving Mode:-7-8 Hrs  
High power Mode :4-5 Hrs  
Flashing Mode: 7-8 Hrs  
Power Supply -100-270V AC 50-60 Hz

1,00,000 Hrs Life Ultra High power 5050 SMD LED  
Li-on Rechargeable battery of ...



Scan product

Ref: KTI12005006PEZ1

## Pelican Searchlight 2000 Zone 1

Sabrelite & trade; 2000 Powerful Flashlight Carries A Variety Of Safety Approvals, Allowing Safe Use In Many Different Hazardous Environments And Conditions.

LIGHT SOURCE: Incandescent (Xenon)

Voltage- 4.5 LED

Length- 15.6cm (6.15")

Weight w. batteries-0.18kg (6.2oz)

Weight w/o batteries- 0.10kg (3.7oz)

Light Output-110 Lumens

Runtime (Hrs/Mins)-19 Hrs

Safety Approvals- IE...



Scan product





Search Light 12 Watt

Ref: KT11200500SMRSL

## CS Mounted Manual Revolving search light 250W

Model no.: CS-LRF25SS/G25

LRF model with Alu. body & GLASS reflector.

High intensity search cum flood light, the front housing should have made of thick Aluminum alloy with cast back housing,

the main reflector is in glass with SS side reflector, 5 mm thick toughened front glass with endless neoprene rubber gasket,

E-40 lamp holder, painted by powder coating epoxy, separate c...



Scan product

Ref: KT11200500RE250

## Revolving Search Light Model no PBR REVO 250

LED Wattage : 200W

Input Voltage: 150-270 V, 50hz,

Water Proof: IP-65

Focus Range : up to 500 M

Single LED Efficiency : > 140 Lm/w

CCT: 5500K-6500K

Body: Die cast with air fins powder coated

Beam : Narrow Beam 5 degree

Movement : Multi directional Manual swivel

Stand : Mountable

Working Temp.: -20 to +60 Deg. C



Scan product



Search Light 12 Watt

Ref: KT11200500P9415

## Pelican 9415 LED Flashlight



588 Lumens  
Built Pelican tough  
Super bright LED beam  
Safety Certified - Class I, Division I  
Handy push button on/off switch  
High/Low/Flashing Modes  
Carrying Strap included  
Approved to NFPA (National Fire Protection Association) 1901  
Length MATERIALS 8.75" (22.2 cm)  
Body - ABS  
O ring - EPDM  
Lens - polycarbonate  
Shroud-EXL  
Lamp Type - LED  
Battery Type - NIMH  
Batteries Included ...



Scan product

Ref: KT112005006HEAD

## Led headlamp with sensor



Technical Details  
Special Feature Rechargeable  
Colour Black  
Power Source Battery Powered  
Light Source Type LED  
Material Thermoplastic Elastomers  
Included Components LED  
Light Path Distance 100 Metres  
Item Weight 2.47 Ounces  
Number of Batteries 1 Lithium Ion batteries required.  
Water Resistance Level Water Resistant  
Brightness 350 Lumen  
Battery Description Lithium-Io...



Scan product



Search Light 12 Watt



Ref: KT112005006PERA

### **Pelican 3315R, RA Right Angle Light**

Ultra compact, special designed lithium rechargeable with a "Boost" mode that delivers nearly 1,000 lumens make the Pelican™ 3310R-RA one of the most powerful flashlights available for its size. Its compact design fits comfortably in your hand and requires little space for storage or transport.

The 3310R-RA produces 385 lumens in its high mode and provides up to 50 hours of c...



Scan product

Ref: KT112005009REVO

### **Revolving Search Light Vehicle Mounted**

Revolving Search Light (Vehicle Mounted)

Excellent For : Police And Air Force, Army & Forest Protection,

Home And Industries Security, Farm And Field Protection, Rescue Operation, Recreation Activities, Emergency Lighting



Led Power 50w (5w X 10)

Operating Voltage 12v

Beam Distance 500 Mtr

Rotation Horizontal 360° & Vertical 90°

Base Heavy Magnet Base For Stability

Weight 4-5 K...



Scan product



Search Light 12 Watt

Ref: KT1120050053WSL

### Search Light 3 Watt

Model : MARSHAL DL96 & 3 watt  
Easy plug & play Charging  
Overcharge & deep  
Discharge Protection  
Charging indicator  
Li-Ion Battery



Scan product



Ref: KT11200500CS300

### CS Mounted Revolving LED search light 200 Watts

Description : CS Mounted Revolving LED search light.  
Beam Range : 500 Meters  
Wattage : 200 watts  
Colour Temp. : 5500K – 6000K ( Cool White )  
Operating Voltage : 150-290 V AC

Manually operated, suitable for mounting of search-light on railing / platform of watch tower or other plain surface. It is made by steel & suitable for manual rotation of the light on the horizontally...



Scan product



Search Light 12 Watt

Ref: KT112005009SCO7

## Revolving Search Light Scorpion™ 700360

Range: 2000-5000 Mtr  
Input Voltage: Ac120-220v 50-60 Hz  
Lamp Specification: Xha Xenon, Lamp-2000w  
Light Output (Lumens): 5600k  
Angle Of Hunting: Pan 120°  
Net Weight: Approx 36 Kgs  
Warranty:- 1 Year



Watch video



Scan product

Ref: KT112005001NL12

## Search Light 12 Watt

Search Light - 12watt  
Material-ABS



Scan product



Search Light 12 Watt

Ref: KT112005008YKM5

### **Led Light Model YK M5**

20W Rechargeable LED powerful search light with an inbuilt solar panel.

Multi-utility search light with 6 Mode Operations.

Dimensions 28 × 17.5 × 18 cm

Light Source 20W

Battery 18650 Li-ion Battery (8000 mAh)

Body Material/Colour Aluminium & ABS / Black

Battery Adaptor External 5V 2Amp

Charging Dual charge AC Mains 220V50Hz/Through inbuilt solar panel

Light range Up to 1000m(ap...



Scan product

Ref: KT112005001PIRS

### **PIR motion Sensor Halogen Light 150 W**

Adjustable Sensitivity

150 W Halogen Floodlight

Halogen Lamp With Inbuilt Pir Motion Sensor

Can Easily Connect Siren Or Hooter

warranty:- 1 Year For Motion Sensor Not For Halogen Light



Scan product



Search Light 12 Watt

Ref: KT11200500TRPC25

## **Tripod Mounted Revolving LED search light 250Watt**

250W and 500 Meter range

### **SALIENT FEATURS**

- Instant glow by power LED.
  - Beam range more than 500 meters.
  - Powerful narrow beam upto 5 degree.
  - Life more than 1,00,000 burning hrs.
  - Can be operated by Battery/Solar (optional).
  - Suitable to fit in various stands as per use.
  - High reflectivity mirror back lens cum reflector
- Manually operated, suitable for mounting of search-l...



Scan product

Ref: KT11200500RS250

## **250 W Motorised revolving LED Search Light with Speed Control**

watt : 250 w

Up-Down Control & On-Off control of light through remote,

Input Voltage : 230 VAC

Power Factor : HPF 0.987

Operating Current of LED Bread : 1500 mA Cont. current Driver

Led Chip Brand ; OSRAM OSOLON3030

Certification : LM 80 /IS16106

Beam Angle : 5-9 degree

Mounting : 360 degree Rotational



Scan product



Search Light 12 Watt

Ref: KT112005006ULDF

## Flash Light Ultralite

Make : Ultralite  
Model : DF104-2W LED  
Flashlight type  
Flameproof torch  
Usefull :



Flameproof LED Torch is designed for use in potentially explosive atmosphere specifically in IIA , IIB & IIC areas, emergency situations or wherever the need arises for a handheld safety torch.

Application :  
Chemical  
Fertilizer  
Agrochemical  
Paints & Petroleum plants  
Hazardous areas



Scan product

Ref: KT112005006P335

## Pelican 3335R Z0

The Peli™ 3335RZ0 is a small & light rechargeable intrinsically safe torch certified for ATEX/UKEX Zone 0 applications.

246 Lumens  
ATEX Safety Certified Zone 0 (Cat. 1)  
Up to 246 Lumens  
Up to 58 hours run time  
IP67 Rating  
3 modes High / Strobe / Low  
Full Time Battery Level Indication  
Right-Angle Accessory (#3317, sold separately) transforms the 3335R into hands free wearable fl...



Scan product





Search Light 12 Watt

Ref: KT112005008YKM2

## Led Light Model YK M2

15W Led Range upto 500 m Approx with 3600 mAh Li-ion Battery

Multi Utility Search Light , Work & Signal Light

Power Bank. Water Resistant

Soft Touch Push Button Switches

Operation Modes (Front LED) - Super Strong - Strong - Flasher

Brand POINT BLANK

Manufacturer Point Blank Range Pvt. Ltd. (MFR & Supplier)

Country of Origin India

Model number Led Searchlight : YK-M2

Colour ...



Scan product

Ref: KT11200500TRPC15

## Tripod Mounted Revolving LED search light 150Watt

150W and 300 Meter range

SALIENT FEATURS

PHOTOMETRICAL DATASHEET

Efficacy 150-165 lumens per watt

Luminous Flux 7500-66000Lumens

Light colour WHITE

CCT 5700-6000K

Led Chip Brand OSRAM/SAMSUNG

Certification LM 80 /IS16106

CRI 80 LED Life span 50,000

Optic Lenses material Polycarbonate Lenses Reflector NA



Scan product



Search Light 12 Watt

Ref: KT11200500RS300

### **Motorised revolving LED Search Light with Speed Control**



300 watt Motorised revolving LED Search Light with Speed Control

Up-Down Control & On-Off control of light through remote,

Wattage: 150W TO 400W

Input Voltage : 230 VAC

Power Factor : HPF 0.987

Operating Current of LED Bread : 1500 mA Cont. current Driver

Led Chip Brand ; OSRAM OSLO3030

Certification : LM 80 /IS16106

Beam Angle : 5-9 degree

Mounting : 360 degree Rotational



Scan product

Ref: KT1120050RS30K

### **Motorised revolving LED Search Light 300 W**



Model No. MRSL-LRFL25-PC301

Revolving Search Light, motor operated, Fully auto, 230v

Wattage of LED - 300 W

Focus Range -700 Meters

Auto swiveling, suitable for mounting of search-light on roof-top & such design to rotate 360° (or180° on request) continuously in 3rpm over the night.

The revolving mechanism is fully covered with weather & rustproof fiber box with maintenance...



Scan product



Search Light 12 Watt

Ref: KT112005009415I

## Pelican 9415I Flashlight



9410L + Safety = 9415i  
392 Lumens  
Carrying Strap included  
High/Low/Flashing Modes  
Length: 22.2 cm  
Battery Type: NiMH  
Battery Quantity 4  
Rechargeable yes  
Charge Time: 15 hrs



Scan product

Ref: KT11200500RE150

## Revolving Search Light Model no PBR REVO 150



LED Wattage : 150W  
Input Voltage: 150-270 V, 50hz,  
Water Proof: IP-65  
Focus Range : up to 300 M  
Single LED Efficiency : > 140 Lm/w  
CCT: 5500K-6500K  
Body: Die cast with air fins powder coated  
Beam : Narrow Beam 5 degree  
Movement : Multi directional Manual swivel  
Stand : Mountable  
Working Temp.: -20 to +60 Deg. C  
Warranty:- 1 Year



Scan product



Search Light 12 Watt

Ref: KT11200500P92GX

## Night Stick Intrinsically Safe Scene Light XPR5592GX

Model :XPR-5592GX

Item Number - XPR-5592GX - 017398807005

### CASE MATERIAL

- Glass-filled nylon polymer
- Serialized for personal identification

### LUMENS/RUNTIME

- HIGH: 1200L, 6 hrs. runtime
- LOW: 650L, 12 hrs. runtime

### WATER RATING

- IP-67 (dust-proof, waterproof)

### DROP RATING

- 2 meters

### DIMENSIONS

- LENGTH: 13.5 in (343mm)
- WIDTH: 9.25 (235mm)
- DEPTH: 3.5 in (89mm)
- WEIGHT: 4 l...



Scan product

Ref: KT11200500YK7301

## LED Rechargeable Search Light YK 730 15000 mAh

### Description

High Brightness Upto 2000 Lumens.

Swivel Stand. Long Working Time.

Lithium Polymer battery. Rugged Body

Bigger Reflector. Dual Charger. Light Weight. Optionally

Available with Solar Charging

Weight 1480 g

Dimensions 26.9 × 22.2 × 22.2 cm

Lighting Type:LED

Body Material :ABS

Battery Type ;li-ion

Voltage: 7.4v

Rechargeable : YES WITH EXTERNAL CHARGER.

Battery Included...



Scan product



Search Light 12 Watt

Ref: KT112005008WLHD

## Heavy Duty Work Light

Built-in metal hook for extra convenience. Fully Rechargeable with a 3.7v lithium 4000 mAh battery. USB charging cable to charge the work light and to charge some of your favorite devices. Works as a fully functioning power bank as well!

### Features & specifications

- built-in metal hook
- rechargeable
- 3.7v lithium 4000 mAh battery
- USB charging cable
- charges phone and tablets
- 2...



Scan product

Ref: KT112005004PELI

## Pelican 2460 Led Flashlight

Uses A Long-life Nimh Battery Pack For Extended Burn Time. It Comes With A Charger Base Unit That Can Be Installed At Home Or Work Using The 110v Transformer.

Or In A Vehicle Through Direct Wiring Or 12v Plug-in.

Lumens Value : 112

Rechargeable

Batteries : 4 Aa Nimh (Included)

Run Time : Nimh Battery Pack 2-3 Hrs

Charging Time : Na

Beam Distance : 153 M

Ce-class L,

Div. 2, Gp.

A...



Scan product



Search Light 12 Watt

Ref: KTI12005006US14

## Flash Light Ultralite SF14



Make : Ultralite

Model : SF-14

2 Light Modes ,270M Beam Range

UP TO 13 Hours Runtime

Pocket Clip

Key Features :

Intrinsically safe led right angle hand torch for use in Zone 0 , 1, 2 Hazardous areas

High Powered LED -CREE XP-E-G2

Powered by 4 x AA batteries

ANSI IP54 Rating

ATEX Certification

M1 Ex ia I Ma II 1G Ex ia IIC T4 Ga

Usefull :

lamproof LED Torch is desig...



Scan product

Ref: KTI120050F7301

## Flameproof Tournch Model FCG7301



Model FCG7301 (Torch)

Gas Group IIC

Zone 1,2

Protection Class

Ingress Protection IP68

Material of Construction Plastic

Component Combination OSRAM LED

Certification PESO

PROTECTION : IP-65

MATERIAL OF CONSTRUCTION :

ENGINEERING PLASTIC PA6

LIGHT SOURCE : POWERED LED 3W

WEIGHT : 255 GRAMS APPROX.

RECHARGEABLE BATTERY : LITHIUM-ION (LI-ION) 3.2V

MODE : HIGH LIGHT, WORKING LIGHT ...



Scan product



Search Light 12 Watt

Ref: KT112005001BR80

## **BRITELITE SEARCH LIGHT 800 MTRS**

BRITELITE SEARCH LIGHT (800 MTRS)



Scan product

Ref: KT112005006P706

## **Pelican 7060 Flashlight**

The Pelican 7060 LED light employs a revolutionary dual switch technology that allows the light to be activated by either a body-mounted patrol switch or a tail-mounted tactical switch. The dual switches, which include a momentary mode and high/strobe/medium/low beams, allows the user to grip the light in several positions and still control activation. In addition, the 7060 is ...



Scan product



Search Light 12 Watt

Ref: KT112005006PELR

## Pelican 3315R Flashlight

Black 3315R Flashlight.

3 modes High / Strobe / Low - Up to 132 Lumens

Rechargeable - Special lithium rechargeable

Safety Certified Class I, Division 1 / IECEx ia + IPX7

Waterproof

Special Lithium rechargeable battery provides 2,000 cycles



Scan product

Ref: KT1120050P09470

## Pelican 9470 Remote Area Light

High Flux LED: 50 0 0 0 hrs.

Tested Lumen Value: 120 0 0 (High) ,10 0 0 (Lo w)

Number of LEDs:6 LEDs per head

Battery Burn Time: 7 hrs. (High) 40 hrs. (Low)

Battery Charging Time: 12v Re chargeable

Voltage: 12v



Scan product





Search Light 12 Watt

Ref: KTI120050042410

## Pelican 2410 Led Flashlight

StealthLite™ 2410 LED Flashlight with the LED module that produces a true, bright collimated LED beam. The 2410 is corrosion proof, resistant to extreme temperatures, and submersible.

Built Pelican tough

Unconditional Lifetime Guarantee of Excellence

Submersible

Super bright LED beam

As bright as a Xenon light with the battery life of an LED

FLPEL-2410C Atex Certified / CE Ex-...



Scan product

Ref: KTI12005FOSRLSL

## RECHARGEABLE LED SEARCH LIGHTS 20W

LED POWER - 20 Watt

Light Colour Temperature - 6000k - COOL WHITE

LUMINOUS FLUX - 1850 LUMENS

BEAM RANGE - 2 Kilometre

BATTERY SPECIFICATIONS - 7.4 V - 2400 mAh, Lithium Ion

OPERATION TIME - Up to 5 Hours

CHARGING TIME (USB) - 5-6 Hours

LED CHARGING INDICATOR - YES - Single LED

Body Colour - GREY

Body Material & Finish - ABS Plastic - Smooth

Dimensions & Weight - 34.7 cm. ...



Scan product



Search Light 12 Watt

Ref: KT112005001BR28

## **BRITELITE SEARCH LIGHT 2800 MTRS**



Britelite Search Light (2800 Mtrs)  
Britelite Taurus 2800 Mtr Long Range Torch Alloyed Aluminium Torch  
Length: 11.5 Inches  
Super Bright With Up To 100,000 Hours Life.  
Bright Cool Daylight Color Beam.  
Rotary Switch/Built-in Rechargeable Unit.  
Ultra Luminous Powerful Long Distance Light Up To 8.  
Anodized Aircraft Aluminium Case For Longer Durability.  
High-quality rechargeable 2213...



Scan product

Ref: KT112005005NLLT

## **Search Light 5 Watt**



Search Light - 5 watt  
Length: 205 mm  
Head diameter: 105 mm  
Tail diameter: 105 mm  
life: 100000 Hrs  
Material Plastic  
Batteries Required No  
Warranty:- 1 Year



Scan product



Search Light 12 Watt

Ref: KT112005006NS54

## Intrinsically Safe Head Lamp Nightstick

INTRINSICALLY SAFE DUAL-FUNCTION HEADLAMP

Model No. XPP-5450G

Includes a heavy-duty rubber, and a nylon head strap for use on a hard hat.

Single Body Switch. High-brightness Spotlight, Low-brightness Spotlight

ANSI IP-67 Dustproof / Waterproof with a 2 meter drop rating.

Adjustable ratchet tilt head made from an engineered polymer housing

CERTIFICATIONS - cETLus, CE, ATEX, IECE...



Scan product

Ref: KT112005001F11E

## FENIX ATEX FLP LED Torch WF11E

Fenix WF11E ATEX FLP LED Torch

The torch itself is made with explosion-proof and antistatic plastics including RTP 399 X 133887 Polycarbonate. The LED is a Cree XP-G2 Neutral white with a lifespan of 50,00 hours.

Make your work environment even safer with the Fenix WF11E flashlight.

Specifications

Cree XP-G2 neutral white LED

Three Output Levels

High - 200 Lumens/10 Hours

Med ...



Scan product



Search Light 12 Watt

Ref: KT11200500TS27

## LED Rechargeable Search Light TS 27STD

Type of Lamp / watt : 30 w  
Dia of search light : 152mm  
Dimensions : 290 L X 152 Dia x 152h mm  
Color Temperature : 6500 k  
Battery (Rechargeable) : 4 x 18650- 8800Mah Lithium 3.7h  
Range : UP 1 km approx.



Scan product

Ref: KT11200500MR30W

## Revolving Search Light with Tripod 250W

Revolving Search Light Material Aluminium  
Body Material - Aluminium  
Power - 250w  
Light Color - Cool White  
Light Type - High intensity, Discharge LED  
IP rating - IP66  
Voltage - 90-300VAC, 50-60Hz  
Beam Range -400+ Meters  
PF - >0.95  
Rotate - 360  
minimum Height of tower -3M  
CCT-5500K-6000K  
Optical Grade: Rect or /Lens  
Narrow Beam 3 Degree  
Reflector /Lens Efficiency ->90%

| Revolving Search Light    |                                                        |
|---------------------------|--------------------------------------------------------|
| Body Material             | ALUMINIUM                                              |
| Power                     | 250W                                                   |
| Lighting Color            | Cool White                                             |
| Lighting Type             | High intensity<br>Discharge LED                        |
| IP Rating                 | IP66                                                   |
| Working Voltage           | 90-300VAC, 50-60Hz                                     |
| Features                  | High Beam Beam,<br>Projection lamp<br>High Color Ratio |
| Beam Range                | 400+ Meters                                            |
| PF                        | >0.95                                                  |
| Rotate                    | 360°                                                   |
| Minimum Height of Tower   | 3M                                                     |
| CCT                       | 5500K-6000K                                            |
| Optical Grade             | Rect or /Lens                                          |
| Narrow Beam               | 3°                                                     |
| Reflector/Lens Efficiency | >90%                                                   |



Scan product



Search Light 12 Watt

Ref: KT11200500MSCRE

## Self Contained Remote Area Lighting

SELF CONTAINED RECHARGEABLE EMERGENCY

EIPL/ PE-BG /CON-2025

Ingress protection: IP 65

Housing: Molded Polypropylene

Input (V) : ~ 230 Volts, 50 Hz;  $\pm 5\%$  for charger

LED;  $2 \times 60W = 120W$

Luminous flux (LM) :  $> 15000$  Lumens

Duration: 3 Hours back up;  $\pm 10\%$ .

Recharging Cycle: 16 to 24 hours recharging period



Scan product

Ref: KT11200500RS100

## Motorized revolving LED Search Light with Speed Control 100 MTR

Motorized 100w with 180 deg left right

And up down

Auto left light

Certification CE/ BIS ON CONTROL GEAR

Input Voltage 110v to 300vac

Frequency 50/60 Hz



Scan product



Search Light 12 Watt

Ref: KT11200500SE150

### Search Light Model no 150W

LED Wattage : 150W  
Input Voltage: 150-270 V, 50hz,  
Water Proof: IP-65  
Range: 300 M



Scan product

Ref: KT1120050P9415Z

### Pelican 9415Z0 Led Flashlight

Length 8.75" (22.2 cm)  
Body Anti-static Impact Modified PC/PBT  
O-Ring EPDM  
Lens Anti-static coated Polycarbonate (PC)  
Shroud Anti-static Impact Modified PC/PBT  
High Visibility Yellow  
Lamp Type LED  
Battery Size C  
Battery Type NiMH  
Battery Quantity 4  
Batteries Included yes  
Rechargeable yes  
Charge Time 15 hrs  
Battery Level Indicator RGB LED  
Volts 4.8v



Scan product



Search Light 12 Watt

Ref: KTI120050012010

### **Search Light 10 Watt model Panther 2010**



Beam Light reaches (In clear weather) : Around 500-800mtr  
LED : 10W

Power Source :Rechargeable Battery

Battery Capacity : 2 x 18650 Li Battery

Battery Charger : Charged by Power Adopter

Body Material : ABS Plastic

Operational: 3 Mode ( Super Bright, Bright & Flash)

Operation Time : Around 6 Hrs.

Charging Time: Up to 6-8 Hrs

Charging : 220V A/c Mains External Charger Provided



Scan product

Ref: KTI12005001F1C7

### **Fenix C7 Torch Light**



Fenix C7 - 3000 Lumens - 470 Meter Beam Distance

Max output of 3,000 lumens and 470m beam distance

Utilises a Luminus SST70 LED

Runs off a 5000mAh 21700 Li-ion battery (included)

Controlled via the easy to use side switch

USB-C rechargeable to fully charge in 3 hours

Magnetic base for hands free use

Battery level indicator

Made of durable A6061-T6 aluminium

Premium type HAIII ...



Scan product



Search Light 12 Watt

Ref: KT112005001FL50

## FENIX ATEX FLP LED Torch LR50

The Fenix LR50R USB rechargeable flashlight throws a super bright beam of 12000 lumens reaching over 1,038 yards, specifically designed for search and rescue. USB-C FAST CHARGING HIGH CAP BATTERY - The LR50R comes with a 16,000 mAh battery pack that can be easily fast recharged with the included USB type-C charging cable. It doubles as a power reservoir to power other devices.



Scan product



Ref: KT112005001L789

## Search Light L789

Search Light L789  
Power (W) : 60W  
Type : Rechargeable  
Batteries Required No  
Warranty:- 1 Year



Scan product





Search Light 12 Watt

Ref: KT112005001PISL

## PIR Motion Sensor Solar Wall Light

Feature:

1. The Product Can Be Used For Outdoor Lighting, Waterproof And Moisture Proof.
2. The Product Uses 100 Cob Lamp Post, With Automatic Charging, Intelligent Light Control And Other Functions.
3. The Product Has Human Body Infrared Sensing And Light Control Sensing Function.
4. The Product Belongs To Ip65 Waterproof, 120 Degree Intelligent Wide-angle Sensing.
5. Solar Ch...




Scan product

Ref: KT112005001WR26

## Search Light WRAL 2600U

- 3.7 Volt 2600 MAH Li-ion rechargeable battery
- Aircraft Grade Aluminum alloy heavy duty body
- Ultra high power 5 watt SMD LED
- Micro-USB charging (5V,1A DC Charger), Recharges in 3-4 hrs
- High-power, Medium-power, Low-power, Flashing & SOS mode.
- Over charging & Over discharge protection for safety of battery & LED
- Corrosion , Water & Shock Resistant
- Useful for Military, Army...



Scan product



Search Light 12 Watt

Ref: KTI12005001WSBHL

## Super Bright High Lumen Search Light

Super Bright High Lumen XML T6 LED Flashlights Portable Outdoor Water Resistant Torch Light Zoomable with Emergency Flashlights 5 Light Modes (Black)

Easy to carry and charge

- Easy to carry as a backup tool and small enough to put in your pocket, handbag, drawer, or car compartment. This flashlight takes 3 standard AAA Battery (Included) or an 18650 battery

Five Illuminating ...



Scan product

Ref: KTI12005003DL51

## KTI Torch DL 51

Make - KTI

Model - DL 51

Dry Cell Torch

Body Material - Plastic

Lighting Color - Cool White

Lighting Type - Led

Brand - Eveready

Voltage - 3v



Scan product



Search Light 12 Watt

Ref: KT112005003S10W

### LED Search Light Hand Held 10 Watt

OPERATING RANGE of about 800-1000 METERS, High Power 10W LED, Heavy Duty 4.5Ah Leak-Proof SMF BATTERY, WATERPROOF High Grade ABS BODY, Removable & Adjustable Shoulder Strap, this product provides complete portability, ruggedness and versatility while offering best performance for long-range night search operations or even for emergency lighting requirements.

Color-Black

Rechar...



Scan product

Ref: KT112005005HEA2

### LED Head Lamp 30 watt

Neelam 30 Watt head Light for Helmet and Industrial workers Rechargeable

Light weight with outer Charging point Adaptor, Weather proof

Long Backup to 4-5 hrs

with strep for gripping with Head and Helmet Dual Mode Switch for More backup 50 MM Face dia



Scan product



Search Light 12 Watt

Ref: KT112005005PHSL

## Rechargeable Search Light 15W

Philips Blaze Rechargeable LED Torch with Emergency Light

Make : Phillips

Bright, flicker-free light

Five adjustable light modes

Fast 5-hour charging

Up to 4-hour backup

Auto ON during outages

Overcharge protection included

Battery: 2200mAh Rechargeable

Charging Time: Approx. 5 Hours

Backup Time: Up to 4 Hours

Material: Durable ABS Plastic

Lighting Modes: 5 Modes (Low to High ...



Scan product

Ref: KT1120050068060

## Pelican Tactical Flashlight 8060

Model : Pelican

Make :8060 Tactical Flashlight

MEASUREMENTS Length12.67" (32.2 cm)

Weight With Batteries : 23.2 oz (658 gr)

Light Modes: High / Strobe / Medium / Low / Flashing

Battery Type : NiMH

Batteries Included: yes

Rechargeable : yes

Battery Level Indicator : Low battery warning

Body Material : Xenoy

Shroud Material : Aluminum

Lens Material : Polycarbonate (PC)



Scan product



Search Light 12 Watt

Ref: KT112005006BS17

## Brightstar 2217 LED Flashlight

Worksafe LED Flashlight Earns The Highest Global Safety Approvals At The Most Affordable Price



### Features

- Class I, Division 1 safety approvals
- Intrinsically safe
- Three-way switch: On-Momentary-Off
- Waterproof, IP67 ratings
- Anti-Roll
- Easy Grip For Tube
- Gloved Hands
- "Switch Guard" prevents Accidental Lighting
- Impact resistant to one meter

### Specifications

Power Source: 2D-cell Alk...



Scan product

Ref: KT112005006BS24

## Brightstar 2224 LED Flashlight

250 Hour Run Time With The Safety Ratings Needed For Hazardous Atmospheres



### Features

- Class I, Division 1 safety approvals
- Intrinsically safe
- Three-way switch: On-Momentary-Off
- Waterproof, IP67 ratings
- Anti-Roll
- Easy Grip For Tube
- Gloved Hands
- "Switch Guard" prevents Accidental Lighting
- Impact resistant to one meter

### Specifications

Power Source: 3D-cell Alkaline Batteries  
Ligh...



Scan product



Search Light 12 Watt

Ref: KT112005006PECC

## Pelican 3315CC Flashlight

Black 3315R Flashlight.

3 modes High / Strobe / Low - Up to 132 Lumens

Rechargeable - Special lithium rechargeable

Safety Certified Class I, Division 1 / IECEx ia + IPX7

Waterproof

Special Lithium rechargeable battery provides 2,000 cycles



Scan product

Ref: KT1120050081020

## Led Light Model YK 1020 10W

Battery Charger External

Voltage 220 v

Color Black

Weight Approx 2200 gm

LED 10 w

Diemension 245x158x165mm

Range Approx 1000 m

Frequency 50 Hz

Charging Time Approx 10 Hours

Opeation Time Approx 6Hours

Warranty : 6 Months



PointBlank.in



Scan product



Search Light 12 Watt

Ref: KT11200500860W

## Led Light 60W KTI

Led : 60 W

Long life lithium battery

- NC control
  - Long lighting time approx. 6 hrs.
  - Long capacity battery 8000 Mah.
  - High strength aluminum alloy body
  - Automatic over charge dip discharge protection
  - Weather proof and water resistance
  - Also mount on tripod for tower searching
- . Multiple uses as camping, outdoor repairing, indoor dark area working, farming, industrial ar...



Scan product

Ref: KT112005008HP11

## KTI Led Light Model HP 111 15 Watt

Make - KTI

Led : 15 W

Body/ Color: Abs Black

Weight: 1070 Gms Approx. (Including Battery)

Range: Up To 1000 M Approx.

Battery: 4v 8 Ah Lead- Acid Battery



Scan product



Search Light 12 Watt

Ref: KT112005008S10W

### **KTI Led Light 10W**

Beam Light reaches(In clear weather) - Around 500-800mtr  
LED - 10W

Power Source : Rechargeable Battery

Battery Capacity : 2 x 18650 Li Battery

Battery Charger : Charged by Power Adopter

Body Material : ABS Plastic

Operational : 3 Mode ( Super Bright, Bright & Flash)

Operation Time : Around 6 Hrs.

Charging Time : Up to 6-8 Hrs

Charging : 220V A/c Mains External Charger Provided

...



Scan product

Ref: KT112005008SFLR

### **SuperLightweight, FullSize, Long Range Rechargeable Lantern**

Features:

Dual Mode Spot Beam: High /Low

Intrinsically safe

Waterproof and submersible

Steady-on/ flashing modes and rear signaling tail light

Super Tough Nylon

Construction

Low battery indication: red for charging, green for fully charged

Safety Ratings

Intrinsically Safe

UL 913 CSA C22.2 No 157

Class I, II, III, Divisions 1 & 2,

Groups C-G, T1

Ingress Protection Level...



Scan product





Search Light 12 Watt

Ref: KT112005008W100

## Rechargeble LE LE D Flood Light 100W

Main charger output - 8.4v 500ma

Material - Die cast Aluminum

IP Grade -IP65

Beam Angle -120 Degree

Charging time -4 Hours

Working time - 4 Hours

Certificates -CE & RoHs

Life Span -50000Hours

Power -100W

Input -24V/230V AC

Battery -15000Mah

Lumen -90lm

Mode -3 Mode

RECHARGEABLE LED FLOOD LIGHT 100W



Scan product

Ref: KT112005008Y520

## Led Light Model YK 520 20 Watt

Light source : 20W

Battery :18650 Li-ion Battery (8000mAh)

Body material/Color:Aluminum / Silver

Battery Adaptor :External

Charging :AC Mains 220V50Hz

Light Range : Up to 1200 M (Approx)

Dimensions :228x113x124 mm Approx

Shoulder Strap :Adjustable

Operation Time :Up to 8 hours

Weight :465 gms Appro

Charging Time :8hrs (Approx)

Operation Modes :5 Modes



Scan product



Search Light 12 Watt

Ref: KT112005008YK22

## Led Light Model YK 222

Led : 10 W

Body/ Color: Abs Black

Dimensions: 235 X 130x 165 Mm Approx.

Weight: 1425 Gms Approx. (Including Battery)

Range: Up To 1000 M Approx.

Battery: 6v 4.5 Ah Lead- Acid Battery

Battery Charger: External Charger Provided

Charging: A/c Mains 220v 50 Hz

Solar Charging: Optionally Available

Operation (3 Step Mode): Super Strong, Strong, Flasher

Operation Time: Up To 6 Hours

C...



Scan product

Ref: KT112005008YK730

## LED Rechargeable Search Light YK 730

Description

High Brightness Upto 2000 Lumens.

Swivel Stand. Long Working Time.

Lithium Polymer battery. Rugged Body

Bigger Reflector. Dual Charger. Light Weight. Optionally

Available with Solar Charging

Weight 1480 g

Dimensions 26.9 × 22.2 × 22.2 cm

Lighting Type:LED

Body Material :ABS

Battery Type ;li-ion

Voltage: 7.4v

Rechargeable : YES WITH EXTERNAL CHARGER.

Battery Included...



Scan product



Search Light 12 Watt

Ref: KT112005008YKM1

### Led Light Model YK M1 15 Watt

FOS LED Multi-function Search Light  
Operation Range of up to 1 Kilometre  
2000 mAh Lithium Battery (18650)  
Multi-Functional : 15W Beam Light /5W Work light  
Red - Blue Signal Light /5V USB Out  
3 Brightness Modes : Super strong -Strong -Flasher  
Torch Length :22 cm,Front Dia : 12cm  
Solder Strap & AC Charger Included  
Color Temperature 6000K (Cool White)  
Weight 980 Gms.



Scan product

Ref: KT112005008YKT4

### Led Light Model YK T4

Light Source : p50

Function :5 Modes (Super Strong-Strong-Medium-SOS-Flasher) Aluminum alloy/ Black  
Body Material/Colour: aluminium Alloy /Black  
Brightness Lumens - 1800 L M  
Power Supply -6X18650 Li-on battery  
Charger Method - External Charger 5V2A



Scan product



Search Light 12 Watt

Ref: KT112005009R30W

## Revolving Search Light 250W

Revolving Search Light Material Aluminium

Body Material - Aluminium

Power - 250w

Light Color - Cool White

Light Type - High intensity, Discharge LED

IP rating - IP66

Voltage - 90-300VAC, 50-60Hz

Beam Range - 600+ Meters

PF - >0.95

Rotate - 360

Rotation Speed - 01-10 RPM

Body Material - ALUMINIUM

Power - 250W

Lightening Color - Cool White

Lighting Type - High Intensity , Dischar...



Scan product

Ref: KT112005009RVBL

## Solar Revolving Light

Solar Revolving Light

Color Blue



Scan product



Search Light 12 Watt



Ref: KT11200500MRAL2

## Remote Area Lighting system

Portable Emergency Lighting Tower Type with Battery Bank  
Chemistry of battery : Lithium ion  
Battery Capacity (minimum ) : 60AH  
Minimum continuous working hours : 10-14 hours  
Minimum system lumens ; 10000  
IP rating of LED : IP67  
The strength of the tower /telescopic collapsible mast  
/Vertical mast tower is to provide support  
for it to remain erect at wind speed of : 40 km ...



Scan product

Ref: KT11200500P4GMX

## Night Stick XPR5584GMX LED Flashlight

ITEM NUMBER/UPC

XPR-5584GMX UPC# 0 17398807586

MARKET APPLICATIONS

Hazardous work environments, fire, rescue, industrial and automotive

CERTIFICATIONS

- ATEX, IECEx, InMetro, CE, cULus, UKCA, KOSHA

- Charger meets requirements of NFPA-1901 (2009) Mounted in any Position

CASE MATERIAL

- Glass filled nylon polymer

LUMENS/RUNTIME

FLASHLIGHT

- HIGH: 600L, 13 hrs. runtime

- LOW: 2...

No image



Scan product



Search Light 12 Watt

Ref: KT11200500RGLP

## Rechargeable Green Laser Pointer

Quality : very high  
Compact and light weight  
Extremely bright green 532nm wavelength.  
Built in improved diode and made by super bright technology

Body Color: Black

Laser color: Green

Body Material: Aluminum alloy

Light Style: Beam light.

Output Wave: Continuous wave

Super laser pointer,

Long lasting Battery life of 8000 hrs of Continuous Working

Warranty : NA



Scan product

Ref: KT11200500SM400

## CS Mounted Manual Revolving search light 400W

Model no.: CS-LRF25SS/G40

LRF model with Alu. body & GLASS reflector.

High intensity search cum flood light, the front housing should have made of thick Aluminum alloy with cast back housing,

the main reflector is in glass with SS side reflector, 5 mm thick toughened front glass with endless neoprene rubber gasket,

E-40 lamp holder, painted by powder coating epoxy, separate c...



Scan product



Search Light 12 Watt

Ref: KT1120050FELEPR

## Rechargeable Flashlight Elephant Pro

Model No.: Elephant Pro  
3.7v 7000 mah  
Type C Charging Pin  
Hidden charging Pin  
waterproof Normal Usage  
With Cable  
Without charger (mobile Charger can use for Charging the flashlight )  
Lenght :10 inch  
1700 Lumes  
20 W LED  
High Medium Low Blinking sos  
Aircraft Aluminium  
Warranty : 1 year



Scan product

Ref: KT1120050FGUNWL

## Rechargeable Flashlight WOLF EYE 1100 Lumens

WolfEye FlashLight  
1100 Lumens  
500 M Distance  
Model - wolfeye  
Power - 15 W (max)  
Material : aluminium alloy  
Brightness -1100LM  
Battery Capacity - 18650/3500 mAh  
Anti Fall Height - 1 M

Light Modes - Low Light- Medium Light - Strong Light - Strobe-  
SOS; extreme Bright



Scan product



Search Light 12 Watt

Ref: KT1120050FWOLFE

## Rechargeable Flashlight WOLF EYE 1000 Lumens



Model No.: WOLF eye  
3.7V 3500 mah  
Type C charging Point  
Hidden CHarging Pin  
Waterproof Normal usage  
With type C Cable  
Without charger(Mobile charger can use for charging )  
Length: 5.5 Inch  
1000 Lumens  
High Medium Low Blinking SOS  
Aircraft Aluminium  
Warranty : 1 year



Scan product

Ref: KT1120050GT0R32

## Mr.bright Rechargeable Light 3200 Meter



Mr.bright Metal Rechargeable LED Torch, Black  
Rechargeable Metal LED Torch.  
Comes with 3200 m Range.  
Black colour.  
Package Dimensions : 32.99 x 11 x 11 cm; 449.06 Grams  
Date First Available : 4 June 2019  
Manufacturer : Mr Bright  
ASIN : B07SPGT6G9  
LED : Latest Super Bright Cobra LED  
Battery : 5200 MAH Li-on Battery  
Switch Mode - On-Off  
Charging Voltage : AC 220-...



Scan product





Search Light 12 Watt

Ref: KT112005FOYK720

### **Led Search Light with Swivel Stand**



Type of Lamp / Wattage: LED / 20W  
Brightness: Up to 1600 Lumens  
Diameter of Search Light (Approx): 223 mm  
Dimensions: 347 (L) × 223 (Dia) × 272 (H) mm  
Box Dimensions: 360 × 270 × 275 mm  
Color Temperature: 6500K  
Range: Up to 1 km (approx)  
Battery: 7.4V 2400 mAh Li (Rechargeable)  
Optional: 8400 / 10000 / 12500 / 15000 mAh  
Housing Material: ABS / Black Color  
Charging Time: Approx....



Scan product

Ref: KT11200HPS1000W

### **LRF Model HPSV, MH lamp 1000 Meter Range**



Power- 1000W  
Lamp -HPSV / MH  
Rated Volt -230V,50Hz  
Controller -Control Gear  
Range - 1000 Meter

High intensity,  
long range,  
IP65 weather proof,  
search cum flood light,  
highly polished S.S. Glass finish reflector with cast alu. back housing,  
5mm thick toughened front glass sealed with rubber gasket & retaining ring, E-40 lamp holder,  
lamp supporting teflon bush between lamp...



Scan product



Search Light 12 Watt

Ref: KT11200HPSV250W

### **LRF Model HPSV, MH lamp 400 Meter Range**



Power- 250W  
Lamp -HPSV / MH  
Rated Volt -230V,50Hz  
Controller -Control Gear  
Range - 400 Meter

High intensity,  
long range,  
IP65 weather proof,  
search cum flood light,  
highly polished S.S. Glass finish reflector with cast alu. back housing,  
5mm thick toughened front glass sealed with rubber gasket & retaining ring, E-40 lamp holder,  
lamp supporting teflon bush between lamp &...



Scan product

Ref: KT11200HPSV400W

### **LRF Model HPSV, MH lamp 600 Meter Range**



Power- 400W  
Lamp -HPSV / MH  
Rated Volt -230V,50Hz  
Controller -Control Gear  
Range - 600 Meter

High intensity,  
long range,  
IP65 weather proof,  
search cum flood light,  
highly polished S.S. Glass finish reflector with cast alu. back housing,  
5mm thick toughened front glass sealed with rubber gasket & retaining ring, E-40 lamp holder,  
lamp supporting teflon bush between lamp &...



Scan product



Search Light 12 Watt

Ref: KT1120LRFL200W

## LRFL Model 500 M Range



Power -200W  
Lamp -SMD LED  
Rated Volt -230V,50Hz  
Controller -LED Driver  
Range: 500 Meter

High intensity,  
IP66,  
energy saving,  
instant glow,  
LED search light,  
Efficiency >140 lm/w,  
PF >0.95, CCT ~ 6000K,  
Optical grade PMMA-PC lens,  
narrow beam 7 degree,  
die cast LM6 body with air fins,  
toughened front glass sealed with silicon gasket,  
fully powder coated, wide range o...



Scan product

Ref: KT114004007SRCH

## 120 High Bright SMD LED EMERGENCY LIGHT



120 High Bright SMD LED EMERGENCY LIGHT  
Battery; 6V 4500 mAh maintenance-free rechargeable lead-acid battery  
Size; - 96x96x370mm  
Power supply; - AC 220V, 9V 3W Solar Jack  
Charging time; - Maximum 16-18 hours  
Backup; - 40 SMD LED use for 16 hours  
80 SMD LED use for 8 hours.  
120 SMD LED use for 5.5 hours.



Scan product