



Product Catalogue

Office Automation Solutions

Automation > Office Automation Solutions



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT10401200WNSK1

1 Key Wireless Call Button

1 Key Wireless Call Button

1 Key Function

Matt Finish

12 V 23 A Battery,



Scan product

Ref: KT10401200WCBHS

Wireless Call Button Holder Stand

Holder for Wireless Call Button

Material: 2mm thick milky white acrylic.

Dimensions: 4 inches high (h) by 2.5 inches wide (w).

Includes two 4mm holes.



Scan product



Ref: KT1120060012PTL

2 Pair Telephone Cable

0.5 mm 2 Pair Telephone Cable.



Scan product

Ref: KT10401200WNK2S

2 key Button K2

Model No.K2

2Key , Call/Cancel)

Wireless and very easy to install system.

2 key Functions: Call, Cancel.

Strong Signal strength upto 100 mts.

23A-12V battery ensures long life.

Working voltage: DC12V


Working current: 10mA

Use Frequency: 433.92mhz

Size Dimensions: 60*60*22mm.



Scan product



Ref: KT1120060BENPS

BENQ SHORT THROW PROJECTOR

BENQ SHORT THROW
PROJECTOR
XGA, 3600 lumens
VGA + HDMI
Warranty : 2 year



Scan product


Ref: KT1040120SLT1XBK

1 button, Cancel only black, Water resistant IPX8

1 button, Cancel only black, Water
resistant(IP-X8)
Excellent Performance and Reliability
Attractive compact design
Quiet Operations for Call and Response
Easy Installation and Use
Water Proof
Battery life 18-24 Months



Scan product



Ref: KT10401200WK34S

Wireless Led Display K34S

Model No.:K-34-S

Working Voltage : DC 12V 1A

Modulation : AM

Pairing Capacity : 250 Transmitters

Call Displayed : 3 Group

Call Capacity : 32

Frequency : 433.92 MHz

Digits Displayed : 4 (0000-FFFF)

Wireless Led Display With Power supply- (4 Digit Three Group)

30 Call Waiting.

Size Dimensions : 295x170x60mm



Scan product

Ref: KT11301400GD30L

Electronic Digital Safe 30L Digital

Model : NX PRO DIGITAL -30L

Dimensions in cm : 32x40x32

Net Weight (kg) : 13

Volume (ltr.) : 30

No image



Scan product



Ref: KT10401200WK10W

Monitor Panel signage

MODEL NO- K10WMD
Size 260 x 170 x 22 mm
Screen size 10.1
Resolution 1280 x 800 Px
OS Anroid 10.0
Memory 1GB RAM
Built-in-Speaker 2 X W
Stand Table top stand
Support Horizontal/Vertical
Interface WiFi / Bluetooth



Scan product

Ref: KT10401200WKRXW

Wireless Receiver Module WiFi

MODEL NO- KRX (WIFI)
Size 175 x 95 x 30 mm
Interface RF/ WiF
Working Voltage DC 12V 1A
Call capacity 250 Transmitters
Digit Display 001-999
Body type ABS Plastic
RF frequency 433.92 MHz



Scan product



Ref: KT1120060012SAC

IP EPABX Controller ETERNITY GENX | ETERNITY GENX12SAC VoIP System

"ETERNITY GENX Platform with CPU and AC Power Supply
• Hardware Platform for Unified Communication Server or Universal Media Gateway

- Max. Universal Slots 12
- Max. IP Trunks: 99 (license-free)
- Max. IP Users: 999
- Max. VOCODER Channels: 128
- Max. VMS Channels: 64
- Mounting: 19 inch 4U enclosure

Note: VOCODER and VOICEMAIL hardware modules are not included. All ETERNITY GE...



Scan product

Ref: KT11200600TIWF65

Samsung INTERACTIVE FLAT PANEL 65 WAF

Samsung WA65F Series: As an Android 14-based product

Key Features

Display Size & Type: 65" UHD Interactive Large Format Display

Resolution: 3840 x 2160 (4K UHD) for sharp, vibrant visuals

Operation Time: 16/7 continuous usage for business and educational settings

Touch Capability: Smooth and accurate multi-touch input for collaboration and presentations

Connectivity: HDMI, ...

Specification

Key features

Powered by Android™ and EDLA Certification

The WAF series, powered by Android OS, offers a familiar and customizable environment. Google EDLA certification promotes in...



Scan product



Ref: KT11200600IAT75

Altos 75 Interactive Flat Panel EZB75



- 75" LARGE SCREEN TO REACH LARGER AUDIENCE
- 4K | IPS SCREEN | DLED
- QUAD CORE PROCESSOR
- EYE-CATCHING, RAZOR-SHARP IMAGES THANKS TO 4K UH RESOLUTION
- 40 POINT TOUCH DISPLAY WITH INFRARED (IR) TECHNOLOGY
- BUILT-IN PLAYER
- SUPPORTS INTERACTIVE WHITEBOARD (IWB) FEATURE
- STUNNING IMAGE WITH 1.07 BILLION COLORS
- RELIABLE SOLUTION TO SUSTAIN 16/7 OPERATION
- WIFI 6E
- BT 5.4
- ANDROID 14
- O...



Scan product

Ref: KT113001001THPA

Thermal Printer For Reader



Model : Thermal Printer
 Print Specificities : Print width -72mm, paper width :79.5
 +-0.5mm
 Resolutions : 203 dpi(8dots/mm)
 Print Font: ANK : 12X24X, 9X17, chinese : 24x24
 Media Type : Thermal Paper
 Sensor : paper End Sensor
 Interface : Serial , USB, Ethernet
 Emulation : ESC/PCS
 Barcode /Reliability : Barcode : UPC-A, UPC-C, EAN-13,
 EAN-8 CODE39, ITF



Scan product



Ref: KT10401200S23PC

Display Call cancel SM323PC

Model No :- SM323PC

Main Display with 2x3 FND (2 digits X 3 displays) 20 call memory



Scan product



Ref: KT113014002MDKL

Electronic Safe Dual lock

20" wide x 21" deep x 60" height
 21" deep including handle (20+1)
 single wall safe with 12 gauge body
 Burglar Resistant with 5 mm thick door plate.
 25 mm diameter shooting bolts - 5 live + 5 dead bolt mechanism
 6 mm thick holding plate in body on 4 sides of door
 4 adjustable & removable shelf
 right side hinge
 321-liter volume
 Electronic Lock + 1 mechanical wave key lock + mas...



Scan product



Ref: KT112006001CCLC

EPABX System, Intercom System CLI 105B

CCL 105B EPABX System/Intercom System (CLI)

105B - 1 CO Line + 5 Extensions

Intercom / EPABX Switching System

for 1 P&T Line and 05 Intercoms/Extensions

Brand: CCL

Model: CCL 105B CLI

(Calling Line Identification Transferable)

Use it as only Intercom or as EPABX System

Very Easy to Install Plugh'n'Play

Support any Normal Telephone Instrument

Some of the Features:

1. Caller Id ...



Scan product

Ref: KT11200600TIFS65

Samsung INTERACTIVE FLAT PANEL 65

Samsung WAC Series: As an Android 11-based product

KEY HIGHLIGHTS

- Resolution: 3840X2160(UHD-4k)
- 16X7 Per Day Functionality
- 50,000 Hrs. Display Life
- Intuitive UI: pen & brush mode, quick tool, palette menu
- Android OS
- Easy Multitasking
- Powerful Screen Sharing
- Intelligent App for Class
- Multi-point Touch Drawing (up to 20 people)
- Dual Pen
- HDMI 3 (Rear 2, Fron...



Scan product



Ref: KT113014001GINSP

Lamination Machine Inspire Plus A4

Model No.: Inspire Plus A4

2-Roller A4 Pouch Lamination

The GBC Inspire Plus A4 laminator is the simple, cost-effective solution for protecting documents against spills and grease to ensure they stay pristine for years to come.

Modern and stylish, Ideal for Home/Personal use.



Features & Benefits

- Laminates from ID size to A4
- Pouch capability: 75 / 100 Micron (1 Preset settin...



Scan product

Ref: KT113014003MDKL

Electronic Safe Dual lock Size 42WX18DX61H

42" wide x 18" deep x 61" height

single wall safe with 12 gauge body & 5 mm door

3 fixed shelves of 16 gauges (gap of 325 to 335 mm between two shelves)

one mechanical wave key lock & one electronic lock with display

18" deep including hinges

19 mm diameter shooting bolts - 5 live + 5 dead bolts

3 barrels in one row x 4 = 12 barrel capacity

265 kg weight +-5%



Scan product



Ref: KT11200600ITFH65

Hikvision Interactive Flat Panel Display 65 inch

DS-D5B65RB/EL
65-inch 4K Interactive Flat Panel Display



Commercial Grade and UHD 4K Display with Resolution of 3840×2160

- Zero-Gap Optical Bonding Screen reduces diffuse reflection and eliminate screen ghosting
- Professional Anti-glare and Anti-fouling surface treatment design to ensure smooth interaction along with Auto Brightness & Temperature Control
- Anti-blue Light Fil...

Specification

65-inch 4K Interactive Flat Panel Display
Model : DS-D5B65RB/EL(O-STD)/8G+128G
65-inch 4K Interactive Flat Panel Display
Model : DS-D5B65RB/EL(O-STD)/8G+128G
□ Specification□
Panel...



Scan product

Ref: KT11200600TIFS75

Samsung INTERACTIVE FLAT PANEL 75

Samsung WA75F Series: As an
Android 14-based product
KEY HIGHLIGHTS



- Warranty: 3 Years On-Site
- Resolution: 3840X2160(UHD-4k)
- 16X7 Per Day Functionality
- 50,000 Hrs. Display Life
- Intuitive UI: pen & brush mode, quick tool, palette menu

- Android OS
- Easy Multitasking
- Powerful Screen Sharing
- Intelligent App for Class
- Multi-point Touch Drawing (up to 40 people)
- ...

Specification

Key features

Powered by Android™ and EDLA Certification
The WAF series, powered by Android OS, offers a familiar and customizable environment. Google EDLA certification promotes in...



Scan product



Ref: KT112006052HK86

86 Inch Interactive Flate Panel D8B86RB EL

Commercial Grade UHD 4K Display (3840×2160)



Zero-Gap Optical Bonding Screen reduces diffuse reflection and ghosting

Professional Anti-glare, Anti-blocking (scratch & fingerprint), Anti-fouling surface treatment

Auto Brightness & Temperature Control

Anti-blue Light Filter for eye protection

Ultra-Fine Writing Experience with fast response

Annotation over anything, anywhere...



Scan product

Ref: KT113014001ABRA

Armor Safe 16 Wide x 16 Deep x 18 Height

outer Dimensions: 16" wide x 16" deep x 18" height.

Approx. weight 85kg

Grey color(light grey)

Volume 37 litter

EXS Lock


Dual Lock Dual Safety

Ideal For Jewelry & Cash

Warranty:- 1 Year



Scan product



Ref: KT113014001G25L

Digital Display Safe 25L

Make : Godrej
Digital Display Safe With Card
Password and Card Protection with Display
Size : 200h X420w x 370d
Valume: 25Ltr.
Weight : 11 Kg



Scan product

Ref: KT113014001GP70

Electronic Safe Make: Godrej Model:NX PRO Plus 70L DigiBio

Make : Godrej
NX PRO Plus 70L (Digi +Bio)
Size : (cm)55.8 (h) x 37(w) x 44.5 (d)
Weight : 27.1 Kg
Volume : 70Ltr



Scan product



Ref: KT1040120SLTSB62

Call Cancel button Transmitter with pullstring1 m SB62XWHS SB63XWHS

Call / Cancel button (Transmitter) with pullstring(1 m)

The battery life 1 - 3 years

The length of the twisted pull cord is up to one meter

Used in Toilet / Wash room

Separate Cancel button available



Scan product

Ref: KT1040120SLTSB71

1 button, Paired Cancel only black, Water resistant(IP X8)

1 button, Paired Cancel only black, Water resistant(IP-X8)

Excellent Performance and Reliability

Attractive compact design

Quiet Operations for Call and Response

Easy Installation and Use

Water Proof

Battery life 18-24 Months



Scan product



Ref: KT1040120SLT10RG

Corridor lamp

Wall-mount type corridor lamp (Receiver) 7-lighting colours available (colour selectable)
Single light with 6 colours

Different colours for the different call types

Can be configured with 20 Call Points

Common Light for Twin Sharing to reduce Investment

Light Steady / Blinking (Flashing) Configuration

Beep sound on or off



Scan product

Ref: KT1040120SLT5BPR

Transceiver (Receiver & Transmitter) max. output 10mW (Repeater)

Transceiver (Receiver & Transmitter) max. output 10mW

Extending the signal range

LCD display: Easy configuration

Avoid duplication of the same calls

Register up to 999 Call Buttons

Power supply: AC110~240V, DC12V/1A adaptor



Scan product



Ref: KT113014001GBCF6

Lamination Machine Fusion 6000L A3

Model No :Fusion Plus 6000L A3
4-Roller A3 Pouch Lamination



Technical Specifications :-

Max. document size : (Max. 303mm)
Release lever :No
Warm-up time (min) : 1
Reverse switch : Yes
Pouch capacity (mic) : 75-250 (Auto Detect)
Pouch counter: No
Speed (mm/min) :1200
Digital display : No
Mode of Operation : Carrierless
Auto switch off : After 30 mins
No. of rollers : 4
Re...



Scan product

Ref: KT10401200SLTRP

SR5MPRT for PC Monitoring SOLT

SR5-MPRT for PC Monitoring
Windows 10 or 11 with speaker andworking USB port should
be providedby the customer.
Frequency: 434.6500 MHz
Frequency stability: +/- 10 ppm
Data rate: 1800 bps
Channel space: 12.5 Khz
Modulation: FSK(+/- 3KHz)
Antenna Type: Helical type (internal)
PC interface: RJ45 to USB
Screen: LCD 1.3
Power/frequency: 10 mW.
Indicators: 2 LEDs (PWR/Rx indicator)...



Scan product



Ref: KT10401200W0KWC

Wireless Nurse Call System KWCS

Wireless Nurse Call System KWCS

Live Call Popup

Life time Data stored

Color coding for delayed calls

Export report in excel

Live call timers

Performance comprison chart

Specification

The Wireless Nurse Call System is designed to provide fast and reliable communication between patients and caregivers in hospitals, clinics, nursing homes, and assisted living faci...



Scan product

Ref: KT10401200333PM

Display Call cancel SM333PN

Main Display with 3x3 FND (3 digits X 3 displays)



Scan product



Ref: KT10401200361PC

Display Call cancel SM361PC

Main Display with 6x1 FND (6 digits X 1 display), 20 call memory



Scan product

Ref: KT104012005M323

Display Call cancel SM323JC

Calls are stored from the 1st place(top left)-
2nd place(top right)-
3rd place(bottom right)... from 4th calls are
hidden in order(till 47 calls).



If cancel button is pressed from Call Point, the
responding call is deleted regardless of the
order of the call

If Cancel Only button is pressed, the 1st call is
deleted, then 2nd call display takes the place
of the 1st call, ...



Scan product



Ref: KT10401200W5LTB

Call/Cancel Button SB5R-2XWH-1PSR

Model : SB5R-2XWH-1PSR

Call / Cancel button. Cancellation by long press of button.
With 1 PSR cable.



Scan product

Ref: KT10401200W5LTH

CallCancel Button SB5R2XWH

SB5R-2XWH

Call / Cancel button. Cancellation by long press of button
Includes Mounting cover



Scan product



Ref: KT10401200WAW4H

Wireless Nurse Call System KW4H

Wireless Nurse Call System KW4H

Size: 85x85x10mm

Modulation: AM

Working Voltage: DC 12V

Working Current: 10mA

Radiated Power (ERP): 2.58 – 3.69 mW

Battery Type: 23A12V

Key Options: H.Keeping / Nurse / Code Blue

Frequency: 433.92 MHz

Transmitted Distance: 100 mt

Specification

The Wireless Nurse Call System is designed to provide fast and reliable communication between patients and caregivers in hospitals, clinics, nursing homes, and assisted living faci...



Scan product

Ref: KT10401200WK12S

Wireless Call panel K 12 S

Model No.:K-12S

Wireless Nurse Call Panel (Two Digit)with Power Supply

(Room Number Program- 01 To 99)

Operating voltage: 12 VDC.ADPTOR

1 Group Show At Time, 10 Call In Cycling.



Scan product



Ref: KT10401200WK13S

Wireless Nurse Call System k13s eco

Wireless Nurse Call System k13s eco

Technical Details

Size: 295 × 170 × 60 mm

Modulation: AM

Working Voltage: DC 12V 1A

Body Type: ABS / Acrylic

Pairing Capacity: 250 Transmitters

Call Displayed: 1 Group

Call Capacity: 32

Frequency: 433.92 MHz

Digits Displayed: 3 (001-FFF)



Specification

The K13S ECO Wireless Nurse Call System enables patients to quickly request assistance through wireless call buttons, improving caregiver response times and patient safety. It is i...



Scan product

Ref: KT10401200WKW1P

3 key Wall Mount Call Button K-W2H2 S

Model No. " K-W2H2

Wall Mount Wireless Call Button With 120 cm Flexible Cord For

Patient. (Housekeeping + Nurse + Cancel Function)

Operating voltage: 12 VDC / 23 A Battery. Three Function

BED UNIT.(K-W2H2)Size 85*85*10 mm

100 Mtr Range Open Area



Specification

The K-W1P Wireless Nurse Call System is designed to provide fast and reliable communication between patients and caregivers in hospitals, clinics, nursing homes, and assisted livin...



Scan product



Ref: KT10401200WKW4H

Wireless Nurse Call System KW4H2

Wireless Nurse Call System KW4H2



Size: 85x85x10mm

Modulation: AM

Working Voltage: DC 12V

Working Current: 10mA

Radiated Power (ERP): 2.58 - 3.69 mW

Battery Type: 23A12V

Key Options: H.Keeping / Nurse / Code Blue

Frequency: 433.92 MHz

Transmitted Distance: 100 mts open

Specification

The Wireless Nurse Call System is designed to provide fast and reliable communication between patients and caregivers in hospitals, clinics, nursing homes, and assisted living faci...



Scan product

Ref: KT10401200WUK14

Wireless Nurse Call Panel Four digit K14S

Wireless Nurse Call Panel Four digit K14S

Size 295X145X50mm

Modulation AM

Working Voltage DC12V1A

Frequency 433.92MHz

Body Type Sheet Metal

Pairing Capacity 250 Transmitters

Calls Displayed 1 Group

Wall mount

Support Software

Delay reminder

250 transmitters

Call Capacity 32

Digital Displayed 000-FFFF



Specification

Discrete communication between nurses and patients.

Long cord call button for serious patients.

Wireless personal/nurse wrist monitor.

Easily handle emergency situations.

Easy ...



Scan product



Ref: KT1040120SLT10FM

Mat Sensor

Call / Cancel button (Transmitter) with foot step-button cable (1.4 m)

The battery life 1 - 3 years

The length of the twisted pull cord is up to one meter

Used in Toilet / Wash room

Separate Cancel button available



Scan product

Ref: KT1040120SLT1PWH

1 button white Water resistantIP68

1 button white Water resistantIP68

Excellent Performance and Reliability

Attractive compact design

Quiet Operations for Call and Response

Easy Installation and Use

Water Proof

Battery life 18-24 Months*



Scan product



Ref: KT1040120SLT1WHP

Paired Cancel only button BK black, WH white SB51XBKWH Paired



Paired Cancel only button BK black, WH white SB51XBKWH Paired

Excellent Performance and Reliability
Attractive compact design
Quiet Operations for Call and Response
Easy Installation and Use
Water Proof
Battery life 18-24 Months



Scan product

Ref: KT1040120SLT1XWH

Cancel only button BKblack, WHwhite SB51XBKWH



Cancel only button - BK-black, WH-white
Excellent Performance and Reliability
Attractive compact design
Quiet Operations for Call and Response
Easy Installation and Use
Water Proof
Battery life 18-24 Months



Scan product



Ref: KT1040120SLT2PWH

2 buttons 2 call WHwhite Water resistantIP68 SB92PWH

2 buttons (2 call) WH-white. Water resistant(IP-68)
SB9-2PWH

Excellent Performance and Reliability
Attractive compact design
Quiet Operations for Call and Response
Easy Installation and Use
Water Proof
Battery life 18-24 Months*



Scan product

Ref: KT1040120SLT2XWH

Call Cancel button Cancellation by long press of button Without cable SB52XWHBK

Call Cancel button Cancellation by long press of button
Without cable SB52XWHBK

Excellent Performance and Reliability
Attractive compact design
Quiet Operations for Call and Response
Easy Installation and Use
Water Proof
Battery life 18-24 Months



Scan product



Ref: KT1040120SLT3PWH

3 buttons WH white. Water resistant(IP-68) SB9 3PWH

3 buttons WH-white. Water resistant(IP-68)
Excellent Performance and Reliability
Attractive compact design
Quiet Operations for Call and Response
Easy Installation and Use
Water Proof
Battery life 18-24 Months*



Scan product

Ref: KT1040120SLT3XBK

2 buttons 1 call 1 cancel BK black, WH white Compatible with 1 PSR, 2 PSR SB62XBKWH or SB6 3XBKWH

2 buttons (1 call + 1 cancel)..BK-black, WHwhite. Compatible with 1 PSR, 2 PSR
Straight / spiral cable (optional)
Elegant yet rugged
Wireless
Battery life 18 - 24 months+ *
Customised Call Type
Can be integrated with multiple display panels
Can be integrated with door light



Scan product



Ref: KT1040120SLT3XWH

3 buttons 2 call1 cancel WHwhite Water resistantIP68 SB93XWH

3 buttons (2 call+1 cancel) WH-white. Water resistant(IP-68) SB9-3XWH

Excellent Performance and Reliability
Attractive compact design
Quiet Operations for Call and Response
Easy Installation and Use
Water Proof
Battery life 18-24 Months*



Scan product

Ref: KT1040120SLT5MPR

Monitoring Receiver

PC Monitoring device (Receiver) with Solt basic monitoring programs

Call Displayed on PC Screen
Different sounds for different call types
Different background colours for different call types
Call Escalation
Reporting
Power supply: AC110~240V, DC12V/1A adaptor



Scan product



Ref: KT1040120SLT6PBK

6 buttons6 call buttons, Kitchen Bell Compatible with 1 PSR, 2 PSR, 3 PSR SB66PBKWH



6 buttons6 call buttons, Kitchen Bell Compatible with 1 PSR,
2 PSR, 3 PSR SB66PBKWH
Straight / spiral cable (optional)
Elegant yet rugged
Wireless
Battery life 18 - 24 months+ *
Customised Call Type
Can be integrated with multiple display
panels
Can be integrated with door light



Scan product

Ref: KT1040120SLT6PSR

1PSR Cable with hand unit SOLT



1PSR Cable with hand unit
Compatible with SB5R, SB6
Includes Bed hook
PSR cable - 5feet - 150 mm + 1050 mm straight and rest
coiled




Scan product



Ref: KT1040120SLT6XBK

6 buttons 5 call 1 cancel or 3 call 3 cancel Compatible with 1 PSR, 2 PSR, 3 PSR SB66XBKWH




6 buttons (5 call / 1 cancel or 3 call / 3 cancel). Compatible with
1 PSR, 2 PSR, 3 PSR SB6-6XBK/WH
Straight / spiral cable (optional)
Elegant yet rugged
Wireless
Battery life 18 - 24 months+ *
Customised Call Type
Can be integrated with multiple display
panels
Can be integrated with door light



Scan product

Ref: KT1040120SLTB62X

Call Cancel button Transmitter with foot step button cable 14 m



Call / Cancel button (Transmitter) with foot step-button cable
(1.4 m)
The battery life 1 - 3 years
The length of the twisted pull cord is up to one
meter
Used in Toilet / Wash room
Separate Cancel button available



Scan product



Ref: KT1040120SLTPBK

1 button, black, Water resistant IPX8

1 button, black, Water resistant(IP-X8)
Excellent Performance and Reliability
Attractive compact design
Quiet Operations for Call and Response
Easy Installation and Use
Water Proof
Battery life 18-24 Months*



Scan product

Ref: KT1040120SLTSB52

Call only button BK black, WH white SB51PBKWH

Call only button - BK-black, WH-white
Excellent Performance and Reliability
Attractive compact design
Quiet Operations for Call and Response
Easy Installation and Use
Water Proof
Battery life 18-24 Months



Scan product



Ref: KT1040120SLTSPBKT

1 button, black, air touch call Water resistant IPX8 SB71PBKT



1 button, black, air-touch call Water resistant (IP-X8)
 Excellent Performance and Reliability
 Attractive compact design
 Quiet Operations for Call and Response
 Easy Installation and Use
 Water Proof
 Battery life 18-24 Months



Scan product

Ref: KT1120060012LUB

2 line USB Phone Recorder



Recording of 2 Telephone line
 Audio compression of voice files
 Call Recording with Caller ID
 Improve your business efficiency
 Memorize conversation and avoid dispute

Specification

Main Features:

Crystal clear Voice Clarity stored in WAV files.
 Less than 5 minute installation. (If you can plug in a phone you make this work)
 Automatically records all incoming ...



Scan product



Ref: KT112006001BM71

Push Button Telephone with Caller ID model no M71



Analog Phone

Make: Beetel

Model no: M 71

*16 digit LCD display

*99 incoming and 18 outgoing calls memory

*6 one touch memory

*Do not disturb function (ring off)

*Pre dial and edit function

*5 sets of alarm clock

*Pause and mute function



Scan product

Ref: KT112006001CNEC

NEC SL 2100 Communication System

Configured with 03 Trunk Lines and 32 Extensions.

Expandable up to 36 Trunk Lines & 96 Extensions.

Digital Key Telephone System based on IP platform, Hybrid,
100% Non Blocking

- Inbuilt 8 VoIP Resources
- Inbuilt 4 Answering Machine / VRS Chanel
- Inbuilt 100 VRS Message
- Inbuilt 4 Voice Mail Chanel
- Inbuilt 2 Hours Voice Mail storage
- Music on hold
- Mobility /Remote/Ho...



Scan product



Ref: KT112006001DPE

Matrix Digital Phone EON 510

Digital key Phone -Black with 240*64 Pixels graphical LCD with Backlit & 20 Keys warranty -1 year



Scan product

Ref: KT112006001GENX4

Eternity NENX416

ETERNITY NENX416


4 FXO Ports
16 FXS Ports
2 GSM/3G/4G Ports
50 IP Users
4 Voicemail Channels
Dimensions (mm): Width 320.2 x Height 51.1 x Depth 208.1

Particulars NENX416

FXO Ports (CO) 4
FXS Ports (SLT) 16
GSM/3G Ports 2
IP Users 50
VoIP Trunks (SIP) 8
Max. VoIP CHNL 8
Max. VMS CHNL 4



Scan product



Ref: KT112006001MDF

Malson MDF

50 Pair MDF Box Module and Connector (Metal Junction Box with Krone module)
warranty -1 year

No image



Scan product

Ref: KT112006001PECS

Expansion Card ETERNITY PE CARD CO2, SLT6

Model No.:ETERNITY PE CARD CO2+SLT6

Expansion Card for Analog Trunks (CO), and SLT

- CO Ports: 2
- SLT Ports: 6
- Compatible PBX: ETERNITY PENX and PE Series



Scan product



Ref: KT112006001PENX

IP PBX with universal connectivity Eternity PENX6SAC

MATrix IP-PBX system Upgradable Up to 48 Port

1 PRI Line

2 Digital extension Line

22 Analog Extension Line

Easy Multi party Conference setup

Caller ID Inbuilt

Voice Greeting inbuilt

Warranty : 1 year



Scan product

Ref: KT112006002CCLC

EPABX System, Intercom System CLI 216B

216B 2 CO Line + 16 Extensions

Brand CCL

Auto Attendant SettingsAuto Call BackAuto

Call DisconnectionBarge-InCall ForwardCall Pick-UpChecking

Extension NumberCLI (Calling Line Identification)

CLI Transferable / InternalCLI - Digits additionCLI Receiving
Mode (DTMF / FSK)

CLI Transmitting Mode (DTMF)Conference with 1 Junction & 1
ExtConference with 2

JunctionsDay / Night Mode...



Scan product



Ref: KT112006002PEDS

Expansion Card for Analog Trunks DKP and SLT

Model No.: ETERNITY PE CARD DKP2+SLT6

"Expansion Card for Analog Trunks DKP and SLT

- DKP Ports: 2
- SLT Ports: 6
- Compatible PBX: ETERNITY PENX and PE Series"



Scan product

Ref: KT11200600TIFS85

Samsung INTERACTIVE FLAT PANEL 86 WAF Series

Samsung WAF Series

Android 14-based product

KEY HIGHLIGHTS



- Warranty: 3 Years by samsung company
- Resolution: 3840X2160(UHD-4k)
- 16X7 Per Day Functionality
- 50,000 Hrs. Display Life
- Intuitive UI: pen & brush mode, quick tool, palette menu

- Android OS
- Easy Multitasking
- Powerful Screen Sharing
- Intelligent App for Class
- Multi-point Touch Drawing (up to 40 people)

...



Scan product



Ref: KT11200600TISS65

Teachmint INTERACTIVE FLAT PANEL 65 With inbuilt camera and mic

Teachmint INTERACTIVE FLAT PANEL 65" With inbuilt camera and mic

Model Name: Teachmint X 65/75/86 Pro & Teachmint X 75/86 Plus

Screen Size: 65"

Operating System: Android 14.0 EDLA


RAM / ROM: 8GB RAM / 128GB ROM

CPU: Octa Core | RK3576 (4x ARM Cortex A72 @ 2.2 GHz + 4x ARM Cortex A53 @ 2.0 GHz)

GPU: Mali-G52 MC3

Camera: Auto-focus 48 MP 4K UHD Quality Video

AI camera with soun...



Specification

Device-Level Capabilities:

- Google Suite & MS Office Ready
- Android 14 Meeting Apps Support
- Smart Device Connectivity - Effortless pairing with smart devices
- Wireless Casting...



Scan product

Ref: KT11200600TISS75

Teachmint INTERACTIVE FLAT PANEL 75 NEO

Teachmint INTERACTIVE FLAT PANEL 75" NEO Model Name: Teachmint X 65/75/86 Pro & Teachmint X 75/86 Plus

Screen Size: 75"

Operating System: Android 14.0 EDLA


RAM / ROM: 8GB RAM / 128GB ROM

CPU: Octa Core | RK3576 (4x ARM Cortex A72 @ 2.2 GHz + 4x ARM Cortex A53 @ 2.0 GHz)

GPU: Mali-G52 MC3

Camera: Auto-focus 48 MP 4K UHD Quality Video

AI camera with sound localization and intel...



Specification

Device-Level Capabilities:

- Google Suite & MS Office Ready
- Android 14 Meeting Apps Support
- Smart Device Connectivity - Effortless pairing with smart devices
- Wireless Casting...



Scan product



Ref: KT11200600TISS86

Teachmint INTERACTIVE FLAT PANEL 86 X2 AI

Teachmint INTERACTIVE FLAT PANEL 86" X2 AI

Model Name: Teachmint X 65/75/86 Pro & Teachmint X 75/86 Plus

Screen Size: 86"

Operating System: Android 14.0 EDLA

RAM / ROM: 8GB RAM / 128GB ROM

CPU: Octa Core | RK3576 (4x ARM Cortex A72 @ 2.2 GHz + 4x ARM Cortex A53 @ 2.0 GHz)

GPU: Mali-G52 MC3

Camera: Auto-focus 48 MP 4K UHD Quality Video

AI camera with sound localization and int...



Specification

Device-Level Capabilities:

- Google Suite & MS Office Ready
- Android 14 Meeting Apps Support
- Smart Device Connectivity – Effortless pairing with smart devices
- Wireless Casting...



Scan product

Ref: KT11200600TMX65

Teachmint Interactive Flat Panel 65

Teachmint X2 65" Star

Key Hightlights :

Resolution: 3840X2160(UHD-4k)

Screen Size - Aspect Ratio 16:9: 1.64m (65")

Response Time: ≤ 5 ms

Contrast Ratio: Typ:1200:1

Brightness: 350 nits

Display Colors: 1.07 Billion (10-bit)

Lifespan: 60,000 hours

Operating System: Android 14.0 EDLA

Backlight Type: D-LED edge Type

Wi-Fi Standard: Dual Band (2.4GHz/5GHz)

Bluetooth: Bluetooth 5.0...



Scan product



Ref: KT11200600TQB75C

Samsung Signages QB75C

Samsung Signages QB75C

Crystal UHD Signage (16X7 Operation hour)

Resolution 3840 x 2160 (UHD- 4K), Brightness 350 nit,

Contrast ratio 4000:1, Panel type Non-glare, IP Rating

IP5X,Connectivity, Processor - CA53 1.3GHz Quad-Core,

Storage - 8GB (3GB available), HDMI 2.0(3), USB2.0(2), DP

1.2 (1),Stereo Mini Jack, Ext: RS232C(in/out), RJ45, Soc SSSP

10.0,BT/Wi-Fi, S/W: Signage New...



Specification

Smart Calibration : Guarantee complete brand consistency across every location. Using the Samsung mobile app, calibrate displays to showcase brand logos and other collateral in the...



Scan product

Ref: KT11200600TQB85C

Samsung Signages QB85C

Samsung Signages QB85C

Crystal UHD Signage (16X7 Operation hour) Resolution 3840

x 2160 (UHD- 4K), Brightness 350 nit, Contrast ratio 4000:1,

Panel type Non-glare, IP Rating IP5X,Connectivity, Processor

- CA53 1.3GHz Quad-Core, Storage - 8GB (3GB available),

HDMI 2.0(3), USB2.0(2), DP 1.2 (1), Stereo Mini Jack, Ext:

RS232C(in/out), RJ45, Soc SSSP 10.0,BT/Wi-Fi,S/W: Signage

New ...



Specification

Ultra Slim Depth : The unparalleled ultra-slim thickness of 28.5mm makes it the thinnest option in Samsung's UHD Signage series. It comes with the Slim Fit Wall Mount, which allows...



Scan product



Ref: KT112006052HK75

75 Inch Interactive Flate Panel DSD5C75RBB

DS-D5C75RB/B

Panel Type Commercial A grade VA Panel with Optical Anti-blue light filter support-TUV certified

Surface Hardness 9H

Glass Bonding Method Zero Lamination (Zero-gap bonding screen)

Surface Treatment Anti-glare, Anti-blocking(scratch and fingerprint)

Orientation Landscape

Screen Size 75 inch

Backlight DLED

Pixel Pitch 0.14325(H) × 0.42975(V) mm

Resolution 3840 × 2160...



Scan product

Ref: KT112006052VD86

86 inch Smart interactive whiteboard Dahua

86-inch Smart interactive whiteboard

- 16X7 Operation hour
- Warranty 3yrs On-Site
- Operating System - Android 11
- CPU-Quad-core A55
- RAM - 8GB
- ROM - 64GB
- Brightness - 400 cd/m²
- Contrast - 1200:1
- Resolution -3840*2160
- Wireless Access Point - WIFI 5, 2.4 GHz/5 GHz
- Bluetooth-Bluetooth 5.2
- Touch Points - Andriod: 32, Windows: 40
- Anti-light Interference - Anti-gl...



Scan product



Ref: KT113012020SM50X

Paper Shredder Shred Master 50X

Cross Cut Personal Auto Feed Shredder

Model Name: GBC 50X ShredMaster



Features & Benefits

- 4 x 28 mm Confetti cut, P-4 security level for confidential documents
- Automatic feed for minimal human intervention
- Shreds up to 50 sheets from the auto-feed chamber and up to 6 sheets through the manual feed slot
- Simple and intuitive touch control operation
- Anti-jam technology ...

Specification

Cross Cut Personal Auto Feed Shredder

A new range of fully automatic paper shredders equipped with long run times (and fan cooling), intuitive touch controls and anti jam technolog...



Scan product

Ref: KT11301302220I

Motorized Projector Screen 108 x 192

Suvira Prime Motorized Projection Screen

Model No.: SVRMOHDT220

Size: 220"

220" : HDTV 16:9

HD SERIES

Diagonal: 220"

Viewing area : 108" x 192"

Fabric : HD -MW

Warranty : 1 year



Scan product



Ref: KT113013022201

Motorized Projector Screen 108 x 192



Suvira Prime Motorized Projection Screen
Model No.: SVRMOHDT220
Size: 220"
220" : HDTV 16:9
HD SERIES
Diagonal: 220"
Viewing area : 108" x 192"
Fabric : HD -MW
Warranty : 1 year



Scan product

Ref: KT11301302LL84

Advanced autoLock mechanism and simplicity of design make these basic manual screens



Advanced auto-Lock mechanism and simplicity of design make these basic manual screens ideal for educational and training facilities, with sturdy construction and incorporating a spring loaded return mechanism.

Product Features:

Suitable for Installations like Educational and Training facilities
Advanced auto-Lock mechanism
Easy Pull-Down system, locks at intervals to fit va...



Scan product



Ref: KT11301302PSEHT

PROJECTOR EPSON EHTW740

TECHNOLOGY

Projection System 3LCD Technology,- RGB liquid crystal shutter

LCD Panel- 0.61 inch with MLA (D10)

IMAGE

Color Light Output 3,300 Lumen- 2,200 Lumen (economy) In accordance with IDMS15.4

White Light Output 3,300 Lumen - 2,200 Lumen (economy)

In accordance with ISO 21118:2012

Resolution Full HD 1080p, 1920 x 1080, 16:9

Contrast Ratio 16,000 : 1

Lamp UHE, 210 W, 6,000 ...



Scan product

Ref: KT11301302PSEHT

PROJECTOR EPSON EHTW740

TECHNOLOGY

Projection System 3LCD Technology,- RGB liquid crystal shutter

LCD Panel- 0.61 inch with MLA (D10)

IMAGE

Color Light Output 3,300 Lumen- 2,200 Lumen (economy) In accordance with IDMS15.4

White Light Output 3,300 Lumen - 2,200 Lumen (economy)

In accordance with ISO 21118:2012

Resolution Full HD 1080p, 1920 x 1080, 16:9

Contrast Ratio 16,000 : 1

Lamp UHE, 210 W, 6,000 ...




Scan product



Ref: KT11301302SLTP

Projector Screen With Tripod Stand



Portable projection screen with a flexible operation that can be adjusted as necessary by utilizing a unique tripod mechanism with locking device. Based on world standard design, it comes with an integrated carry handle and is perfect for the presenter who is always on the move.

Product features:

Suitable for Installations where Presentations are on move
Portable projection...



Scan product

Ref: KT11301302SUTS

Table Projector Screen



SUVIRA Table Screens are Extremely light Weight, Easy to carry makes it ideal for presenter on the move.

Free standing & sturdy design with a unique spring mechanism keeps screen under tension.

To open the user have to simply press the unlock button and expand the screen horizontally.

FEATURES:-

Secure with Embedded Lock

High Quality fabric for best image quality

Unique Spri...



Scan product



Ref: KT11301302XE17

PROJECTOR EPSON EB 1795F

3LCD PROJECTION WITH AN ULTRA-SLIM EDGE

Powerful Slim & Sleek Design

White Light Output 3,200 lumens, Colour Light Output 3,200 lumens

Split Screen Projection

Hassle-Free Presentation with USB 3-in-1 Display Feature and Epson

Ultraportable with miracast and NFC, 3200 lumens brightness.

Full HD 1080P (1920 x 1080 Resolution) : 16:9 ,

1.83 Kg weight,

10000:1 Contrast Ratio,

1...



Scan product

Ref: KT113014001GBCF3

Lamination Machine Fusion 3000L A3 2017

Model No.: Fusion 3000L A3 (2017) 2-Roller

2-Roller A3 Pouch Lamination

Ideal for the frequent home or office user, the Fusion 3000L A3 Laminator guarantees great results fast.

Features & Benefits

- Laminates from ID size to A3 (303mm)
- Pouch capability: 75 / 100 / 125 Micron (3 Preset setting)
- 2 roller technology
- Quick and convenient laminator warms up in 60 seconds
- La...



Scan product



Ref: KT113014001GXL12

Lamination Machine Model XL 12



Model: XL-12

Laminating Width: 330mm

Laminating Speed: 0.5m/min

Mounting Distance between rollers: 2mm

Operation Temperature: 80-180 °C

Heating System(optional): Infrared heating lamp/mica sheet heater

Warm Up Time: 3mins/5mins

Laminating Thickness: Up to 250mic

Roller Diameter: 25mm

Roller: 4

Document Reverse Function: Yes

Cooling Fan: 2

Power Consumption: 620W

Power Supplies(...



Scan product

Ref: KT113014001TRCS

Fire Resistant Record Cabinet Safe



Specification Of Fire Resistant Record Cabinet Safe

Single Door Safe: This Safe Provides Protection To Your Data From Fire Heat, Dust, Moisture & Unauthorized Access

Double Wall Construction In Body & Door: Rock Wool & Reinforced cement concrete Is Also Used As A Fire Resistant Material Between The Two Walls.

Fire Resistant Gasket Between Door & Body To Prevent Sweeping Of Hot ...



Scan product



Ref: KT11301400GRHV1

Electronic Digital Safe Rhino V1 KL

Model :Rhino V1 (KL)

Dimensions in cm : 42.4 (H) X 46 (W) X 40.7 (D)

mm : 424 (H) x 460 (W) x 407 (D)

Net Weight (kg) : 35kg.

Volume (ltr.) : 55 Ltr.

Specification



Scan product

Ref: KT11800101QKGB1

Kheraj Gong Bell

Model No . GB-10

Gong Bells working on 220/250 volts, Single Phase
Conventionally called as Cinema Bell Aluminium Cast Body,
Dust & Weather Proof.

Also available in Single Phase 6V, 12V, 24V, 32V, 48V and
110V A.C. and/or D.C.

SIZE : 10cms. (4")



Scan product