



Product Catalogue

Signage Solutions

Safety > Signage Solutions



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KTI16017002REFT

KTI Anti Skid Tape Black 2 inch with Autoglow

Make - KTI"
Autoglow Tape in the center: 2"
Size: 50mmx5 mtr
5 Mtr Roll Long, 2" Width



[Watch video](#)



Scan product

Ref: KTI0300600ACPS

Customised ACP Signages

ACP Signages
as per Client Requirement (Customized)
Warranty:- NA



Scan product



Ref: KT10300600CTSS

KTi Customized Safety Signages

Safety Signages as per Client Requirement (Customized)



Scan product

Ref: KT116017002REMT

KTi Anti Skid Tape Black 2 inch with Autoglow 1Mtr

Make - KTI"
Autoglow Tape in the center: 2"
Size: 50mmx1 mtr
Comes 5 Mtr Roll Long, 2" Width
MOQ - 5Mtr



Scan product



Ref: KT117002001COM

Foam Material Custom Signage

Foam Material Custom Signage
on Foam Sheet



Scan product


Ref: KT117003001AT40

Autoglo Plain Tape 40mm

Autoglo Tape
10 meter
40mm
Warranty:- Not Applicable



Scan product



Ref: KTI17002001AGER_GF_35

KTI Photo Luminescent Autoglow Manual Call Point Signage Size 150 x 150

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent Autoglow Manual Call Point Signage
Size 150 x 150



Scan product

Ref: KTI17001002BULK

15W Bulkhead Wall or Ceiling Mounting Light

Watt : 15W Multiple LEDs.

Ingress protection :IP 65

Housing :Molded ABS, White in colour

Reflector : White powder coated MS C. A. C. A. - 22 S. W. G.

Input (V) : 110V DC

weight (kg) : 2 Kg. Approx

15W LED BULKHEAD WALL /CEILING MOUNTING LIGHT



Scan product



Ref: KTI17001002BLML

BIS Emergency Light Prolite PEL LED LML

Model : PEL LED LML

HOUSING : 22 MS C.R.C.A Fabricated

LED HOUSING & DIFFUSER : Plastic molded enclosure for led lamp & Clear molded abs / polycarbonate.

SUPPLY VOLTAGE : 230 VAC $\pm 10\%$, 50Hz $\pm 10\%$.

SUPPLY CURRENT (max) : 40 mA (max)

IP RATING : IP - 20

AUTOMATIC SWITCHING : RELAY

Overall wattage : 6w

ON MAINS (BATTERY) : 5W (CHARGING COMSUMPTION)

BACK-UP DURATION : 3 hours (...)



Scan product

Ref: KTI17002001AGER_GC_1

KTI Photo Luminescent In Case of Fire, Do Not Use Lift Signage Size 200 x 200

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent In Case of Fire, Do Not Use Lift Signage Size 200 x 200



Scan product



Ref: KTI17002001AGRA

Photo Luminescent Arrow Signage Size 50*100

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Arrow Signage Size 50*100



Scan product

Ref: KTI17002001AGFE_GF_34

KTI Photo Luminescent Fire Extinguisher With Writing Signage Size 150 x 150

Safety Signages

as per Client Requirement (Customized)



Scan product



Ref: KTI17003001ATA4

Autoglo Tape 40mm With Only Arrow Signage

Autoglo Tape 40mm

1 Unit = 10 Metar

Warranty:- Not Applicable

No image



Scan product

Ref: KTI17002001AGER_GD_97

KTI Photo Luminescent EMERGENCY EXIT DOWNSTAIR LEFT SIDE Signage Size 100 x 300

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent EMERGENCY EXIT DOWNSTAIR LEFT
SIDE Signage Size 100 x 300



Scan product




Ref: KTI17003001ATAP

Autoglo Tape 80mm With Only Arrow Signage

Autoglo Tape 80mm

1 Unit = 10 Metar

Warranty:- Not Applicable



Scan product

Ref: KTI90005001MSKS


Kiosk Stand

Kiosk stand for Digital Display

Size : 900 MM X 2105 MM



Scan product



Ref: KT11200500PLSL

Police Shoulder Light

Voltage -3.8 V

Charger Voltage - 5V Strobe Frequency 6 HZ

Size : 78*35*31 CM

Electric Current -50mA

Flashing mode: red and blue strobe, Visible distance 500m, Besides, it also have the function of lighting.



Watch video



Scan product

Ref: KT117002001AGFE_GF_29

KTi Photo Luminescent Fire Extinguisher Signage Size 150 x 150

Safety Signages

as per Client Requirement (Customized)



Scan product



Ref: KTI17002001AGFX_GD_1

Photo Luminescent EXIT Signage Size 100*300

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 100*300(Size On Request)

Warranty:- Not Applicable

EXIT Signage Size 100*300



Scan product

Ref: KTI17002001AGER_GF_06

KTI Photo Luminescent Fire Hose Reel Signage 100X300mm

Safety Signages

as per Client Requirement (CustomReel Signage (100X300mm)



Scan product



Ref: KTI17002001AGER_GD_68

KTI Photo Luminescent Emergency Exit Man Left Arrow Signage Size 100 x 300

Safety Signages

KTI Photo Luminescent Emergency Exit Man Left Arrow
Signage Size 100 x 300



Scan product

Ref: KTI17002001AGER_GD_55

KTI Photo Luminescent Fire Exit Downstairs Door Right Side Signage 100X300mm

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent Fire Exit Door Downstairs Right Side
Signage (100X300mm)



Scan product



Ref: KTI17001002LTBL

Emergency Light Make Prolight Model no PEL LED LTBL



Model : PEL LED LTBL
Non- Maintained
3 hrs. to 5 hrs. back up
2 lamp
IP20
Confirms ti IS; 10322
Battery Duration + - 10%
Red LED ON Indicates charging
22 SWG CRCA White Power Coated Housing
Constant Voltage Charger
10 to 12 hrs. Recharging period
Input 230v 50hz



Scan product

Ref: KTI17002001AGER_GD_15

KTI Photo Luminescent EXIT for Emergency use only Signage Size 100 x 300

Photo Luminescent EXIT for Emergency use only Signage-
Size 100 x 300
Safety Signages



Scan product



Ref: KT117002001AGER_GD_98

KT1 Photo Luminescent EMERGENCY EXIT DOWNSTAIR RIGHT SIDE Signage Size 100 x 300

Safety Signages
as per Client Requirement (Customized)
KT1 Photo Luminescent EMERGENCY EXIT DOWNSTAIR RIGHT
SIDE Signage Size 100 x 300



Scan product

Ref: KT117001002PEM4

LED Emergency Exit Light

Size : 600 X 300 MM
Conforms to - IS -10322
IP-IP 20
Housing -Made up of uniformly extruded, aluminium alloy.
paint & Colour-Epoxy polyester powder coating, White in
colour.
Diffuser cum Message Panel - CAD Designed printing on 6 M.
M. clear acrylic sheet
Input (V) ~ 230 Volts, 50 Hz; $\pm 10\%$.
LED-Multiple LEDs
mains connector-5 A, 250 Volts, PCB Mount with electrical
grade
Bat...



Scan product



Ref: KTI17002001AGRA_A

Photo Luminescent Right Arrow Signage

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use. As per Indian Standards - IS 12349-1988. Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties. Match specifications mentioned in IS 12349-1988. Arrow Symbol Size 50*100(Size On Request)
Warranty:- Not Applicable



Scan product

Ref: KTI17002001AGER_GD_10

KTI Photo Luminescent FIRE EXIT RIGHT SIDE Signage Size 100 x 300

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent FIRE EXIT RIGHT SIDE Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GS_69

KTI Photo Luminescent Push Bar To Open Signage 100X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Push Bar To Open Signage
(100X300mm)



Scan product

Ref: KTI17001003LEL3

LED Emergency Light IP 20

LED EMERGENCY EXIT LIGHT
Ingress Protection : IP 20
Housing -Made up of uniformly extruded, aluminum alloy
paint & Colour Epoxy polyester powder coating, White in
colour
Diffuser cum Message Panel-CAD Designed printing on 6 M.
M. clear acrylic sheet.
Input (V)- 230 Volts, 50 Hz; $\pm 10\%$.
LED -Multiple LEDs
LED Make -GMR Light , Bridgelux, Edison & Osram
mains connector -5 A, 250 V...



Scan product



Ref: KTI17002001AGEL

Photo Luminescent Exit With Right Arrow Signage Size 100*300

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 100*300(Size On Request)

Warranty:- Not Applicable



Scan product

Ref: KTI17002001AGER_GD_24

KTI Photo Luminescent EXIT Right SIDE Signage Size 100 x 300

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent EXIT Right SIDE Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GD_25

KTI Photo Luminescent EXIT Left SIDE Signage Size 100 x 300

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent EXIT Left SIDE Signage Size 100 x
300



Scan product

Ref: KTI17002001AGER_GF_06_A

KTI Photo Luminescent Fire Hose Box Signage 150X150mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Fire Hose Box Signage (150X150mm)



Scan product



Ref: KT117002001AGER_GF_83

KTi Photo Luminescent Emergency Contact List Signage 300X450mm



Safety Signages
as per Client Requirement (Customized)
KTi Photo Luminescent Emergency Contact List Signage
(300X450mm)



Scan product

Ref: KT117002001AGEX

Photo Luminescent Emergency Exit Signage Size 100*300



Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.
As per Indian Standards - IS 12349-1988.
Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.
Match specifications mentioned in IS 12349-1988.
Size 100*300(Size On Request)
Warranty:- Not Applicable



Scan product



Ref: KTI17002001AGER_GP_15

KTI Photo Luminescent Authorized personnel only Signage 200X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Authorized personnel only Signage
(200X300mm)



Scan product

Ref: KTI17002001AGER_GD_2

KTI Photo Luminescent Emergency Exit Signage Size 100 x 300

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Emergency Exit Signage Size 100 x
300



Scan product



Ref: KTI17002001AGER_GD_97_A

KTI Photo Luminescent EMERGENCY EXIT DOWNSTAIR LEFT SIDE Signage Size 200 x 200



Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent EMERGENCY EXIT DOWNSTAIR LEFT
SIDE Signage Size 200 x 200



Scan product

Ref: KTI17002001AGER_GD_36

KTI Photo Luminescent Assembly Station Signage Size 300 x 300



Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Assembly Station Signage Size 300 x
300



Scan product



Ref: KTI17002001AGER_GW_2

KTI Photo Luminescent Warning Signages Danger



Photo Luminescent Warning Signages - Danger Electric Shock Risk-Size 200 x 250
Warning Signages



Scan product

Ref: KTI17001003PLT6

Led Emergency Exit Light 6mm Thickness



Conforms To: IS - 10322

Housing: Made up of uniformly extruded, aluminum alloy

Battery :Lithium-ion Rechargeable battery.

Duration :180 Minutes back up; $\pm 10\%$.

Recharging Cycle : 16 to 24 hours recharging period

Mounting Type :Ceiling/wall mounting with 2 nos. key holes.

Input (V):~ 230 Volts, 50 Hz; $\pm 10\%$.



Scan product



Ref: KTI17002001AGER_GW_90

KTI Photo Luminescent Warning Signages Danger Electric Shock Risk



Photo Luminescent Warning Signages - Danger Electric Shock Risk-Size 200 x 250
Warning Signages



Scan product

Ref: KTI17002001AGER_GD_5

KTI Photo Luminescent FIRE EXIT UP SIDE Signage Size 100 x 300

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent FIRE EXIT UP SIDE Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GD_69

KTI Photo Luminescent Emergency Exit Man Right Arrow Signage Size 100 x 300

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Emergency Exit Man Right Arrow
Signage Size 100 x 300



Scan product

Ref: KTI17002001AGFX_GD_37

Photo Luminescent FIRE EXIT Signage Size 100*300 GREEN

Supply of Photo Luminescent Signage Type for Indoor /
Outdoor use.
As per Indian Standards - IS 12349-1988.
Signage are made up of Deluxe Sheet with Super Extra Glow
Intensity Luminous properties.
Match specifications mentioned in IS 12349-1988.
Size 100*300(Size On Request)
Warranty:- Not Applicable



Scan product



Ref: KTI17002001AGER_GD_9

KTI Photo Luminescent Left Side Door With Arrow FIRE EXIT Signage Size 100 x 300

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent FIRE EXIT Left SIDE Signage Size 100
x 300



Scan product

Ref: KTI17002001AGER_GD_72

KTI Photo Luminescent Emergency Exit Upward Left Arrow Signage Size 100 x 300

Safety Signages
KTI Photo Luminescent Emergency Exit Upward Left Arrow
Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GF_13

KTI Photo Luminescent Fire Blanket Signage 100X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Fire Blanket Signage (100X300mm)



Scan product

Ref: KTI17001002EEL5

EMERGENCY EXIT LIGHT 5 IN 1 WITH LED

Double beam emergency Light with EXIT SIGN WITH LED
Color : Red or green
LED exit signs are ensuring they meet strict safety and
quality standards for use in India.
Voltage: 12V
Backup Time 3 Hours
ISO 9001 Approval
MOQ : 5Nos.



Scan product



Ref: KTI17003001AT4P

Autoglow Tape 40mm With Right Arrow

Autoglo Tape 40mm

1 Unit = 10 Meter



Scan product

Ref: KTI17002001AGER_GD_89

KTI Photo Luminescent FIRE EXIT Door Left SIDE With Arrow Signage Size 100 x 300

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent FIRE EXIT Left SIDE Signage Size 100
x 300



Scan product



Ref: KT117003001404P

Autoglow Tape 40mm With Left Arrow

Autoglo Tape 40mm

1 Unit = 10 Meter

Warranty:- Not Applicable



Scan product

Ref: KT117002001AGEF_34

Photo Luminescent Fire Extinguisher Signage Size 150 x 150

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988. Size 150 * 150



Scan product



Ref: KTI17002001AGER_GD_100

KTI Photo Luminescent EMERGENCY EXIT UPSTAIR LEFT SIDE Signage Size 100 x 300

Safety Signages EMERGENCY EXIT UPSTAIR LEFT SIDE
KTI Photo Luminescent EMERGENCY EXIT UPSTAIR LEFT SIDE
Signage Size 100 x 300



Scan product

Ref: KTI17002001AGER_GD_14

KTI Photo Luminescent EXIT for Emergency use only Left Signage Size 100 x 300

EXIT for Emergency use only Left
Photo Luminescent EXIT for Emergency use only Signage-
Size 100 x 300
Safety Signages



Scan product



Ref: KTI17002001AGER_GF_07

KTI Photo Luminescent Auto Glow Signage for FIRE ALARM CALL POINT 100X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Auto Glow Signage for FIRE ALARM
CALL POINT (100X300mm)



Scan product

Ref: KTI17002001AGER_GP_29

KTI Photo Luminescent No Entry Signages

Prohibition Safety Signages
No Entry
as per Client Requirement (Customized)
Size 100 x 300 mm



Scan product



Ref: KTI17002001AGER_GW_22

KTI Photo Luminescent Warning Signages Mind your head



Photo Luminescent Warning Signages - Mind your head-Size
200 x 250
Warning Signages



Scan product

Ref: KTI17003001AT4A

Autoglo Tape 80mm With Left Arrow signage



1 Unit = 10 Meter
Warranty:- Not Applicable



Scan product



Ref: KT117002001AGER_GF_38

KTi Photo Luminescent Autoglow Fire Alarm Call Point Signage Size 150 x 150

Safety Signages

KTi Photo Luminescent Autoglow Call Point Signage Size 150 x 150



Scan product

Ref: KT190005001MS50

LED Screen 50 Samsung

Model No.: QB50C

UHD 4K display delivers innovation and efficiency with stunning design

Dynamic Crystal Color with Quantum Processor 4K for incredible picture quality

Slim and symmetrical design allowing for seamless environment

Professional display supporting video call and Smartview+



Scan product



Ref: KT114004007NMFP

Flame Proof Emergency Light NMFP

Model : PEL LED NM/FP - 20W LED

IS - 10322

Ingress protection : IP 65

Housing : Cast aluminum, CMRI certified housing

Led : 20 Watt, Multiple LEDs, High lumen output.

Mains Connector : 5 A, 250 Volts, with electrical grade

Duration : 120 Minutes back up; $\pm 10\%$

Recharging cycle : 16 to 24 hours recharging period

Weight (kg) : 6 Kg. Approx.



Scan product

Ref: KT117002001AGER_GS_01

KTi Photo Luminescent First Aid 100X300mm

Safety Signages

as per Client Requirement (Customized)



Scan product



Ref: KT117002001AGMS_GPT30

Photo Luminescent Man Signage Size 150*150



Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 150*150(Size On Request)

Warranty:- Not Applicable



Scan product

Ref: KT11400400712NM

Rechargeable Emergency Light

Model: PEL LED 120 NM

As per : IS - 10322

Ingress protection : IP 20

Housing : 24 MS C.R.C.A. Fabricated

Input (V) : ~230 volts, 50 Hz; $\pm 10\%$.

LED : 10 Watt, Multiple LEDs, High lumens output.

Duration : 180 Minutes back up; $\pm 10\%$.

Recharging Cycle ; 10 to 12 hours recharging period.



Scan product



Ref: KTI16017002AUTOT

Autoglow tape with Green diagonal

Glow In Dark With Green diagonal
(Size: 50 Mm X 10 M)



Feature: High Initial Luminance, Long Duration, Good Extensibility, Non-Toxic, Non- Radioactive &Has Stable Chemical Properties.

Application: Along The Stair Case, Edge Of The Stair Case, Direction Towards Assembly Area, Low Light Area, Mines, Fire Fighting, Pipe Lines, Safety Guide Etc.



Scan product

Ref: KTI17002001AGER_GD_17

KTI Photo Luminescent EXIT RIGHT Signage Size 100 x 300

Safety Signages
KTI Photo Luminescent EXIT RIGHT Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GD_27

KTI Photo Luminescent EXIT Left SIDE Down Arrow Signage Size 100 x 300

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent EXIT Left SIDE Down Arrow Signage
Size 100 x 300



Scan product

Ref: KTI17002001AGER_GD_66

KTI Photo Luminescent Not An Exit Signage Size 100 x 300

KTI Photo Luminescent Not An Exit Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GD_74

KTI Photo Luminescent Downward Left Corner Arrow Emergency Exit Man Left Arrow Signage Size 100 x 300

Safety Signages

KTI Photo Luminescent Downward Left Corner Arrow

Emergency Exit Man Left Arrow Signage Size 100 x 300



Scan product

Ref: KTI17002001AGER_GD_99

KTI Photo Luminescent EMERGENCY EXIT UPSTAIR RIGHT SIDE Signage Size 100 x 300

Safety Signages EMERGENCY EXIT UPSTAIR RIGHT SIDE

KTI Photo Luminescent EMERGENCY EXIT UPSTAIR RIGHT

SIDE Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GF_39

KTI Photo Luminescent Autoglow Fire Hooter Signage Size 150 x 150

Autoglow Fire Hooter Safety Signages



KTI Photo Luminescent Autoglow Fire Hooter Signage Size 150 x 150



Scan product

Ref: KTI17002001AGER_GF_41

KTI Photo Luminescent Autoglow Fire Alarm Panel Signage Size 150 x 150

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent Autoglow Fire Alarm Panel Signage Size 150 x 150



Scan product



Ref: KTI17002001AGER_GS_03

KTI Photo Luminescent Emergency Telephone 100X300mm

Safety Signages
For Emergency Telephone Photo Luminescent



Scan product

Ref: KTI17002001AGER_GS_23

KTI Photo Luminescent Smoking Area Signage 100X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Smoking Area Signage (100X300mm)



Scan product



Ref: KT117002001AGFX_GD_38

Photo Luminescent FIRE EXIT Signage Size 100*300 RED

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 100*300(Size On Request)

Warranty:- Not Applicable



Scan product

Ref: KT117002001AGMW_GG_24

Photo Luminescent Ladies Signage Size 100*300 mm

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 150*150(Size On Request)

Warranty:- Not Applicable



Scan product



Ref: KTI17002001AGNS_A

Photo Luminescent No Smoking Signage Size 150*200



Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

No Smoking

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 150*200(Size On Request)

Warranty:- Not Applicable



Scan product

Ref: KTI17002001AGER_GD_12

KTI Photo Luminescent FIRE EXIT RIGHT DOWN SIDE Signage Size 100 x 300

Safety Signages - AutoGlow

FIRE EXIT RIGHT DOWN SIDE Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_EC_Safety_Signage_11

KTI Photo Luminescent Fire Alarm With Image Signage Size 100 x 300

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Fire Alarm With Image Signage Size
100 x 300



Scan product

Ref: KTI17002001AGER_GIS_1

KTI Photo Luminescent Numeric 1 Signage 150X150mm

Safety Signages GIS_1

KTI Photo Luminescent Numeric 1 Signage (150X150mm)



Scan product



Ref: KTI17001002LTBC

Emergency Light Make Prolight Model no PEL LED LTBL CP



Model : PEL LED LTBL (CP)
Non- Maintained
3 hrs. to 5 hrs. back up
2 lamp
IP20
Confirms ti IS; 10322
Battery Duration + - 10%
Red LED ON Indicates charging
22 SWG CRCA White Power Coated Housing
Constant Voltage Charger
10 to 12 hrs. Recharging period
Input 230v 50hz



Scan product

Ref: KTI17002001AGER_GIS_6

KTI Photo Luminescent Numeric 2 Signage 150X150mm

Safety Signages GIS_6



KTI Photo Luminescent Numeric 2 Signage (150X150mm)



Scan product



Ref: KTI17002001AGER_GIS_7

KTI Photo Luminescent Numeric 3 Signage 150X150mm

Safety Signages GIS_7



KTI Photo Luminescent Numeric 3 Signage (150X150mm)



Scan product

Ref: KTI17002001AGER_GD_4

KTI Photo Luminescent FIRE EXIT RIGHT SIDE With Door Signage Size 100 x 300

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent FIRE EXIT RIGHT SIDE With Door
Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GD_42

KTI Photo Luminescent Emergency Exit Man Symbol Right Signage Size 150 x 150



Safety Signages

KTI Photo Luminescent Emergency Exit Man Symbol Right
Arrow Signage Size 150 x 150



Scan product

Ref: KTI17002001AGER_GD_46

KTI Photo Luminescent Downward Arrow Assembly Station Signage

Downward Arrow Assembly Station Signage Size 100 x 300
Safety Signages
as per Client Requirement (Customized)



Scan product



Ref: KTI17002001AGER_GD_56

KTI Photo Luminescent Fire Exit Door Downstairs Left Side Signage 100X300mm

Safety Signages

KTI Photo Luminescent Fire Exit Door Downstairs Left Side
Signage (100X300mm)



Scan product

Ref: KTI17002001AGER_GD_73

KTI Photo Luminescent Emergency Exit Upward Arrow Signage Size 100 x 300

Safety Signages

KTI Photo Luminescent Emergency Exit Upward Arrow
Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GD_75

KTI Photo Luminescent Downward Right Corner Arrow Emergency Exit Man Signage Size 100 x 300

Safety Signages

KTI Photo Luminescent Downward Right Corner Arrow
Emergency Exit Man Signage Size 100 x 300



Scan product

Ref: KTI17002001AGER_GD_87

KTI Photo Luminescent FIRE EXIT Left SIDE Door Signage Size 100 x 300

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent FIRE EXIT Left SIDE Signage Size 100
x 300



Scan product



Ref: KTI17002001AGER_GD_88

KTI Photo Luminescent Fire Exit Door Right Side Signage 100X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Fire Exit Door Downstairs Right Side
Signage (100X300mm)



Scan product

Ref: KTI17002001AGER_GF_05

KTI Photo Luminescent Fire Lift Signage 100X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Fire Lift Signage (100X300mm)



Scan product



Ref: KT117002001AGER_GF_08

Photo Luminescent IN CASE OF FIRE BREAK GLASS Signage Size 100300 GREEN

Supply of Photo Luminescent Signage Type for Indoor /
Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow
Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 100*300(Size On Request)

Warranty:- Not Applicable

IN CASE OF FIRE BREAK GLASS



Scan product

Ref: KT117002001AGER_GF_19

KTI Photo Luminescent Fire Panel Signage 100X300mm

KTI Photo Luminescent Fire Panel Signage (100X300mm)
Safety Signages

Specification

Fire Panel Signage



Scan product



Ref: KT117002001AGER_GM_52

Photo Luminescent FIRE ESCAPE KEEP CLEAR Signage Size 150x150 mm

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 150*150(Size On Request)

Warranty:- Not Applicable



Scan product

Ref: KT117002001AGER_GP_11

Photo Luminescent Signages No Entry

Prohibition Safety Signages Do Not Touch on 3mm Foam Sheet

Size 100 x 300 mm



Scan product



Ref: KTI17002001AGER_GP_18

Photo Luminescent Signages Do Not Touch

Prohibition Safety Signages Do Not Touch
on 3mm Foam Sheet
Size 100 x 300 mm



Scan product

Ref: KTI17002001AGER_GP_5

KTI Photo Luminescent No Smoking beyond this point Signage 200X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent No Smoking Beyond this point
(100X300mm)



Scan product



Ref: KTI17002001AGER_GP_7

KTI Photo Luminescent Open Flames And Smoking Prohibited Signage 100X300mm

Safety Signages

KTI Photo Luminescent Open Flames And Smoking Prohibited (100X300mm)



Scan product

Ref: KTI17002001AGER_GR_5

KTI Photo Luminescent PUSH Signage 80 x 80 mm

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent PUSH Signage (80 x 80 mm)



Scan product



Ref: KTI17002001AGER_GR_6

KTI Photo Luminescent PULL Signage 80 x 80 mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent PULL Signage (80 x 80 mm)



Scan product

Ref: KTI17002001AGER_GS_40

KTI Photo Luminescent Emergency Eye Wash Signage 200X250mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Emergency Eye Wash Signage
(200X250mm)



Scan product



Ref: KTI17002001AGER_GS_42

KTI Photo Luminescent Emergency Stop Signage 200X250mm



Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Emergency Eye Wash Signage
(200X250mm)



Scan product

Ref: KTI17002001AGER_GS_52

KTI Photo Luminescent MAIN SWITCH Signage

Main Switch Signage Size 100 x 300
Safety Signages
as per Client Requirement (Customized)



Scan product



Ref: KTI17002001AGER_GS_59

KTI Photo Luminescent EMERGENCY TELEPHONE NUMBER IS Signage 100X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Smoking Area Signage (100X300mm)



Scan product

Ref: KTI17002001AGER_GW_18

KTI Photo Luminescent Warning Signages MOTOR STARTS AND STOPS AUTOMATICALLY

Photo Luminescent Warning Signages - MOTOR STARTS AND
STOPS AUTOMATICALLY-Size 200 x 250
Warning Signages



Scan product



Ref: KT117002001AGER_GW_96

KTl Photo Luminescent Warning Signages DANGER 440 VOLTS



Photo Luminescent Warning Signages - Danger Electric Shock Risk-Size 200 x 250
Warning Signages



Scan product

Ref: KT117002001AGFE_GF_45

KTl Photo Luminescent Fire Ball Signage Size 150 x 150



Safety Signages

KTl Photo Luminescent Fire Ball Signage Size 150 x 150 Auto Glow

Specification

K T I® Auto Glow Signage for FIRE BALL Sign Board, PVC Sheet With High Glow Intensity In Total Darkness Board for Office (150X150mm)



Scan product



Ref: KT117002001AGLS

Photo Luminescent Exit Right Down Arrow Signage With Fire Exit Size 100*300

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 100*300(Size On Request)

Warranty:- Not Applicable



Scan product

Ref: KT117003001AT4L

Autoglo Tape 40mm

GT 09

Autoglo Tape 40mm

10 meter in 1 roll

Fluorescent Tape

Warranty:- Not Applicable



Scan product



Ref: KT117001002FLPB

Flame Proof Emergency Light PEL LED LML FP

PEL LED LML FP

Application:

PEL LED LML FP

PORTABLE - SWIVEL

Consist of two units of LED Lamps ,Which automatically switches - ON, on mains power failure & provides illumination on battery source for specified duration, after which the battery gets automatically cut-off, to facilitate quick recharge on the resumption of mains supply. Once the battery is fully charged, it autom...



Scan product

Ref: KT117002001AGAP

Photo Luminescent Assembly Point Signage Size 600*600

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988

Size 600*600(Size On Request)

Warranty:- Not Applicable



Scan product



Ref: KT117001002PEM2

Emergency Light

Emergency Light

3W WALL MOUNTED EXIT SIGN LIGHT

Technical Speciation :

IS - 10322 ,IP 20

Housing : 22 MS C.R.C.A. Fabricated

paint & Colour : Epoxy polyester powder coating, White in colour.

Diffuser cum message panel : 2 m.m. thick milky acrylic with vinyl pasted on it

Input (V) : ~230 volts, 50 Hz; $\pm 10\%$

LED:3W, Multiple LEDs. , LED Make : GMR Light, BridgeLux, Edison , Os...

No image



Scan product

Ref: KT117002001AGER_GF_85

KTi Photo Luminescent PASS WORD Signage 300X450mm

Safety Signages

as per Client Requirement (Customized)

KTi Photo Luminescent PASS WORD Signage (300X450mm)



Scan product



Ref: KTI17002001DM82

KTI Photo Luminescent Prohibition Signages Restricted Area

Prohibition Safety Signages - Restricted Area
Authorized Personal Only
as per Client Requirement (Customized)
KTI Photo Luminescent Prohibition Signages Restricted Area



Scan product

Ref: KTI90005001MS75

LED Screen 75 Samsung

Model No: QB75R
Diagonal Size -75"
Type -Edge LED BLU
Resolution -3840*2160 (4K UHD)
Pixel Pitch(mm) -0.42975 x 0.42975
Active Display Area(mm) -1650.24 (H) x 928.26
Contrast Ratio 4000:1



Scan product



Ref: KTI17002001AGER_GC_32

KTI Photo Luminescent Combination Signage Size 200 x 500

Safety Signages For No Eating, Drinking or Smoking in this area
as per Client Requirement (Customized)
KTI Photo Luminescent Combination Signage Size 200 x 500



Scan product

Ref: KTI17002001AGER_GIS_8

KTI Photo Luminescent Numeric 4 Signage 150X150mm

Safety Signages GIS_8

KTI Photo Luminescent Numeric 4 Signage (150X150mm)



Scan product



Ref: KT190005001S55C

LED Screen 55 Inch Samsung QM55C

Model No.: QM55C

Display Size: 55 inches

Resolution: 3840 x 2160 (4K UHD)

Brightness: 500 nits

Panel Type: LED (TFT-LCD)

Viewing Angle: 178° (horizontal & vertical)

Operating Hours: 24/7 (designed for continuous operation)

Connectivity: HDMI, USB, DisplayPort, Ethernet (LAN)

Operating System: Tizen (Samsung's platform for smart signage)

Features: Built-in media player, remote m...



Scan product

Ref: KT117002001AGFE

Photoluminescent Fire Extinguisher Signage Size 100*300

Photoluminescent Fire Extinguisher Signage

Size 100*300(Size On Request)

Warranty:- Not Applicable



Scan product



Ref: KT117001002FLPS

BIS Approved Flame Proof Emergency Light PEL LED LML FP

PEL LED LML FP

Application:

PEL LED LML FP

PORTABLE - SWIVEL

Consist of two units of LED Lamps ,Which automatically switches - ON, on mains power failure & provides illumination on battery source for specified duration, after which the battery gets automatically cut-off, to facilitate quick recharge on the resumption of mains supply. Once the battery is fully charged, it automa...

PEL LED LML FP



Scan product

Ref: KT117001002BLEM

BIS Emergency Light Prolite PEL LED E M

Model No, PEL LED E/ M (SM)

Surface mounting type multi LED

CONFORMS TO | IS - 10322

ingress protection | IP 20

Housing | CRCA Sheet 22 SWG fabricated

paint & Colour | Epoxy polyester powder coating, White in colour.

Diffuser cum Message Panel Message printed on 8mm clear acrylic

Reflector Multi faceted, electrochemically brightened & anodized aluminum reflector to enhance int...



Scan product



Ref: KT11601700NAASS

Self Abrasive Yellow, Black Anti Skid tape



Self-Adhesive & Anti-Abrasive Tapes for Slippery wet and Oil or Greasy floors, stairs and ramps
Superior Slip resistance, long life durability
Quick, easy, and clean to apply, no special knowledge required
permanent hold due to strong adhesive
Easy and Clean
to be used inside and Outside
Product code -SC-503-2
Size: 2"X60' roll
roll size- 18 meters




Scan product

Ref: KT114004007EMFP

Flame Proof Emergency Light EMFP

Model No. PEL LED E/M/FP
As per : IS - 10322
Ingress protection: IP 65
Paint & Color : Epoxy paint shade 631 of IS : 5.
Input (v) : ~ 230 Volts, 50 Hz; $\pm 10\%$
Led : 11 Watt, High lumen output
Duration ; 120 Minutes back up; $\pm 10\%$
Recharging cycle ; 16 to 24 hours recharging period

No image



Scan product



Ref: KT114004007FP11

Flame Proof Emergency Light

Model : PEL 111 NM / FP WITH 11 W LED

Make : Prolite

CONFORMS TO: IS - 10322

ingress protection: IP 65.

Housing: Cast aluminum, CMRI certified housing.

led wattage : 11W.

Mains Connector: 5 A, 250 Volts, with electrical grade
duration : 120 minutes back up; $\pm 10\%$.

weight (kg): 5 Kg. Approx

Application:

An industrial range of FLAME PROOF lighting which,
automatically switches – ON,
on m...

PEL 111 NM / FP WITH 11 W LED

0407-042021



Scan product

Ref: KT117001003ESWM

Emergency Light EXIT SIGNAGES

Technical Specifications :

IP 20

Conforms To : IS - 10322

Housing : 22 MS C.R.C.A. Fabricated

Paint & Colour : Epoxy polyester powder coating, White in
colour.

Diffuser cum message panel :

Battery type ; Ni-Cd / Ni-Mh; rechargeable

LED Make : GMR Light, BridgeLux, Edison , Osram

Duration : 180 min back up; $\pm 10\%$

Charging Type : Constant current charger

Recharging Cycle : 16 ...



Scan product



Ref: KTI140040021200

Rechargeable Emergency Light 1200NM 20 Watt

Model: PEL LED NM (1200) - 20W LED

As per: IS - 10322

Ingress protection: IP 20

Housing: 24 SWG MS C.R.C.A. Fabricated

Input (V) : ~230 volts, 50 Hz; $\pm 10\%$.

LED: 20-Watt, Multiple LEDs, High lumens output.

Duration: 180 Minutes back up; $\pm 10\%$.

Recharging Cycle; 10 to 12 hours recharging period.



Scan product

Ref: KTI140040071200

Rechargeable Emergency Light 1200NM

Model: PEL LED 1200 NM

As per: IS - 10322

Ingress protection: IP 20

Housing: 22 SWG MS C.R.C.A. Fabricated

Input (V) : ~230 volts, 50 Hz; $\pm 10\%$.

LED: 40-Watt, Multiple LEDs, High lumens output.

Duration: 120 Minutes back up; $\pm 10\%$.

Recharging Cycle; 10 to 12 hours recharging period.



Scan product



Ref: KT11601700N2SC

Non Abrasive Anti Skid tape Black

Product Code – SC- 052- 2

Size : 2" X 60' Roll

Self Adhesive & Anti Abrasive tapes. For slippery, wet and oil or greasy Floors, stair, ramp.....

Superior slip resistance, long life durability.

Quick, easy and clean to apply, no special Knowledge required.

Permanent hold due to strong adhesive.

Easy & clean.

To be used inside & outside.



Scan product

Ref: KT11601700NA3AT

Non Abrasive glow in dark Anti Skid tape

Non Abrasive glow in dark Anti Skid tape Self Adhesive & Anti

Abrasive tapes. For slippery, wet ramp.....

Superior slip resistance, long life durability.

Quick, easy and clean to apply, no special knowledge required.

Permanent hold due to strong adhesive.

Easy & clean.

To be used inside & outsider.

Product Code – SC- SC-404-2

Size : 2" X 60' Roll



Scan product



Watch video

Note : Non-abrasive anti-skid t...



Ref: KT117001002T600

EMERGENCY LIGHT PROLITE PEL LED M SQ 600MM



EMERGENCY LIGHT PROLITE PEL LED M SQ 600MM

AS PER : IS : 10322

INGRESS PROTECTION : IP 20

HOUSING : 24 MS C.R.C.A. FABRICATED

PAINT & COLOUR : EPOXY POLYESTER POWDER COATING,
WHITE IN COLOUR

DIFFUSER : OPAL ACRYLIC DIFFUSER

INPUT (V) : ~230 VOLTS, 50 Hz $\pm 10\%$

LED : 36W, MULTIPLE LEDs, HIGH LUMEN OUTPUT

LED MAKE : SEOUL, BRIDGELUX, EDISON, OSRAM

CCT : 6500K ± 500 K

BATTERY TYPE : ...

Specification

Compact sleek, Recessed mounted battery back-up LED Down Lights which would complement & gel with your interiors to give a new/ modern look and would guide you to the exterior safe...



Scan product

Ref: KT117001002TBNM

EMERGENCY LIGHT PROLITE PEL LED 3W NMBULKHEAD



EMERGENCY LIGHT PROLITE PEL LED 3W NM/BULKHEAD

AS PER : IS - 10322

INGRESS PROTECTION : IP 54/65

HOUSING : ALUMINIUM DIE-CAST

DIFFUSER : MILKY POLYCARBONATE DIFFUSER

INPUT (V) : ~230 VOLTS, 50 Hz $\pm 10\%$

LED : 3W, MULTIPLE LEDs

LED MAKE : GMR LIGHT, BRIDGELUX, EDISON, OSRAM

BATTERY TYPE : Ni-Cd / Ni-MH / LITHIUM-ION RECHARGEABLE

DURATION : 180 MINUTES BACK-UP $\pm 10\%$

CHARGI...



Scan product



Ref: KT11400400718WL

Emergency Light 18w LED Light

SELF CONTAINED BATTERY BACKUP LIGHT FIXTURE
18 W LED WITH 2 HRS BATTERY BACKUP - IP 65
confirms : IS : 10322

ingress protection :IP – 65

Housing : Molded ABS, grey in colour.

Input (V) : - 230 Volts, 50 Hz; + 10%.

Lamp :18W LED

Lamp Make :Osram, Philips, everlite, surelite

Mains Connector :5 A, 250 Volts, Milky white Polycarbonate
with electrical

grade brass contacts

Batter...



Scan product

Ref: KT114004007ELTB

Emergency Light with Battery ELTB 22 LED

Make : Kheraj

Kheraj ELTB-22 18 Watts Double Tube Fluorescent

Emergency Light With Battery

Emergency Light,2 FT,ELTB-22(LED)

Emergency Light with Battery

Double Tube LED ,Size:- 2 FT

Model:- ELTB-22(LED)"



Scan product



Ref: KT114004007WPBL

Emergency Weather Proof Beam Light

Model : PEL LED TBL (SQ)WP (1)
 Make : Prolite
 3 hrs. Battery Back up
 2x10 Watt High Lumens LED
 Conforms to IS : 10322
 Battery Duration : +- 10%
 10 to 12Hrs. Recharging Period
 Input -230v 50 HZ



Scan product

Ref: KT11601700NA2ST

Non Abrasive Clear Anti Skid tape

Non Abrasive Clear Anti Skid tape Self Adhesive & Anti Abrasive tapes. For slippery, wet ramp.....
 Superior slip resistance, long life durability.
 Quick, easy and clean to apply, no special knowledge required.
 Permanent hold due to strong adhesive.
 Easy & clean.
 To be used inside & outside.
 Product Code - SC- 401-2
 Size : 2" X 60' Roll

Note : Non-abrasive anti-skid tapes are rec...



Scan product



Ref: KT11601700NAAST

Non Abrasive Yellow, Black Anti Skid tape



Self Adhesive & Anti Abrasive tapes.
For slippery, wet ramp.....
Superior slip resistance, long life durability.
Quick, easy and clean to apply, no special knowledge required.
Permanent hold due to strong adhesive.
Easy & clean.
To be used inside & outside.
Product Code – SC- 403-2
Size : 2" X 60' Roll

Note : Non-abrasive anti-skid tapes are recommended to use for bare foot app...



Scan product

Ref: KT117001002EMEL

Emergency Light Customized

as per image
Battery back up : 2-3 hours
Installation : wall mount
Bttery : Li- ion
Frame : M.S Powder Coted Box



Scan product



Ref: KT117001002FEDL

Emergency Light PEL LED FE DL M VS

Model No. PEL LED FE / DL / M (VS)

CONFORMS TO : IS - 10322

Housing : 22 SWG CRCA White powder coated housing.

Input (V) : 230 Volts, 50 Hz; $\pm 10\%$.

LED : 10 WATT



Scan product

Ref: KT117001002MLFP

Bis Approved Flame proof Emergency Light LED ML FP

Bis Approved Flame proof Emergency Light LED ML / FP

Make AUTOLITE

Confirms -IS 10322

Ingress Protection -IP 65

Housing - Cast Aluminum CMRI Certified Flame Proof

Housing With Heat Resistant Clear Borosil Glass

Paint & Colour - Grey

Diffuser Come

Message Panel - A CAD Designed, Vinyl Pasted Out Side The Heat

Resistant Clear Borosil Glass Diffuser.

Input Voltage- 230 Volts ...



Scan product



Ref: KT117001002MLML

Emergency Light Prolite PEL LED LML

PEL LED LML

TYPE:FLOOD,RECHARGEABLE , POWER:3 W , VOLTAGE:230 VAC

COLOUR:WHITE , FREQUENCY:50 , SURGE PROTECTION VOLTAGE:50 KA

COLOR TEMPERATURE:6500 K , INGRESS PROTECTION:IP-20

MOUNTING:WALL AND HANGING ,

DIMENSIONS:185X320X115

ADDITIONAL INFORMATION:180 MIN BACKUP AND SLA RECHARGEABLE BATTERY INCLUDED



Scan product

Ref: KT117001002PTBQ

Emergency Light Make Prolight Model no PEL LED TBL SQ WP

PEL LED TBL (SQ)WP

IS - 10322

Ingress protection: IP 65

Housing ; Polycarbonate.

LED : 2 X 10 WATT LED

LED Make : GMR Light, BridgeLux, Edison & Lustrous

Duration: 180 Minutes back up; + 10%.

Box size in mm : 335x255x385.

Lamp Type : Accumulator : SLA. Battery

Backup : 3Hrs.

PEL LED TBL (SQ) WP(1)



Scan product



Ref: KT117001002TBFP

Flame Proof Emergency Light PEL LED TBL FP NM

PEL LED TBL FP NM



Housing: Cast aluminum, CMRI certified FLAME PROOF housing with heat resistant clear BOROSIL GLASS.
Type of protection: Flame proof
paint & Colour : Epoxy paint, Shade 631 of IS: 5.
Rating LED Lamp: 2 x 10 Watt
LED Make: Edison, Osram, Lustrus
working voltage: ~230V, 50Hz/A.C. ($\pm 10\%$)
Recharging Cycle: 10 to 12 hours recharging period.



Scan product

Ref: KT117001002TBLF

Bis Approved Flame proof Emergency Twin Beam Light LED TBL FP

Bis Approved Flame proof Emergency Twin Beam Light LED TBL (FP)



Confirms to IS:9583-1981 IS 10322
Battery Duration $\pm 10\%$.
Housing Cost Aluminium & Epoxy Paint, Shade 631 of IS: 5
Red LED "ON" Indicates Charging
SLA Rechargeable Battery
Constant Current Charger
10 to 12 hrs. Recharging Period
Input ~ 230V, 50Hz (others available)
Also available with higher backup - POR

Non-Mai...

Specification

Flame Proof Twin Beam Light can be used indoors as well as outdoors; modelled for high risk areas like power plants, metros, major chemical industries, firecracker units; approved ...



Scan product



Ref: KTI17001003AE1W

Emergency Light Automatic Warning Light CK179

Automatic Emergency Exit light

Input Voltage : 95-265V 50/60Hz

Bulb : 2 x 1w Led

Battery : 3.7v 2000mAh

Certification -CMA Testing And Certification Laboratories

Report No. 98-10057 (R1)



Scan product

Ref: KTI17001003EEOB_RED

Emergency Exit Signage Opaque Body Red

230V

Opaque Body

18X30

Color: Green And Red Available

Warranty:- Not Applicable

Color: Red



Scan product



Ref: KT117001003LEGR

EGRESS LIGHT WITH RIGHT SIDE EVACUATION ARROW

Conforms To -IS - 10322

IP 20

Housing -Made up of uniformly extruded, aluminum alloy

Paint -Epoxy polyester powder coating, White in colour.

Input (V) ~ 230 Volts, 50 Hz; $\pm 10\%$.

LED -Multiple LEDs

mains connector 5 A, 250 Volts, PCB Mount with electrical grade

Battery Lithium-ion Rechargeable battery.

Duration 240 Minutes back up; $\pm 10\%$.

Charging Type Constant current charger

Rec...

EGRESS LIGHT WITH RIGHT SIDE EVACUATION ARROW



Scan product

Ref: KT117001003LEL1_RED

Emergency Light Transparent Body Red

PEL LED E/M/S (RM)

Led Sleek Light

With 3 Pin Plug

230V

Maintained M

Recessed Mounting (RM)

Color: Red And Green(Available)

Warranty:- Not Applicable

Color: Red

No image



Scan product



Ref: KT117001003LEL6

LED Emergency Light IP 55

LED EMERGENCY EXIT LIGHT

Ingress Protection : IP 55

Housing -Made up of uniformly extruded, aluminum alloy paint & Colour Epoxy polyester powder coating, White in colour

Diffuser cum Message Panel-CAD Designed printing on 6 M. M. clear acrylic sheet.

Input (V)- 230 Volts, 50 Hz; $\pm 10\%$.

LED -Multiple LEDs

LED Make -GMR Light , Bridgelux, Edison & Osram
mains connector -5 A, 250 Vo...



Scan product

Ref: KT117001003PELP

Emergency Light PEL LED EM WP 1 with 10 W LED

Model : PEL LED E/M (WP)

2 hrs. Backup

1 x 8 W T5 FTL


IP 65

Category: Exit Light

Tags: LED Egress Light , Exit Light Weather Proof , Flame Proof Exit Light , Conventional Exit Light



Scan product



Ref: KTI17002001AGED

Photo Luminescent Exit Left Down Arrow Signage Size 100*300

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 100*300(Size On Request)

Warranty:- Not Applicable



Scan product

Ref: KTI17002001AGER

Photo Luminescent Exit With Left Arrow Signage Size 100*300

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 100*300(Size On Request)

Warranty:- Not Applicable



Scan product



Ref: KTI17002001AGER_GD_20

KTI Photo Luminescent Assembly Point Signage Size

Assembly Point Signage Size 300 x 400
Safety Signages
as per Client Requirement (Customized)



Scan product

Ref: KTI17002001AGER_GF_06_B

KTI Photo Luminescent Fire Hose Box Signage 200X250mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Fire Hose Box Signage (200X250mm)



Scan product



Ref: KTI17002001AGER_GS_4

KTI Photo Luminescent Emergency Equipment Signage 100X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Emergency Equipment Signage
(100X300mm)



Scan product

Ref: KTI17002001AGER_GW_24

KTI Photo Luminescent Warning Signages CAUTION WET FLOOR

Photo Luminescent Warning Signages - CAUTION WET FLOOR
Sign Board, PVC Sheet With High Glow Size : 200X250mm

No image



Scan product



Ref: KT117002001ESRA

Photo Luminescent Exit Right Down Arrow Signage Size 100*300

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.

Match specifications mentioned in IS 12349-1988.

Size 100*300(Size On Request)

Warranty:- Not Applicable



Scan product

Ref: KT117002001LASC

Floor Glomake stiker

laminated 0.5 mm thik floor application Glomake stiker

Size: A4



Scan product



Ref: KT117003001AT4S

Autoglo Tape Sticker



Autoglo Tape 40mm

1 Sticker = 60mm width & 160mm length

Fluorescent Tape



Scan product

Ref: KT117003001AT8A

Autoglo Tape 80mm With Right Arrow signage

1 Unit = 10 Meter

80 mm with

10 mtr x 1 roll



Scan product



Ref: KT117003001AT8L

Autoglo Tape 80mm

Autoglo Tape 80mm
Fluorescent Tape



Scan product

Ref: KT117003001ATPL

Autoglo Plain Tape 80mm

Autoglo Tape
10 meter
80mm
Warranty:- Not Applicable



Scan product



Ref: KT190005001SS32

Signages 32 inch

Crystal UHD Signage QMC series



Ultra Slim Depth
 Even Bezels and Centered VESA Holes
 Dynamic Crystal Color
 Smartview+
 Smart Calibration
 Energy star / EPEAT Bronze / TÜV Rheinland
 Carbon Footprint
 Diagonal Size 32"
 Panel Type VA
 Resolution 1,920 x 1,080
 Pixel Pitch (HxV) 0.36375 x 0.36375 mm
 Brightness (Typ.) 400 nit
 Contrast Ratio 4,000:1
 Viewing Angle (H/V) 178/178
 Response T...



Scan product

Ref: KT190005001SS43

Signages 43 Inch

Crystal UHD Signage QMC series



Diagonal Size
 Class 43
 Resolution 3,840 x 2,160 (16:9)
 Brightness (Typ.) 500 nit
 Orientation Landscape/Portrait
 Haze 25%
 Contrast Ratio (Typ.) 4,000:1 (* IPS - 1,200:1)
 Type VA/IPS



Scan product



Ref: KT19000500QM65C

Samsung Signages QM65C

Samsung Signages QM65C

- * QM65C Samsung
- * Screen Size: 65 inches (64.5" viewable)
- * Panel Type: VA panel with Edge LED backlighting
- * NativeResolution:3840x2160(4KUHD)ata 60 Hz refresh rate



- * Brightness: 500 nits (cd/m²)Static Contrast Ratio: 4000:1
- * Viewing Angles: 178° horizontal / 178° vertical
- * Response Time: 8 ms
- * Anti-Glare Coating: 25% glass haze treatment
- * C...

Specification

Ideal for corporate offices, conference rooms, retail stores, shopping malls, hotels, and hospitality environments.Perfect for digital advertising, information display, wayfinding,...



Scan product