



Product Catalogue

Safety Harness

Safety > PPE Personal Protective Equipment > Safety Harness



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT115004001KI01

Safety Harness KI 01



Product: Safeline Harness
Ref. No. : Ki-01 With
Double Polypropylene
Lanyard With Steel
Conforming to is:3521:1999
Scaffold Hook

lanyard size : Total 2 Mtr including Hook & lanyard length 1.8 mtr

Warranty: Not Applicable



Scan product

Ref: KT115003002LROP

Lifebuoy Rope 10 Mtr Roll

Rope White 10 Mtr



Scan product



Ref: KT115004002PN18

Safety Harness PN 18, PN 351 Full Body Harness With Shock Absorber

Attachment Elements - 2 Chest attachment D- Rings for Tower

Climbing. A Dorsal Attachment D-Ring for Fall Arrest

Adaptability - Adjustable chest, shoulder, thigh-straps.

Ergonomics - Ideally positioned sit-strap for extended comfort.

Compliance - Conforms to IS 3521:1999

PN 351

Made of 12mm dia 3 strands Twisted polyamide rope.

Length 1.5 m, 1.8 m, 2.0 m

PN 112 with Energy Absorber



Scan product



Ref: KT115004001KI02

Safety Harness shock absorber energy absorber KI 02

Product: Safeline Harness

Ref. No. : KI-02 With

Double Polypropylene

Lanyard With Steel

Conforming to is:3521:1999

Scaffold Hook

Full Body Harness with Restraint Twisted Rope Double

Lanyard

lanyard size : Total 2 Mtr including Hook & lanyard length 1.8 mtr

Warranty: Not Applicable



Scan product



Ref: KTI15009001PN92

Twisted Rope Anchorage Line PN920 14MM 121



20 Metres Twisted Rope Anchorage Line (14mm)
Made of 3-strand Polyamide Twisted Rope of dia 14mm.
One side loop; other side stop knot.
Textile Anchorage Lines in both Twisted and Kernmantle
Ropes made of polyamide and polyester, available in
different lengths to suit application.
These Anchorage Lines are certified as a system only when
used with specific KARAM Rope Grab Fall ...



Scan product

Ref: KTI15009001PN93

Twisted Rope Anchorage Line PN930 14MM 121



30 Metres Twisted Rope Anchorage Line (14mm)
Made of 3-strand Polyamide Twisted Rope of dia 14mm.
One side loop; other side stop knot.
Textile Anchorage Lines in both Twisted and Kernmantle
Ropes made of polyamide and polyester, available in
different lengths to suit application.
These Anchorage Lines are certified as a system only when
used with specific KARAM Rope Grab Fall ...



Scan product



Ref: KTI15003001P910

Twisted Rope PN 910

Twisted Rope Anchorage Line
10m Ref. Anchor Pn910
Made Up of Polyamide.
Dia 12mm
Warranty: Not Applicable



Scan product



Ref: KTI15004001HI36

Safety Harness HI36 CLASS L

Part No. HI-36 (CLASS L)
CE Mark : Conforms to EN 361:2002
ISI Mark : Conforms to ISI 3521(Part-1):1999
Special Grade forged steel used for high tensile strength
Polyester webbing with high-breaking strength
Attachment Elements: 2 chest attachment D-Ring for tower climbing. A Dorsal Attachment D-Ring for Fall Arrest.
Adaptability: Adjustable Chest-Strap, Shoulder Strap & Thigh...



Scan product



Ref: KT115004002PN22

Safety Harness PN 22 AS With out lane yard

Model : PN 22 (AS) (With out lane yard)

Make : Karam

NoSpark Antistatic Full Body Harness

Comes with two front attachment textile loops in addition to the Forged Aluminum Dorsal D-Ring for Fall Arrest.

Stainless Steel Buckles for excellent Corrosion Protection.

Adjustable Chest, Shoulder and Thigh Straps.

Conforms to EN 361: 2002.

ATEX 94/9/CE, EN 13463-1:2009 and EN 13463-5:...



[Watch video](#)



[Scan product](#)

Ref: KT115004002PN23

Safety Harness

Material : Polyester

En:361:2002

Attachment Elements - 2 Chest Attachment D- Rings and a Dorsal Attachment D- Ring for Fall Arrest.

Adaptability - Adjustable Shoulder and Thigh-straps; Sliding Plates for Easy Adjustment of Chest-strap.

Convenience - Shoulder and Thigh-straps Differentiated by a Dual Colour Scheme.

Ergonomics - Ideally Positioned Sit-strap for Extended Comfort.

...



[Scan product](#)



Ref: KT11500400218PN

Safety Harness PN 18

Full Body Harness for Tower Climbing (Class L) with 3 Adjustment & 2 Attachment Points
Certification: IS 3521(Part 1):2021
Attachment Points : Dorsal, Sternal
Weight : 1.25kg



Scan product

Ref: KT115009001ECO3

Safety Harness Eco 3 Udyogi

Full Body Safety Harness with Energy Absorbing
Model : ECO3
Webbing Material : Synthetic Fibre (Polyester)
Webbing Width : 44 +/-1 mm
Webbing Breaking Strength : 23 kN
Safe Working Load Capacity : 100 kg
Stitching Thread Material : High tenacity virgin multifilament polyester
Stitch Thread Colour : White
Metal Components : High quality alloy steel, zinc plated, free from...



Scan product



Ref: KT115004002PN16

Safety Harness PN 16

FULL BODY HARNESS "CLASS A" WITH 2 MTR. PP DOUBLE LANYARD & HOOK PN 131 STEEL SCAFFOLD HOOK PERMANENTLY ATTACHED

Compliance - Conforms to IS 3521:1999

Full Body Harness : for Basic Fall Arrest

PN16(PN206D)(PP)(000_131)(2.0M)



Scan product

Ref: KT115004002CSKT

Confined Space Entry Kit with Tripod PN654

karam PN 654 is a confined space entry kit which is used as a fall protection equipment. This fall arrester comes with a tripod. Karam space entry kit is meant for personnel who are required to move into or to retrieve a person from confined space. The bag of this kit is sturdy and has slings so that it can be carried easily. Karam space entry kit conforms to all relevant CE no...



Scan product



Ref: KT115004002MAG3

Safety Harness Magna 3

PRODUCT : MAGNA HARNESS

REF. NO. : MAGNA 3

DOC. NO. QF/RD/05

ISSUE 01

REVISION 01

DATE 01-11-2013

CONFORMING TO EN 361:2002,

EN 358:1999 & EN 813: 2008

MATERIAL Polyester

WIDTH 44 ± 1 mm

BREAKING

STRENGTH -23 kN (Min.)

30 kN (Min.) for W.P belt

MATERIAL


COLOUR

High-tenacity polyester

Black & Green (Contrasting colour to facilitate visual inspection)



Scan product



Ref: KT115001001RL5M

Rope Ladder With Wooden Rungs 5MTR

Make : Karam

Model : PN161(5M)



Scan product



Ref: KT115004002UG10

Confined Space Entry Kit with Tripod Udhyogi Brand

CONFINED SPACE ENTRY KIT CONSISTS OF

*EDGE210 TRIPOD - 1NO.

*WINCH 10MTR LENGTH - 1NO.

*PROTON10 RETRACTABLE BLOCK LENGTH 10MTR - 1NO.

*UB121 FULLBODY HARNESS - 1NO.

PACKED IN A KIT BAG



Scan product

Ref: KT10000000PN655

Confined Space Entryegress Kit With Kpod PN655


This kit is meant for personnel who are required to move into confined spaces, using the KARAM cantilever K-pod.

Specification

key_features: Comprehensive kit for moving into confined spaces, using the KARAM cantilever K-pod, Conforms to all relevant CE norms
certification: CE



Scan product



Ref: KTI15001001RL4M

Rope Ladder With Wooden Rungs 4MTR

Make : Karam

Model : PN161(4M)

Warranty: Not Applicable



Scan product



Ref: KTI15001001RL6M

Rope Ladder With Wooden Rungs 6MTR

Make : Karam

Model : PN161(6M)

Warranty: Not Applicable



Scan product



Ref: KT115003001ROPE

Nylon Rope with eye

Nylon Rope with both side 4inch eye
Size :Length is 800 MM & Diameter is 18 MM.
Warranty: Not Applicable



Scan product

Ref: KT115003002ROPE

Rescue Rope

Rope
220mtr coil-60kg weight
ISI tested rope
with test certificate



Scan product



Ref: KTI15004001SBFC

KTI Safety Belt for Car

Make - KTI
Safety Belt For Car



Scan product

Ref: KTI15004001U265

Safety Harness UEE 265 Model

Product: Safeline Harness
Ref. No. : UEE 265 FULL BODY br>
Make ; Unicare
DOUBLE LANYARD WITH SCAFFOLD HOOK br>
Lanyard With Steelbr>
Anchor Point: Dorsal adjustment D-Ring.br>
Flexibility: Adjustable thigh strap.br>
Ergonomics: Sit strap for adjustable comfort with chest strap
and metallic Buckle Tell Tale fall indicator.br>
Size: Large Compliance: ATTACHED TO MODEL UEE 41...



Scan product



Ref: KTI150040023MHN

3M Vest Style Climbing Harness 1390024

3M



Board/Seat Material :Zinc Plated Steel
Body Belt : No
Brands : PROTECTA
Buckle Type : Pass-through
Case Quantity: 1
Chest Strap Buckle Type : Pass-through
Connected Safety ID Equipped : No
D-ring Placement : Back
Harness Application : Climbing
Harness Size: Universal
Leg Buckle Material : 45C Stamped & Zinc Plated Steel
Leg Strap Buckle Type : Pass-through
Product Color :Black...



Scan product

Ref: KTI150040023MSA

3M Twin Leg Shock Absorbing Rope Lanyard 1390235



Board/Seat Material: Zinc Plated Steel
Body Belt: Yes
Brands: PROTECTA
Buckle Type: Pass-through
Case Quantity: 1
Connected Safety ID Equipped: No
D-ring Placement: Back
Leg Buckle Material : 45C Stamped & Zinc Plated Steel
Product Color: Black, Blue
Product Type: Construction Vest-style Harness
Recommended Industry: Wind Energy



Scan product



Ref: KT115004002P351

Safety Harness PN 16, PN 351

FULL BODY HARNESS "CLASS A" WITH 1.5/1.8/ 2 MTR.
PN 112 with Energy Absorber PN 300 at one end and two
Steel Scaffold Hook PN 131 at other ends.

Compliance - Conforms to IS 3521:1999

Full Body Harness : for Basic Fall Arrest

PN16 Harness & PN351 Forked Lanyards with Energy
Absorber

Conforms to EN 355:2002 + VG11/PFE 63 (Additional Static
Strength Test)



Scan product

Ref: KT115004002PN36

Safety Forked Lanyard

Forked Lanyard with Energy Absorber

SKU: PN361N

Key Features

Forked lanyards come in twisted ropes, kernmantle ropes
and in 44mm wide Polyester webbing. These lanyards offer
the facility to move in all directions while remaining safely
anchored at all times

Certification:

EN 355:2002 VG11 RfU CNB/P/11.063 (additional Static
Strength Test)IS 3521(Part 2):2021



Scan product



Ref: KTI150090013000

Horizon PN 3000 Horizontal Anchorage Lifeline Webbing



Model : PN 3000

Make : Karam

Horizontal Anchorage Webbing Life Line 20m With Ratchet Tensioner & Two Auto Locking Steel

Karabiners PN 113 (One End Each End

Permanently Attached to an Assembly bag



Scan product

Ref: KTI150090014000

Horizon PN 4000 08 Horizontal Anchorage Lifeline System On Rigid Cable Line



Carriage Body

Horizon PN 4000 (Roof Mounted) provides permanent anchorage to max. 4

users who has to constantly move along an elevated horizontal track on the roof.

IDEAL FOR USE

On Pre-engineered Building Roofs, Fragile Roofs, industrial buildings, Airports etc.

GENERAL FEATURES

- MOC: Stainless Steel
- The line has a Shock Absorber at one end which reduces the impact of fall ...



Scan product



Ref: KT116017002PN56

Full Body Harness PN56 K



Full Body Harness - PN56 (K)
WITHOUT LANYARD
FULL BODY ADJUSTABLE WORK POSITIONING SIT HARNESS
WITH PADDED LEG STRAP & SHOULDER STRAP, ONE
VENTRAL D-RING, ONE STERNAL D-RING, ONE DORSAL
ATTACHMENT D-RING, TWO LATERAL D-RINGS ON THE
SIDES, WITH PN 112 C PERMANENTLY ATTACHED TO THE
BACK 'D' RING



Scan product

Ref: KT116017002RH56

Safety Harness PN42(DE)



Dienoc Dielectric Non-conductive Harness with Work
Positioning Belt that has 4 Point Adjustment and 3 Point
Attachment Certification:

EN 361:2002 EN 358:2018



Scan product