



Product Catalogue

Accessories

Accessories



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT104007001ACCE

Accessories

Accessories



Scan product

Ref: KT104007001NAIL_Regular

Nail For Speed Breaker Regular

Nail For Speed Breaker - Regular
for 1 meter speed breaker-16 Nos Nails required
in 1 nos speed breaker -4 nos nails required



Scan product



Ref: KT10401200WCBHS

Wireless Call Button Holder Stand

Holder for Wireless Call Button

Material: 2mm thick milky white acrylic.

Dimensions: 4 inches high (h) by 2.5 inches wide (w).

Includes two 4mm holes.



Scan product

Ref: KT1120060012PTL

2 Pair Telephone Cable

0.5 mm 2 Pair Telephone Cable.



Scan product



Ref: KT190003001JNBH

KT1 Heavyduty Junction Box Small

KT1 Heavy duty Junction Box Small

Size :100x100x62mm

Bolted Cover Duly Gasketted

Make - KT1

Junction Box Small. Color : White Use : Multiple Uses.

Specification

Small heavy-duty junction boxes are protective enclosures used to safeguard, organize, and conceal electrical wiring connections.



Scan product

Ref: KT104007001IPSN

Inductive Proximity Sensor

Square PNP-NC

Maximum Supply Voltage 40 Volts (DC)

Output Type PNP-NC

Sensing Distance 8 Millimetres

Specific Uses For Product proximity detection

Components SENSOR WITH 2MTR CABLE

Item Dimensions 36 x 18 x 18 Millimeters



Scan product



Ref: KT190003001MUSE

Univeral Stopper Enclosure Box

Fire Alarm Call Point Covers or Universal Stopper Enclosures have been designed to significantly reduce false and malicious fire alarms set off around your building

Features

Aesthetically pleasing but tough retrofittable protective cover

- Easy to install and can be fitted and protecting devices in minutes
- Physical Barrier - prevents anyone accidentally or intentionally leanin...



Scan product

Ref: KT101001001REMT

Wireless Remote

Wireless Remote



Scan product



Ref: KT190006DNCIVIL · PAAS

Civil Work

Civil Work

No image



Scan product

Ref: KT190003001PIPE

KTI Pipe For Cabling

Make - KTI
Pipe For Cabling



Scan product



Ref: KT103013001RA3U

Rack 3U

Front Door with Toughened Glass quality
Adjustable Mounting rails – Front and Back
Top and bottom cable entry provides Optimal flexibility for cable management
Easy wall mount provision
Easy Installation – Standing / Wall Mounting option
Warranty:- Not Applicable



Scan product

Ref: KT103013001RA4U

Rack 4U

Front Door with Toughened Glass quality
Adjustable Mounting rails – Front and Back
Top and bottom cable entry provides Optimal flexibility for cable management
Easy wall mount provision
Easy Installation – Standing / Wall Mounting option

Color can vary without prior notice.



Scan product



Ref: KT103013001HD2T

HARD DISK 2 TB

HARD DISK 2 TB



Scan product

Ref: KT103013001HD4T

HARD DISK 4 TB

HARD DISK 4 TB



Scan product



Ref: KT190006DSTANDF

Stand

Flag Stand

3 Meter

Warrenty: Not Applicable

×

No image



Scan product

Ref: KT103013001HD1T

HARD DISK 1 TB

HARD DISK 1 TB



Scan product



Ref: KT101001001STAB

voltage stabilizer

voltage stabilizer 200-240v

Wide Range Input : 120-255V Output : 200-240V



Scan product

Ref: KT103013001HD8T

HARD DISK 8 TB

HARD DISK 8 TB



Scan product



Ref: KT10400700DPMLS

Magnetic Limit Switch Ditec

Magnetic Limit Switch
Group6CS14FM



DITEC Magnetic sensor



Scan product

Ref: KT10400700DSSLs

Sliding Shoe for Magnetic Limit Switch Ditec

Sliding Shoe for Magnetic Limit Switch
NC6CS230PFM



DITEC L/R Sliding shoe
limit switch



Scan product



Ref: KT103013001M128

Micro SD Card 128GB

Surveillance class Common Micro SD Card 128GB for Camera
Warranty:- 1 Year



Scan product

Ref: KT103013001HD6T

HARD DISK 6 TB

HARD DISK 6 TB



Scan product



Ref: KT104007001FG12

Flasher for Blinker LED For Vehicle 12V

Flasher for LED Light with Emergency Sounds for Ambulances & Fire Fighting
Voltage 12V



Scan product

Ref: KT104007001PHSP

Safety Photosensor Premium

Safety Photosensor For Multiple Uses.
Range : 18 to 22 Mtr
With NO,NC Facility
Power : 12V DC.



Scan product



Ref: KT190006001PB1S

Push Button Single

- * Push Button Set With One Switches (Green Or Red)
- * NO/NC Combination Can Be Changed on Request.
- * Push Button Size and Appearance Subject to Change Without Prior Notice.



Scan product

Ref: KT104007001GSIM

SIM Card

SIM Card



Scan product



Ref: KT10400700DPEBC

Electric Break Coil Ditec

Electric Break Coil 62656



Scan product

Ref: KT101001001RMTK

Remote Kit for Access Control

Remote Kit for wireless use.
With 2 remote.
Range 20 to 30 Feet.
With NO/NC facility.



x



Scan product



Ref: KT10400700DPHSL

Ditec Safety Photosensor LIN2

Photocell Model LIN2

Outside photocell - card that can be oriented in three positions

Capacity -Configurable 10 m – 30 m max

POWER SUPPLY - 24 Vdc - 24 Vac

POWER INPUT - Max 50 mA

RELAY CAPACITY - 24 Vdc / 1 A max

Temperature --20°C ÷ +55°C

Protection rating -IP44



Scan product

Ref: KT103013001M256

Micro SD Card 256GB

Surveillance class Common Micro SD Card 256GB for Camera

Warranty:- 1 Year




Scan product



Ref: KT10400700DPBCK

Brake component Kit Ditec

Brake components kit NC6CS18KF



Scan product

Ref: KT1160260023MY

Road Stud Without Shank Make 3M

Performance Feature: Day And Night Visibility

Directionality: Two-way

Size: 100 MM x 90 MM x 18 MM

Material: PLastic

Height: 18 MM

Width: 90 MM

Weight: 100 Gms

Color: Yellow With Yellow Reflector

White With White Reflector

White With Red Reflector

Suggested Applications: Road Edge Line, Road Center Line, Pedestrian Crossing

Warranty:- Not Applicable



Scan product



Ref: KT108003001WDDS

Wired Door Sensor

Wired Door Sensor

Warranty:- 1 Year

No image



Scan product

Ref: KT103013001R17U

Rack 17U Floor Standing Rack

17U (600 x 600)

Floor Standing Rack

With Std. Accessories

Front Door with Toughened Glass quality

Top and bottom cable entry provides Optimal flexibility for cable management

Easy Installation

Standing / Wall Mounting option



Scan product



Ref: KT103013001RA6U

Rack 6U

Front Door with Toughened Glass quality
Adjustable Mounting rails – Front and Back
Top and bottom cable entry provides Optimal flexibility for cable management
Easy wall mount provision
Easy Installation – Standing / Wall Mounting option



Scan product

Ref: KT190005001TV55

TV 55 Inch

SIZE:32 INCH



Scan product



Ref: KT103013001R09U

Rack 9U

Front Door with Toughened Glass quality
Adjustable Mounting rails – Front and Back
Top and bottom cable entry provides Optimal flexibility for cable management
Easy wall mount provision
Easy Installation – Standing / Wall Mounting option



Scan product

Ref: KT101001001VIDD

Video Distributor

Video Distributor



Scan product



Ref: KTI01002003CCT1

Cosec Centra TAM1000 1000 Time Attendance User License




- "1000 Time-Attendance Users License for COSEC CENTRA
- Add 1000 Time-Attendance Users(Perpetual) on COSEC CENTRA PLATFORM
 - Comprehensive Time-Attendance and Leave Management Software Module
 - Attendance and Leave Policy Creation
 - Integration with Payroll, Tally, Active Directory and HRM
 - Shift Schedule, Holiday Schedule and Past Adjustment
 - Manually Attendance Correct...



Scan product

Ref: KTI01002003CPL1

Cosec Centra PLT1000 1000 Time Attendance User License



- "1000 Platform Users License for COSEC CENTRA
- Add 1000 Platform Users on COSEC CENTRA PLATFORM
 - Basic Access Control, In-Out Events, and User Enrollment Management
 - Basic In-Out, User Profile Reports
 - Integration with MS SQL, MY SQL, ORACLE, POSTGRE, DB2
 - Web APIs for Integration with Third Party Application
 - SMS and Email Notification
 - Enterprise Structure and R...



Scan product



Ref: KT101002003MTLD

Matrix License Dongle for Reader

"Common Dongle for COSEC CENTRA

- Common Dongle for COSEC CENTRA and SATATYA SAMAS Software
- Activate COSEC CENTRA, Add-on Software Modules License on MATRIX DONGLE



Scan product

Ref: KT101004002EMPL

Mounting Plate for EM Lock

Mounting Plate for EM Lock



Scan product



Ref: KT103013001250G

HARD DISK 250 GB

HARD DISK 250 GB
Seagate



Scan product

Ref: KT103013001CNAS

NAS For Storage

NAS for Storage

No image



Scan product



Ref: KT103013001E2PC

Ethernet Patch Code 2 MTR standard

Ethernet Patch Code 2 MTR Standard Factory Crimped.
Warranty:- Not Applicable



Scan product

Ref: KT103013001E2PC

Ethernet Patch Code 2 MTR standard

Ethernet Patch Code 2 MTR Standard Factory Crimped.
Warranty:- Not Applicable



Scan product



Ref: KT103013001EP48

48 Port Ethernet Patch Panel Fully Loaded

48 Port Ethernet Patch Panel



Scan product

Ref: KT103013001EP48

48 Port Ethernet Patch Panel Fully Loaded

48 Port Ethernet Patch Panel



Scan product



Ref: KT103013001F12U

12 Port Rack Mount LIU

12 Port Rack Mount LIU

Warranty : Not Applicable



Scan product

Ref: KT103013001FL9U

9U RACK WITH 24 PORT LIU ADAPTER FULLY LOAD

9U Rack

Including:

Accessories - Fan, Power Supply & Rack Bolt/Screw.

24 Port Ethernet Patch Panel.

24 Port Fully Loaded LIU Box

No image

×



Scan product



Ref: KT103013001H10T

HARD DISK 10 TB

HARD DISK 10 TB



Scan product

Ref: KT103013001HD5T

HARD DISK 500 GB

HARD DISK 500 GB



Scan product



Ref: KT103013001HDE3

HDMI Extender Upto 30 Meter

HDMI Transmitter and Receiver Over Cat6 HDMI Extender by Ethernet, Support POC 1080P

POC power supply: This HDMI extender over Ethernet cable supports single-sided POC power supply, in which power can only be supplied on the transmitter or receiver side via a USB-C power cable (Without Power Adaptor)

Plug and Play: The convenient plug-and-play design allows for quick and easy i...

Specification

HDMI Transmitter and Receiver Over Cat6 HDMI Extender by Ethernet, Support POC 1080P



Scan product

Ref: KT103013001HDPW

Hard Disk Power Cable

Hard Disk Power Cable

Warranty:- Not Applicable



Scan product



Ref: KTl03013001MSDC

Micro SD Card

Surveillance class Common Micro SD Card for Camera
Warranty:- 1 Year



Scan product

Ref: KTl03013001R12U

Rack 12U

Front Door with Toughened Glass quality
Adjustable Mounting rails – Front and Back
Top and bottom cable entry provides Optimal flexibility for cable management
Easy wall mount provision
Easy Installation – Standing / Wall Mounting option



Scan product



Ref: KT103013001R22U

Rack 22U

Front Door with Toughened Glass quality
Adjustable Mounting rails – Front and Back
Top and bottom cable entry provides Optimal flexibility for cable management
Easy wall mount provision
Easy Installation – Standing / Wall Mounting option



Scan product

Ref: KT103013001SATA

Hard Disk SATA Cable

Hard Disk SATA Cable
Warranty:- Not Applicable



Scan product



Ref: KT104007001232C

RS232 Male To Female Cable

RS232 Male To Female Cable

Warranty:- Not Applicable



Scan product

Ref: KT104007001232F

RS232 Female To Female Cable

RS232 Female To Female Cable

Warranty:- Not Applicable



Scan product



Ref: KT104007001BUHF

Metal Box For 6 MTR UHF Reader

Metal Box For 6 MTR UHF Reader
Warranty:- Not Applicable



Scan product

Ref: KT104007001CRTC

RTC Cell

RTC Cell
Multiple Uses



Scan product



Ref: KT104007001FG24

Flasher for Blinker LED For Vehicle 24V

Flasher for LED Light with Emergency Sounds for Ambulances & Fire Fighting
Voltage 24



Scan product

Ref: KT104007001HLH3

Halogen Lamp H3

Halogen Lamp H3
12V, 45W
Warranty:- Not Applicable



Scan product



Ref: KT104007001MWST

Monitor Wall Mount Stand

Monitor Wall Mount Stand

Warranty:- Not Applicable



Scan product

Ref: KT104007001PH3M

Photosensor 3 Meter Range

Model : IBX 43

Photosensor For Multiple Uses.


3 Wire : 1- Positive, 2- Negative, 3- PNP.

Transmit and Received Inbuilt.

3 Meter Range

Power : 12V DC.

Color : Black Or Black



Scan product



Ref: KT104007001PIMW

Passive infrared, Microwave Sensor



Model No,: FLX-P-DT

UL listed , dual tech PIR

Coverage -Wide□ 15 m (50') 85° ,Narrow□ 24 m (80') 5°(MW will be stopped in "Narrow" setting)

Dimension : H: 129.2 x W: 61.5 x D: 50.9 mm (H: 5.09" x W: 2.42" x D: 2.00")

Power Input -9.5 to 16 V DC



Scan product

Ref: KT116017002DGPI

PoE Injector DIGISOL 48V DC DG PE1148D

PoE Injector

Make: DIGISOL 48V DC

Model no: DG-PE1148D

- Complies with IEEE802.3, IEEE802.3u, IEEE802.3at and IEEE802.3af Standards
- Transmits electrical power and data on the single Ethernet Cable
- Compatible with IEEE802.3af/ IEEE802.3at compliant devices
- Integrated power module
- Plug-and-Play installation
- Compact Design

Net: 115(L) x 54 (W) x 35 (H)mm

Warranty: 1 Year



Scan product



Ref: KT116018001CANP

Canopy

Canopy



Scan product

Ref: KT1900020002KVA

UPS Aurora EATON 9E 2 kva

Product Snapshot

Power Rating : 1/2/3 kVA Inbuilt Model @ 0.9 PF
: 1/2/3 kVA XL Model @ 0.8 PF Configuration : Tower
Voltage : 230 Vac.
Frequency : 50/60 Hz Auto Sensing
Technology : High Frequency, Double Conversion
Warranty : 1 year



Scan product



Ref: KT1900020002KVA

UPS Aurora EATON 9E 2 kva

Product Snapshot

Power Rating : 1/2/3 kVA Inbuilt Model @ 0.9 PF
: 1/2/3 kVA XL Model @ 0.8 PF Configuration :Tower
Voltage : 230 Vac.
Frequency : 50/60 Hz Auto Sensing
Technology : High Frequency, Double Conversion
Warranty : 1 year



Scan product

Ref: KT190003001PIEL

PVC Elbow

PVC Elbow



Scan product



Ref: KT190003001PTRY

GI perforated cable tray

GI perforated cable tray.
Dimension:- 25x50 mm.



Scan product

Ref: KT1900030SADEL

SADDLE

SADDLE

No image



Scan product



Ref: KT190005001MN25

Monitor 25 Inches

Plug and Play

Size:- 24.5 Inches.

Input/Output Connectors = (1) VGA. (1) HDMI

Input Power = 100-240 VAC 50/60 Hz

*Color, Make & Model Subject to Change Without Prior Notice.

No image



Scan product

Ref: KT190005001TV32

TV 32 Inch

SIZE:32 INCH



Scan product