



Product Catalogue

Thermal Camera

Security > CCTV Surveillance System > Thermal Camera



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT10300600CLOUD · PAAS

Software Cloud applications, Platform

Cloud Application & Platform Charges for 12 months



Scan product

Ref: KT103006002HTHR

IP Bullet Thermal Camera

Model No: DS-2TD2617B-3/PA

(Thermal focal length: 3.1 mm Optical focal length: 4 mm)

Thermographic Bullet Body Temperature Measurement
Camera:

160 × 120 Resolution In Thermal Channel, High Sensitivity
Sensor.

2688 × 1520 Optical Resolution

Thermal focal length: 3.1 mm, Optical Lens: 4mm

Bi-spectrum Image Fusion

Temperature Range: 30°C to 45°C; Temperature Accuracy:

±0.5 °C

Relia...



Scan product



Ref: KT103006002HTRI

Tripod For Thermal Camera

Tripod

Size 1/4"

Warranty:- Not Applicable



Scan product

Ref: KT103006002HTRS

Tripod Adaptor

Tripod Adaptor

Model No:DS-2909ZJ

Warranty:- Not Applicable



Scan product



Ref: KT103006002THTP

Thermal Camera Tempie

Complete Contactless & Auto detection of Body Temperature(Wrist/Forehead)

Scan & GO

IoT + AI base solution measuring body temperature with Facial Recognition

High Accuracy & Efficiency $\pm 0.3^{\circ}\text{C}$ (Best in the Industry)

Temperature Detection Range 35°C to 42°C

Local alarm output if abnormal temperature detected

Less then 2-3 sec to scan

Supports integration to Access Control D...



Scan product

Ref: KT103006002VMSF

Video Management Software

Video Management Software For Monitoring



Scan product



Ref: KT103006003DTHR

Thermal Body Temperature Monitoring Camera

Model No: DH-TPC-BF3221-T

256 × 192 Uncooled VOx focal plane detector

· Athermalized lens (thermal camera), focus-free

· Smart linkage with strobe light & audio

· Temperature accuracy $\pm 0.3^{\circ}\text{C}$ with black body

· Temperature measurement range: 30°C to 45°C

· IP67; ePOE; Micro SD storage



Scan product

Ref: KT103006003HTHR

Thermal Imgaer Camera HSETIN

Brand : HSETIN

Model : HT-H8

Display: 2.4 inch full color screen

Infrared Image Resolution: 220×160

Resolution of visible image: 0.3 million pixel

Total Pixel: 35200

Field Angle / Shortest Focal Length: $27^{\circ} \times 35^{\circ} / 0.5\text{m}$

Thermal Sensitivity: 0.07°C

Measuring Mode: Thermopile

Temperature Range: -20°C to 300°C (-4°F to 572°F)

Measuring Accuracy: $\pm 2.5^{\circ}\text{C}$ or $\pm 2.5\%$

Image Frequency: 8HZ

Wave...



Scan product