



Product Catalogue

EAS Electronic Article Surveillance System

Automation > Access Control, Attendance System > EAS Electronic Article Surveillance System




KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KTIO1001002ADET

Detecher

Ultra Surface treatment Oxidation ,
Dimension : 70*35MM ,
Magnetic Force : > 10000GS
Warranty : NA



Scan product

Ref: KTIO1001002ADET

Detecher

Ultra Surface treatment Oxidation ,
Dimension : 70*35MM ,
Magnetic Force : > 10000GS
Warranty : NA



Scan product



Ref: KT101001002AHSL

Soft Label

AM Soft Label with Barcode Frequency : 58KHz
Warranty : NA



Scan product

Ref: KT101001002AHT1

AM Hard Tag 1

Hard Tag -1
Mini Pencil Tag . Frequency : 58KHz , 46mm
Warranty : NA



Scan product



Ref: KTI01001002AHT4

AM Hard Tag 14

AM Hardtag 14
Lanyard Tag
Black Color
51 MM (Coil of 30 MM)
Frequency :58 Khz
Warranty : NA



Scan product

Ref: KTI01001002AMSM

AM System Master ESSL

Master unit
AM System (Master)
Anti Theft System
Frequency : 58KHz
DR Label :150 ~ 180 Cm
Hard Tag : 1.8 ~ 2.4m
Material : Fiberglass Reinforced Plas????c
Frame Color : Gray
Dimension : 1630 x 470 x 25mm
Packaging : 1700 x 530 x 280mm
Net / Gross weight : 26KG /29 Kg
Opera????ng Voltage : 110 ~ 220V
Power Consump????on : 200W max.
Output : 24V 3A
Work Rate of each Antenna : 25...



Scan product



Ref: KTI01001002AMSM

AM System Master ESSL

Master unit
AM System (Master)
Anti Theft System
Frequency : 58KHz
DR Label :150 ~ 180 Cm
Hard Tag : 1.8 ~ 2.4m
Material : Fiberglass Reinforced Plastic
Frame Color : Gray
Dimension : 1630 x 470 x 25mm
Packaging : 1700 x 530 x 280mm
Net / Gross weight : 26KG /29 Kg
Operating Voltage : 110 ~ 220V
Power Consumption : 200W max.
Output : 24V 3A
Work Rate of each Antenna : 25...



Scan product

Ref: KTI01001002AMSS

AM System Slave ESSL

AM System (Slave)
Slave unit
Frequency : 58KHz
DR Label :150 ~ 180 Cm
Hard Tag : 1.8 ~ 2.4m
Material : Fiberglass Reinforced Plastic
Frame Color : Gray
Dimension : 1630 x 470 x 25mm
Packaging : 1700 x 530 x 280mm
Net / Gross weight : 26KG /29 Kg
Operating Voltage : 110 ~ 220V
Power Consumption : 200W max.
Output : 24V 3A
Work Rate of each Antenna : 25W
Temperature : -5°C...



Scan product



Ref: KTI01001002AMSS

AM System Slave ESSL

AM System (Slave)

Slave unit

Frequency : 58KHz

DR Label :150 ~ 180 Cm

Hard Tag : 1.8 ~ 2.4m

Material : Fiberglass Reinforced Plastic

Frame Color : Gray

Dimension : 1630 x 470 x 25mm

Packaging : 1700 x 530 x 280mm

Net / Gross weight : 26KG /29 Kg

Operating Voltage : 110 ~ 220V

Power Consumption : 200W max.

Output : 24V 3A

Work Rate of each Antenna : 25W

Temperature : -5°C...



Scan product