



Product Catalogue

Lock Tags

Security > Corporate Solutions > Lock Tags



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT1130050150301

Loto Product India Lockout Tagout

Material : High quality ABS

Size : 329mm X 100mm

Weight: 75gm

Scaffolding tag holder with specific "Ready to Use" message
+ having provision of tag insertion



Scan product

Ref: KT1130050150300

Loto Do Not Lockout Tags

Loto Tag (Size 5.5" x 3")

Do Not Operate Tags - Lockout Tags - 2
colors printing

KRM-K-LT#10300



Scan product



Ref: KT113005015MGVL

Mini Gate Valve Lock

Mini Gate Valve Lock – Adjustable gate valve



Scan product

Ref: KT113005015PCBL

Pin type Circuit breaker Lock Out

Pin type Circuit breaker Lock Out



Pin Type Circuit
Breaker Lock Out



Scan product



Ref: KT113005015UCBL

Universal Circuit Breaker Lock

Universal Circuit Breaker Lock out-K (Foldable MCB)



Scan product

Ref: KT113005015HASP

Steel Lockout HASP

Steel Lockout HASP/25MM DIA



Scan product



Ref: KT1130050151N21

Electronic shelf label DG04A1N21

Features:

- 7.8mm ultra-thin body
- 7-color LED light
- Bluetooth 5.0 technology
- Multi-color E-ink screen
- 8-year lifespan
- Multi-channel management
- 2.5D protection lens
- DIY templates



Scan product

Ref: KT113005015A1F21

Electronic shelf label DG04A1F21

Features

- 7.8mm ultra-thin body
- 7-color LED light
- Bluetooth 5.0 technology
- Multi-color E-ink screen
- 8-year lifespan
- Multi-channel management
- 2.5D protection lens
- DIY templates

Description

Screen Size: 2.13 inches

Active Screen Area: 49*24 mm

Resolution: 250*122

Communication Protocol: Bluetooth Low Energy 5.0

Battery Type: CR2450 * 2

Battery Lifetime: 5 Years (5 updates/d...



Scan product



Ref: KT113005015A1F42

Electronic shelf label DG04A1F42

Features

7.8mm ultra-thin body
7-color LED light
Bluetooth 5.0 technology
Multi-color E-ink screen
8-year lifespan
Multi-channel management
2.5D protection lens
DIY templates



Description

Screen Size: 4.2 inches

Active Screen Area: 85*64 mm

Resolution: 400 * 300

Communication Protocol: Bluetooth Low Energy 5.0

Battery Type: CR2450 * 4

Battery Lifetime: 5 Years (5 updates/...



Scan product

Ref: KT113005015A1N26

Electronic shelf label DG04A1N26

Features

7.8mm ultra-thin body
7-color LED light
Bluetooth 5.0 technology
Multi-color E-ink screen
8-year lifespan
Multi-channel management
2.5D protection lens
DIY templates



Description

Screen Size: 2.66 inches

Active Screen Area: 60*31 mm

Resolution: 296 * 152

Communication Protocol: Bluetooth Low Energy 5.0

Battery Type: CR2450 * 2

Battery Lifetime: 5 Years (5 updates/...



Scan product



Ref: KT113005015A1N42

Electronic shelf label DG04A1N42

Features

7.8mm ultra-thin body
7-color LED light
Bluetooth 5.0 technology
Multi-color E-ink screen
8-year lifespan
Multi-channel management
2.5D protection lens
DIY templates



Description

Screen Size: 4.2 inches

Active Screen Area: 85*64 mm

Communication Protocol: Bluetooth Low Energy 5.0

Resolution: 400 * 300

Battery Type: CR2450 * 4

Battery Lifetime: 5 Years (5 updates/...



Scan product

Ref: KT113005015A1P21

Electronic shelf label DG04A1P21

Features

7.8mm ultra-thin body
7-color LED light
Bluetooth 5.0 technology
Multi-color E-ink screen
8-year lifespan
Multi-channel management
2.5D protection lens
DIY templates



Description

Screen Size: 2.13 inches

Active Screen Area: 49*24 mm

Resolution: 250*122

Battery Type: Specific low temperature battery

Battery Lifetime: 5 Years (5 updates/day)

Display Technology: EPD...



Scan product



Ref: KT113005015AADB

Price Tag Adapter board

Adapter board

Color: Transparent

Suitable screen size: 2.13"/2.66"/4.2" ESLs

Features: This is the basic accessory of the electronic tag and can be used with other accessories. Four corners on the front each snap can be assembled to the edge snap corners of ESLs under 4.2 inches, or can fit into the groove on the back of 4.2-inch and larger transponders. There are functional ...



Scan product

Ref: KT113005015ACLIP

Price Tag CLIP B

Thumb clip floor stand

Color: Gray

Suitable screen size: 2.13"/2.66"/4.2" ESLs

Remark□Use with an adapter board as needed



Scan product



Ref: KT113005015ACLPA

Price Tag Clip A

Wooden clip (horizontal)

Color: Transparent

Suitable screen size: 2.13"/2.66"/4.2" ESLs

Remark □ Use with an adapter board as needed



Scan product

Ref: KT113005015ADG04

Electronic shelf label DG04G1

The gateway DG04-G1 working as a center controller of Bluetooth devices, monitoring their wireless signal and transmitting to IoT Cloud Platform via Wi-Fi or Ethernet. DG04-G1 features a fasion appearance with 7-color light loop, which appears different colors according to different status. With high-sensitivity Bluetooth signal reception, it supports a wide monitoring range. M...



Scan product



Ref: KT113005015AFLST

Price tag Floor Stand

Single screen liftable floor stand Color:Black
Suitable screen size: 2.13"/2.66"/4.2" ESLs
Remark□Use with an adapter board as needed



Scan product

Ref: KT113005015AHOOK

Price Tag Hook

T-shaped hook
Color :Transparent
Suitable screen size: 2.13"/2.66"/4.2" ESLs
Remark□ Use with an adapter board as needed



Scan product



Ref: KT113005015ASARL

Price Tag Shelf Rail

Rail(Suitable for shelf)

1PCS rail with 3PCS angle adjusters and 2PCS anti-scratch plugs

Color: Light blue transparent length:: 1 m

Suitable screen size: 2.13"/2.66" ESLs



Scan product

Ref: KT113005015ATABS

Price Tag Table Stand

T-shaped stand

Color:Transparent

Size:Base: 70*70*23 mm, Buckle: 54*36*29 mm

Suitable screen size: 2.13"/2.66"/4.2" ESLs



Scan product



Ref: KT113005015LLSC

Safety Isolation Pad Lock

Safety Isolation Padlock having a steel shackle, SAFETY PADLOCK The new management key technology,- 6 level management,*High Quality with waterproof, anti-corrosion and strong adhesive. Side of the anti-skid design, you can wear gloves. Key retention ensures that the padlock is not left unlocked Configuration key card, easy to know personal ID indicating the corresponding pa...



Scan product