



Product Catalogue

4MP Cameras Hikvision HD CCTV System

Security > CCTV Surveillance System > HD CCTV System > Hikvision HD CCTV System > 4MP Cameras Hikvision
HD CCTV System



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT103006001D420

HD Dome Camera 4MP 20 Meter

Key Features:

- 4 Megapixel High-Performance CMOS
- Analog HD Output, Up to 4 Megapixel High Resolution
- True Day/Night, Smart IR
- Up to 20m IR Distance

Power Supply 12 VDC $\pm$ 15%
Power Consumption Max. 4W
Material:- Plastic
Warranty:- 1 Year



Scan product

Ref: KT103006001H420

HD Bullet Camera 4MP 20 Meter Hikvision

Key Features:

- 4 Megapixel High-Performance CMOS
- Analog HD Output, Up to 4 Megapixel High Resolution
- True Day/Night, Smart IR
- Up to 20m IR Distance

Power Supply 12 VDC $\pm$ 15%
Power Consumption Max. 4W
Warranty:- 1 Year



Scan product



Ref: KT103006001H410

HD PTZ Camera 4MP 100 Meter -Hikvision

Key Features:

- 360° Endless Pan Range and -15°-90° Tilt Range
- 4 Megapixel High-Performance CMOS
- Analog HD Output, Up to 4 Megapixel High Resolution
- True Day/Night, Smart IR
- Up to 100m IR Distance

Hi-PoE / 24VAC Power Supply
Warranty:- 1 Year



Scan product

Ref: KT103006001H415

HD PTZ Camera 4MP 150 Meter -Hikvision

Key Features:

- 360° Endless Pan Range and -15°-90° Tilt Range
- 4 Megapixel High-Performance CMOS
- Analog HD Output, Up to 4 Megapixel High Resolution
- True Day/Night, Smart IR
- Up to 150m IR Distance

Hi-PoE / 24VAC Power Supply



Scan product



Ref: KT103006001H450

HD Bullet Camera 4MP 50 Meter Hikvision

Key Features:

- 4 Megapixel High-Performance CMOS
- Analog HD Output, Up to 4 Megapixel High Resolution
- True Day/Night, Smart IR
- Up to 50m IR Distance

Power Supply 12 VDC±15%
Power Consumption Max. 4W
Warranty:- 1 Year



Scan product

Ref: KT103006001H4CC

C Mount Camera 4MP

Up to 4 megapixel (2688 × 1520) resolution, real-time output

- Standard video compression with high compression ratio, ROI (region of interest) encoding
- Progressive scan CMOS, capture motion video without incised margin
- Support dual stream, and the sub-stream for mobile surveillance
- Built-in Micro SD/SDHC/SDXC card slot, up to 64 GB
- IR cut filter with auto switch
- ...



Scan product