Product Catalogue

Multi Zone DFMD Door Frame Metal Detector

Security > Metal Detector Solutions > DFMD Door Frame Metal Detector > Multi Zone DFMD Door Frame Metal Detector

KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex, Radhakrishna Crossing, Akota · 390020 Vadodara

Ref: KTI12002003SCO8

Door Frame Metal Detector 8 Zone

Features:
•Stabe performance,8 Zones.
•Sournd and Light alarm.
•System Sensitivity

Characteristics & Functions :

• There are 8 pinpoint zones of the door frame.
• Based on Auto-set microcontroller.
• Operational frequency can be adjusted manually and automatically.
• Sensitivity of each zone from O to 200.
• Alarm and pass/reverse counter facility available.
• Detects all typ...

Scan product

Ref: KTI1200100Z1065

Door Frame Metal Detector 6 Zone D 1065

Walk Through Metal Detector
Model No.: ZK-D1065 (Standard: 6 Zones)
6 detection zones
•
100 sensitivity levels
•
3.5” LCD display
•
People and alarm counting
•
Synchronous sound & LED alarm
Power Supply - AC 100V to 240V
Working Temperature - -20°C to 55°C

Scan product

Ref: KTI12001002HP18

Door Frame Metal Detector H 18 Zone 700318

DOOR FRAME METAL DETECTOR (MULTIZONE) -18 Zone
Model No.: SCORPION 700318
Characteristic & Function
 LED light bars on both door panels and on the Top of control unit (gives alarm corresponding to the height or human body).
 18 Pinpoint zones to precisely identify locations from head to toe.
 Auto Set, Micro Controller Based
 High Performance Multi-zone Detection
 Operat...

Scan product

Ref: KTI1200100HC8WC

Door Frame Metal Detector with CCTV

Door Frame Metal Detector -8 zone with 2 CCTV Camera front and Back
CAMERA RECORDING SYSTEM (INCLUSIVE HDD, DVR, CAMERA ETC.)
● LED light bars on both door panels
● 8 Pinpoint zones to precisely identify locations from head to toe.
● Auto Set, Micro Controller Based
● Sensitivity setting of individual zone./All zones.
● Automatically count passengers and alarm times
● Audio / ...

Scan product

Ref: KTI120010ZD218

Door Frame Metal Detector 18 zone

Walk Through Metal Detector
Model No .:ZK-D2180
• 18 detection zones
• 256 sensitivity levels
• 3.5’’ LCD display
• People and alarm counting
• Synchronous sound & LED alarm
• TCP/IP communication
• Remote control
• Linkage with turnstile
• Support to connect with app
Power Supply AC 100V to 240V
Working Temperature -20°C to 55°C

Scan product

Ref: KTI12001ZD065L

Door Frame Metal Detector 6 Zone D1065 L

Walk Through Metal Detector
Model No.: ZK-D1065 L (Standard: 6 Zones)
6 detection zones
•
100 sensitivity levels
•
People and alarm counting
•
Synchronous sound & LED alarm
Power Supply - AC 100V to 240V
Working Temperature - -20°C to 55°C

Scan product



Ref: KTI1200100FHP218

Door Frame Metal Detector H 18 Zone 700248

Characteristic & Function:
• LED light bars on both door panels.
• 18Zone (6 Left and 6 right detection and 6 middle zone detection).
• Auto Set, Micro Controller Based
• High Performance Multi-Zone Detection
• Operational Frequency can adjust Manually or automatically
• Sensitivity setting of individual zones 0-200
• Security Level 0-100
• Frequency Level 0-99
• Automatically ...

Scan product

Ref: KTI12002003MGHI

Door frame Metal Detector 18 Zone with Software

Door Frame Metal Detector - 18 Zone
with Software TCP / IP Protocol
Traffic Counter : "IN" "OUT" "With Bar Display"
Model No.: MT -VIC
Multi Zone -18
Construction Material :Wooden Laminated Frame
DImension : OD : 2253 H X860 B X 570 D
ID : 2000 H X720 B X570 D

Power Supply -220V AC , 50 HZ
Power Consumption -Less than 40 watts
Alert mode: Visual and Alarm mode
Detection ...

Scan product

Ref: KTI12001002HIPE

Door Frame Metal Detector Multi Zone Make CEIA

HI-PE PLUS
Make: CEIA
60 localization zones: ¬ 20 vertical ¬ 3 lateral
Accurate Detection of magnetic,
non-magnetic and mixed-alloy metal weapons
???? High Discrimination and Throughput
???? Exceptional Immunity to environmental interferences
???? Unmatched Reliability
???? Rapid Installation
• Power Supply : 100...240V~ -10/+15%,
47...63Hz, 25 VA max
• Operating temperature:
-20...

Scan product

Ref: KTI12002003MGHS

Door frame Metal Detector-18 Zone

Model No.: MT -VIC
Multi Zone -18
Construction Material :Wooden Laminated Frame
DImension : OD : 2253 H X860 B X 570 D
ID : 2000 H X720 B X570 D

Power Supply -220V AC , 50 HZ
Power Consumption -Less than 40 watts
Alert mode: Visual and Alarm mode
Detection of material : Ferrous and non ferrous
Senisitivey calibration level - 0-255
Appllication :Indoor/Outdoor
Traffic ...

Scan product

Ref: KTI1200100FHP18

Door Frame Metal Detector H 18 Zone Suitable for Nonferrous material

DOOR FRAME METAL DETECTOR SCORPION 700418
Characteristic & Function:
● LED light bars on both door panels and on the Top of control
● unit: gives alarm corresponding to the height or human body.
● 18 Zones to precisely identify multiple target locations from head to toe.
● Auto Set, Micro Controller Based
● Operational Frequency can adjust Manually or automatically
● Sensitivi...

Scan product

Ref: KTI1200200GA6Z

Door Frame Metal Detector with Head Count system 6 Zone

Vertical dimension : 2220x460x850mm
Vertical channel size: 2000x700mm
Detection zones: 6 Zones
Working voltage : AC90V~240V50/60Hz
Power consumption: 20 W
Each zone sensitivity : 1-400 Level
Security level : 100 level
Working environment
temperature : -20ºC~65ºC
1Adjustable sensitivity of each detection zone
2Multi-alarm sounds to choose
3Operating frequency can be adjusted...

Scan product

Ref: KTI12001002H18G

Door Frame Metal Detector 18 Zone 700318G

Door frame metal detector scorpion 700318g
•stable performance, 18 zones.
• based on auto-set microcontroller.
• detects all types of ferrous and non-ferrous
• security level up to 100 levels.
• sensitivity of each zone from 0 to 200.
• self-calibration starts once powered on.
• 2 light bars with human body localization
• counter: record the pass and alarm numbers.
• operation...

Scan product

Ref: KTI12001002SMD6

Door Frame Metal Detector SMD600 Plus CEIA

Model No. SMD600 Plus
Make: CEIA
Very HigH-PerForMance enHanceD Metal Detector
two-in-one Metal Detector
Fully compliant with the niJ-0601.02 law enforcement Standard
Very high discrimination and high throughput for public screening
Features
accurate Pinpointing of individual and multiple metal targets
exceptional immunity to external interferences
unmatched reliability

Scan product

Ref: KTI1200100HPOLD

Pole Type Metal Detector 9 Zone

SINGLE POLE METAL DETECTOR SCORPION®802809T

• 9 zones to precisely identify locations horizontally.
• Touch LCD Display for better visualization.
• Operating Frequency can be adjusted manually or automatically
• Working frequency (0~99), with adaptive function according to the working environment.
• Multi-alarm sounds to choose. (Different sound)
• Alarm time can be adjusted.
...

Specification

Characteristic & Function
• 9 zones to precisely identify locations horizontally.
• Touch LCD Display for better visualization.
• Operating Frequency can be adjusted manually or au...

Scan product

Ref: KTI12001002PTMD

Pole type detector CEIA MSD

Detection of magnets and ferromagnetic metals
Detection of all cell phones and other ferrous contraband concealed on the person or in body cavities (including keyfob cell phones, smart phones, radio transceivers, etc.)
Constant Sensitivity across the detection area in pass-through operations
Multi-Zone targeting indication identifies the location of contraband on the body
Cover...

Scan product

Ref: KTI1200100HP18C

Door Frame Metal Detector H 18 Zone 700318G with CCTV

DFMD Scorpion 700318G
Battery Backup for Cameras with 2 Camera 1 Front and 1 Back DVR with 1TB HDD 18.5" Colour Monitor

CAMERA RECORDING SYSTEM (INCLUSIVE HDD, DVR, CAMERA ETC.)
DOOR FRAME METAL DETECTOR (MULTIZONE) -18 Zone
Model No.: SCORPION 700318
Characteristic & Function
 LED light bars on both door panels and on the Top of control unit (gives alarm corresponding to ...

Scan product

Ref: KTI1200100HPOLZ

Pole Type Metal Detector MDS100

Model MDS100
Maximum Detection Distance: 120 cm
Detection Radius: Up to 80cm
Throughput Rate 50 people/minute
Sensitivity Level 100
Alarm Zone 2 Zones (Standard), 3 Zones (Optional)
Touch Screen Size 3.5inches
Alarm Volume 1 to 10 Levels
Alarm Ring 6 Types(selectable)
Input Voltage 15V
Embedded Rechargeable Battery 8Hrs to be fully charged ; Supports 26 Hrs of operation
Battery...

Specification
• Detect smartphone (switch ON/OFF mode), smartwatch and ferrous contraband
• Strong anti-Interference ability
• Cutting-Edge Single-Axis Magnetic Field Sensor Supporting a High ...

Scan product

Ref: KTI1200100PD65I

Door Frame Metal Detector 33 Zones Garret

Model no.: PD 6500i
Detection Zones :33 zones (left, right and center); visual and audible alarms with a built-in dry contact alarm relay
Multi-Unit Synchronization: Synchronization with wired AC power lines or with manual frequency selection for wireless operation
Visual Displays :LED zone indicator lights on both panels. Pace lights on entry side only, with intuitive images.
...

Scan product

Ref: KTI1200100PMD33Z

Door Frame Metal Detector 33 Zone 800333W

Door Frame Metal Detector 33 Zone 800333W
Characteristic & Function :
• 11/22/33 zones to precisely identify locations vertically from head to toe.
• LED Display for visualization.
• Operating Frequency can be adjusted manually or automatically
• Working frequency (0~99), with adaptive function according to the working environment.
• Multi-alarm sounds to choose. (Different sou...

Specification
Used at airports, railway stations, courts, and other high-security checkpoints for screening people for concealed metal objects.Provides fast, non-intrusive security checks with h...

Scan product

Ref: KTI12002001D918

Door Frame Metal Detector 18 Zone ESSL

D9018 WALK THROUGH METAL DETECTOR - 18 ZONE DIGITAL
Vertical dimension: 2230 x 920 x 440 mm,
Vertical aisle dimension: 2000 x 715 mm,
Net weight: 40 Kg ,
Gross weight: 45 Kg,
Operating voltage: AC90V ~ 240V 50/60Hz.
Pow erconsum pΘ on :20W
Regionald etectm etalprecision range:
M axim um sensiΘ vity ≥10gm etal

Scan product

Ref: KTI12002003ES09

Door Frame Metal Detector 9 Zone Make ESSL



Working principle : Electromagnetic
Materials : ABS (Acrylonitrile Butadiene styrene) raw materials
Frequencies : 0-100.
Net weight : 21 KG
Gross weight : 27 KG
External size : 2165x828x349mm
Passage size : 2017x720x349mm
Working humidity : 99%, non-condensing
Working temperature : -20°C-65°C
Input : AC 100 V-240 V/ Frequency 50HZ-60HZ
Product colour : Matte Black
IP rating : 5...

Scan product

Ref: KTI12001002H018

Door Frame Metal Detector H 18 Zone 700308C

DOOR FRAME METAL DETECTOR
SCORPION 700308C
Features:
● Stable performance, 18 Zones.
● Sound and Light alarm.
Characteristics & Functions:
● 96 LED Light Indication on both the door panels.
● 18 pinpoint zones to precisely identify locations from head to toe.
● Based on Auto-set microcontroller.
● Operational frequency can be adjusted manually and automatically.
● Sensitivity ...

Scan product

Ref: KTI12001002PMD18

Door Frame Metal Detector 18 Zone 828518W

Door Frame Metal Detector 18 Zone 828518W
Characteristic & Function:
• 18 zones to precisely identify locations horizontally and vertically from head to toe.
• LED Display for visualization.
• Operating Frequency can be adjusted manually or automatically
• Working frequency (0~99), with adaptive function according to the working environment.
• Multi-alarm sounds to choose. (Di...

Specification
Used at airports, railway stations, courts, and other high-security checkpoints for screening people for concealed metal objects.Provides fast, non-intrusive security checks with h...

Scan product

Ref: KTI12001002PMD33

Door Frame Metal Detector 33 Zone 828533W

Door Frame Metal Detector 33 Zone 828533W
Characteristic & Function :
• 33 zones to precisely identify locations horizontally and vertically from head to toe.
• LED display for visualization.
• Operating Frequency can be adjusted manually or automatically
• Working frequency (0~99), with adaptive function according to the working environment.
• Multi-alarm sounds to choose. (Di...

Specification

Used at airports, railway stations, courts, and other high-security checkpoints for screening people for concealed metal objects.Provides fast, non-intrusive security checks with h...

Scan product

Ref: KTI12001002SMDP

Door Frame Metal Detector SMD601 Plus CEIA

Model No. SMD601 Plus profiling
LOSS PREVENTION METAL DETECTOR
Make: CEIA
Provides an inspection of personnel to prevent removal of critical metallic objects from warehouses or production facilities
Discovers very small metallic items while ignoring non-removable metals
Detects items carried anywhere on and inside the body

BENEFITS
• Greatly reduces losses through unprecedent...

Scan product

Ref: KTI1200100ESPO6

Pole Type Metal Detector 6 Zone D468

6 Zone Single Door Panel Walk-through Metal Detector
Model -D468 -6
Working principle: Electromagnetic
Materials: ABS (Acrylonitrile Butadiene styrene) raw materials
Frequencies : 0-99.
External size : 2203x580x117mm
Distance between person and door

Specification
Working principle : Electromagnetic ,
Materials : ABS (Acrylonitrile Butadiene styrene) raw materials,
Frequencies : 0-99,
External size : 2203x580x117mm ,
Weight : net weight 19 K...

Scan product

Ref: KTI120010TSSPOL5

Wall Type Metal Detector Trust Safety TSSPOL 5 Zone

Wall Type Metal Detector Trust Safety TSS-POL 5 Zone
Detection objects : Prohibited goods such as mobile phone and metal
Modular product
Easy maintenance
Special material High-intensity & lightweight
Production line assembling Ultra high precision
Detection ability: more than 100 people in 1 minute
3.7-inch LCD display
Integrated four-button panel operation mode
Pass people sta...

Scan product

Ref: KTI12002001MGHS

Ultra High Sensitive DFMD 8 Zone

Model No. : MT-IIIC
Zone -Multi Zone 8 Zone
Size : 2240HX820WX700L
Power supply -230V AC 50 HZ
• Bi-directional Detection and Counter
• High Discrimination and Throughput
• Unmatched Anti-interference Performance
• Real-time Monitoring for Environmental Interface
• Full-module Design for Easy and Rapid Assembly
• LED on the Front side of door Frames (Entry)
• Ultra high-sen...

Watch video

Scan product

Ref: KTI12002003MGMT

Door frame Metal Detector 33 Zone

Model No. -MT-VII C
Multi zone - 33
Dimension -OD: 71 OL X 840W X 2220H
Body -Wooden imported laminated frame
Counter -Intelligent traffic counter for transit.
Speed of PAssing through-Auto adjust by the person's speed/foot swing
Power supply -230 V AC(± 10%), 50 Hz(± 3%)
Battery Backup- 12V DC upto 6 Hrs
Detection of Material -Ferrous, Non-Ferrous & Alloy metals

Scan product

Ref: KTI12002003PMD8

Door Frame Metal Detector Eight Zone Model UPMD 8

Technical Specifications :
Passage Clearance:750 mm x 590 mm x 2010 mm (± 10 mm)
Overall arch assembly:900 mm x 590 mm x 2170 mm (± 10 mm)
Weight:75 kg approx.
Power:160 to 270 V AC, 50 Hz, 100 VA, LED indication for Mains On, Battery Charging, Battery Low,Over Load. In built Rechargeable Battery Backup for 2 hours
Ambient Operating Temperature & Humidity:- 5 to + 55 °C, 0 to 9...

Scan product

Ref: KTI1200200GSCN9

Door Frame Metal Detector Nine Zone Godrej

Model No.: GSCAN- 9Z
Make : godrej
High Performance nine Zone Walk through Detector
Width : 72cm
Height :200 cm
Depth : 60 Cm
Net Weight : 65 Kgs
Temperature : -10 Degree C to +55 Degree C
9 Zone
Warranty:- 1 Year

Scan product