



Product Catalogue

Mikes Microphones

Automation > PA Solutions > Mikes Microphones



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT11400200NBA15

NECKBAND PA SYSTEMS NBA 15 Ahuja

12 WATTS

Neckband PA System



Elegant and compact ultra portable PA amplifier with max. output power of 12W. Special circuitry provides low distortion even at high output power. Built-in high capacity rechargeable lithium-ion battery. Low battery LED indicator. Ø 3.5mm Mic input socket for connecting the headband microphone and 3.5mm Line input socket for connecting a DVD, CD or...



Scan product

Ref: KT114002001GPMI

Goosneck Microphone



Element - Electret condenser
Polar Pattern - Cardioid
Rated Impedance - 120 Ω
Rated Sensitivity - (-35 dB (1 kHz 0 dB=1 V/Pa))
Phantom Power - 9 - 52 V DC
Frequency Response - 60 Hz - 20 kHz
Output Connector - XLR-3-12 Equivalent
Operating Temperature - 0 °C to +40 °C (32 °F to 104 °F)
Finish - Body, Shaft: Copper Alloy, Black, Semi-gloss, Paint
Dimensions - ϕ 12 × 420 mm (ϕ 0.47" ...



Scan product



Ref: KT1140020059DMA

Dual Hand Wireless Microphone Ahuja AWM 495V2



Brand Ahuja
Model Name AWM-495V2
Connectivity Technology VHF
Connector Type 6.35 mm Jack
Special Feature Volume control
Product Dimensions 32 x 26 x 6 cm; 980 Grams
Batteries 2 AA batteries required.



Scan product

Ref: KT116017002AWM4

VHF WIRELESS HANDHELD MIKE AWM 495V1



Model : AWM-495V1
Make : Ahuja
Compact, lightweight, Single Channel VHF Wireless
Microphone System.
Operates at Quartz Crystal Locked VHF High Band frequency
and available in different frequencies.
Internal antenna in the Transmitter and a telescopic antenna
in the Receiver for clear and distortion free reception.
Receiver operates on 12V DC through an AC Adaptor
supplied alo...



Scan product



Ref: KT114002001WM591

Wireless Microphone Model No. AWM 495V1

AHUJA WIRELESS MICROPHONE MODEL NO. AWM-495V1



Scan product

Ref: KT114002001ASDS

Goosneck Mic ACM 96

Model : ACM 96

Make : Ahuja

15.24 x 38.1 x 12.7 cm; 400 Grams

Connector : XLR

Power Source : Corded Electric



Scan product



Ref: KT114002001AU98

PA Microphone AUD 98 XLR

Transducer Type: Moving coil dynamic
Polar Pattern: Unidirectional (cardioid)
Frequency Response: 50Hz to 15,000Hz
Sensitivity: 2.5mV/Pa
Impedance: 600 ohms



Scan product

Ref: KT114002001HUD9

PA Microphone HUD 99XLR

Freq. Resp.- 50-15,000Hz
Sensitivity- 2mV/Pa
Impedance- 600
For general PA applications, a robust and reliable microphone. Ideal for addressing an audience.



Supplied with quick detachable holder with 3-pin professional XLR connector & 6 mtrs. shielded low noise cable.



Scan product



Ref: KT1140020059XLR

Microphones AUD 59XLR Ahuja

Frequency Response -100-10,000Hz

Sensitivity -2.5mV/Pa

Impedance - 600Ω

Warranty:- 1 Year



Scan product

Ref: KT114002001G615

Goosneck Microphone GM615M

All six microphones feature

- Wide frequency response.
- High front-to-back rejection for more gain bef
- Built-in XLR socket.

Specifications

GM-615M

Frequency Response 50-18,000Hz Impedance 1kn

Sensitivity 5.0mV/Pa

Power Source 1.5V-9V DC

Overall Length 585mm (23")



Scan product



Ref: KT114002001HU98

PA Microphone HUD 98 XLR

Frequency Response 50-15,000Hz

Sensitivity 2.5mV/Pa

Impedance 600 Ohms



Product Description
Unidirectional Dynamic

High output Neodymium cartridge. Excellent intelligibility & wide frequency response. Attractive appearance. Supplied with quick detachable holder with 3-pin professional XLR connector & 4 mtrs. twin core shielded low noise cable.



Scan product

Ref: KT11400200196CH

Paging Microphone Ahuja

ACM-96CH

Paging Microphone
with MULTI Tone Chime

Single zone desktop paging microphone with a sturdy, aluminium die-cast top and special high reliability switches with integrated LED indicators.

Fitted with a flexible 300mm (12") gooseneck and a high quality unidirectional dynamic cartridge. Supplied with 6 mtrs. twin core shielded low noise cable with 6.3mm (¼") phone plug.

...



Scan product



Ref: KT114002001AMIC

Table Top Mic

Tabletop unidirectional condenser microphone
Warranty:- 1 Year



Scan product

Ref: KT114002001HC66

PA Microphone HCM 66

Products Detail

Feature- Durable, Easy To Carry, Handheld, High Range,
Light Weight

Certification-CE Certified

Freq. Resp-70-13,000Hz

Sensitivity-2.0mV/Pa

Impedance-500Ω

Paging microphone with 10" gooseneck. Can be used free
standing or wall mounted. Aluminum die-cast base with two
push switches for locked and momentary use.



Scan product



Ref: KT114002001HCB1

PA Microphone LBB1949, 00

Equivalent input noise level 28 dBA SPL (S/N 66 dBA ref. 1 Pa)

Frequency response 100 Hz to 16 kHz

Output Impedance < 200 ohm

* Technical performance data acc. to IEC 60268-4

Mechanical

Dimensions (D x L) 30 x 500 mm (1.18 x 19.69 in)

Weight Approx. 300 g (10.5 oz)

Color Dark gray

Cable length 2 m (78 in)

Connector 5-pin DIN 180° (lockable)

Environmental

Operating temperature -...



Scan product

Ref: KT114002001MCCB

Cable For Microphone

Cable For Microphone



Scan product



Ref: KT114002001SMER

Wireless Microphone ER 58, EM 58

- VHF Band frequency Quartz Lock Control
- Single Channel Receiver
- Special circuit design for removing microphone noise switch.
- LED indicators (Power, RF ,AF) & Telescopic Antenna



Scan product

Ref: KT114002001SPCM

Wireless Handheld Vocal Microphone AKG Perception 45HT

Model No.: AKG Perception 45HT

- VHF Band frequency Quartz Lock Control
 - Single Channel Receiver
 - Special circuit design for removing microphone noise switch.
 - LED indicators (Power, RF ,AF) & Telescopic Antenna
- Warranty : 1 year



Scan product



Ref: KT114002001WLMH

Wireless Microphone Model No. AWM520VH

AHUJA WIRELESS MICROPHONE MODEL NO. AWM520VH



Scan product

Ref: KT11400200S145PT

Wireless Handheld Vocal Microphone AKG Perception 45PT

Model No.: AKG Perception 45PT



- VHF Band frequency Quartz Lock Control
 - Single Channel Receiver
 - Special circuit design for removing microphone noise switch.
 - LED indicators (Power, RF ,AF) & Telescopic Antenna
- Warranty : 1 year



Scan product



Ref: KTI1601700230HS

HORN LOUDSPEAKER, 30W

HORN LOUDSPEAKER, 30W

Make: Bosch

Model no:LBC3493/12

High efficiency drivers

Up to 45 W (max. power)

Wide opening angle

Excellent speech reproduction

Simple power setting

Max power: 45W

Rated power (PHC) : 30W

Color :Light grey (RAL 7035)

Weight: 3 KG

Overall length :353 mm (13.90 in)

Aperture diameter :400 mm (15.75 in)



Scan product