



Product Catalogue

Air Curtain Euronics

Automation > Hygiene Automation Solutions > Air Curtain > Air Curtain Euronics



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KTI10003013EX02

Sensor For Air Curtain Euronics

Sensor For Air Curtain (2 Doors) With Siemens Contractor
Warranty:- 1 Year



Scan product

Ref: KTI10003014EX03

Sensor For Air Curtain With Controller

Sensor For Industrial Air Curtain (1 Door) With Siemens
Contractor
Warranty:- 1 Year



Scan product



Ref: KTI10003030EAC5

Air Curtain MS Powder Coated 5Ft. Euronics



Body material :MS POWDER COATED
Model No -EAC 5
Dimension (mm):1500 x 230 x 212
Max. Air velocity at Nozzle:21 m/s
Noise Level dB:50 - 70 db
No. of Blowers:5
No. of Motors:3
No. of Shafts:2 Double
Wattage:570 W
Phase-1 Single +2 Double
RPM (Max/ Min):2700 / 2100
Blower Type:ABS
CFM:1380
% insect/ dust rejection:75%
Weight Kgs:26
Warranty: 1 Year



Scan product

Ref: KTI10003060EAS4

Air Curtain SS 4Ft. Euronics



Model No-EAS4
Dimension (mm):1200 x 230 x 212
Max. Air velocity at Nozzle:21 m/s
Noise Level dB:50 - 70 db
No. of Blowers:4
No. of Motors:2
No. of Shafts:2 Double
Wattage:450W
Phase-Single
RPM (Max/ Min):2700 / 2100
Blower Type:ABS
CFM:1100
% insect/ dust rejection:75%
Weight Kgs:22
Warranty: 1 Year



Scan product



Ref: KT110003020EAC4

Air Curtain MS Powder Coated 4Ft. Euronics



Body Materials : MS Powder Coated
Model No: EAC 4
Dimension (mm):1200 x 230 x 212
Max. Air velocity at Nozzle:21 m/s
Noise Level dB:50 - 70 db
No. of Blowers:4
No. of Motors:2
No. of Shafts:2 Double
Wattage:450 W
Phase-Single
RPM (Max/ Min):2700 / 2100
Blower Type:ABS
CFM:1100
%insect/ dust rejection:75%
Weight Kgs:22
Warranty: 1 Year



Scan product

Ref: KT110003040EAC6

Air Curtain MS Powder Coated 6Ft. Euronics



Model No -EAC 6
Dimension (mm):1800 x 230 x 212
Max. Air velocity at Nozzle:21 m/s
Noise Level dB:50 - 70 db
No. of Blowers:6
No. of Motors:3
No. of Shafts:3 Double
Wattage:605W
Phase-Single
RPM (Max/ Min):2700 / 2100
Blower Type:ABS
CFM:1490
% insect/ dust rejection:75%
Weight Kgs:32
Warranty: 1 Year



Scan product



Ref: KT110003012EX01

Sensor For Slim Air Curtain Euronics

Sensor For Slim Air Curtain (1 Door)

Warranty:- 1 Year



Scan product

Ref: KT110003010EAC3

Air Curtain MS Powder Coated 3Ft. Euronics



Model No -EAC 3
Dimension (mm):900 x 230 x 212
Max. Air velocity at Nozzle:21 m/s
Noise Level dB:50 - 70 db
No. of Blowers:3
No. of Motors:2
No. of Shafts:1 Single + 1 Double
Wattage:350 W
Phase-Single
RPM (Max/ Min): 2700 / 2100
Blower Type:ABS
CFM:825
% insect/ dust rejection:75%
Weight Kgs:19
Warranty: 1 Year



Scan product



Ref: KTI10003070EAS5

Air Curtain SS 5Ft. Euronics



Model No-EAS5
Dimension (mm):1500 x 230 x 212
Max. Air velocity at Nozzle:21 m/s
Noise Level dB:50 - 70 db
No. of Blowers:5
No. of Motors:3
No. of Shafts:1 Single +2 Double
Wattage:570W
Phase-Single
RPM (Max/ Min):2700 / 2100
Blower Type:ABS
CFM:1380
% insect/ dust rejection:75%
Weight Kgs:26
Warranty: 1 Year



Scan product

Ref: KTI10003080EAS6

Air Curtain SS 6Ft. Euronics



Model No-EAS6
Dimension (mm):1800 x 230 x 212
Max. Air velocity at Nozzle:21 m/s
Noise Level dB:50 - 70 db
No. of Blowers:6
No. of Motors:3
No. of Shafts:3 Double
Wattage:605W
Phase-Single
RPM (Max/ Min):2700 / 2100
Blower Type:ABS
CFM:1490
% insect/ dust rejection:75%
Weight Kgs:32
Warranty: 1 Year



Scan product



Ref: KT110003010EIA4

Air Curtain Three Phase 4Ft. Euronics

Parameters-EIA4

Dimension (mm):1218x 345 x 351

Max. Air velocity at Nozzle:24 m/s

Noise Level dB:<66 db

No. of Blowers:3

No. of Motors:2

Wattage:1650W

Phase-Three

Voltage:440v/50hz

Blower Type:Aluminum

CFM:2950

Effective height:20-22 feet

Weight Kgs:51kg

Warranty: 1 Year



Scan product

Ref: KT110003011EIA5

Air Curtain Three Phase 5Ft. Euronics

Model No -EIA5

Dimension (mm):1523 x 345 x 351

Max. Air velocity at Nozzle:24 m/s

Noise Level dB:<68 db

No. of Blowers:4

No. of Motors:2

Wattage:2200W

Phase-Three

Voltage:440v/50hz

Blower Type:Aluminum

CFM:3680

Effective height:20-22 feet

Weight Kgs:62kg

Warranty: 1 Year



Scan product



Ref: KT110003050EAS3

Air Curtain SS 3Ft. Euronics

Parameters-EAS3

Dimension (mm):900 x 230 x 212

Max. Air velocity at Nozzle:21 m/s

Noise Level dB:50 - 70 db

No. of Blowers:3

No. of Motors:2

No. of Shafts:1 Single + 1 Double

Wattage:350W

Phase-Single

RPM (Max/ Min):2700 / 2100

Blower Type:ABS

CFM:825

% insect/ dust rejection:75%

Weight Kgs:19

Warranty: 1 Year



Scan product

Ref: KT110003060AB3F

Air Curatain 3feet ABS Euronics

Air Curatain 3feet ABS Euronics

MODEL NO.: ABE 3

Blower Material: ABS

Dimension (mm): 900 x 230 x 220

Max. Air Velocity at Nozzle: 21 m/s\

Noise Level at Nozzle Discharge: 47-52 dB

Body Material: Plastic

Width Size: 3 Feet

Remote: Yes

Inbuilt Sensor: Yes

Voltage: 220V / 50Hz

Power (W): 410 W

Phase: Single

RPM (Max / Min): 2700 / 2100

CFM: 825

Effective Height: Below 11 feet

*Pa...



Scan product



Ref: KT110003060AB5F

Air Curatain 5feet ABE5 Euronics

Air Curatain 5feet ABE5 Euronics

MODEL NO.: ABE 5

Blower Material: ABS

Dimension (mm): 1500 x 230 x 220

Max. Air Velocity at Nozzle: 21 m/s

Noise Level at Nozzle Discharge: 50-55 dB

Body Material: Plastic

Width Size: 5 Feet

Remote: Yes

Inbuilt Sensor: Yes

Voltage: 220V / 50Hz

Power (W): 700 W

Phase: Single

RPM (Max / Min): 2700 / 2100

CFM: 1380

Effective Height: Below 11 feet

*...



Scan product

Ref: KT110003060ABE4

Air Curtain ABS 4Ft Euronics

Model No -ABE4

Dimension: 1200 x 230x 220

Noise Level At Nozzle Discharge: 49-54db

Width ; 4 feet

Blower material: ABS

Body Material: Plastic

Voltage : 220v / 50Hz

Power: 560w

RPM : 2700/2100

Effective Height : Below 11 feet



Scan product



Ref: KT110003060AI3F

Industrial Air Curtain 3 feet Euronics

Industrial Air Curtain 3 feet Euronics

MODEL NO.: EIA3

RPM (Max / Min): 2700

CFM: 2200

Phase: Three

Voltage: 440V / 50Hz

Power (Wattage): 1100 W

Motor HP: 1.5

Dimension (mm): 914 x 345 x 351

Weight: 44 Kgs

Max. Air Velocity at Nozzle: 24 m/s

Body Material: MS Powder Coated

Effective Height: Up to 22 feet

Blower Material: M. Steel

Noise Level:

Specification

Euronics Air curtains that look like air door comes with high quality international standards - CE GS approved casing made in ABS body, Which is sealed to resist dust going inside, ...



Scan product



Ref: KT110003060AI4F

Industrial Air Curtain 4 feet Euronics

Industrial Air Curtain 4 feet Euronics

RPM (Max/ Min) 2700

CFM 2950

Phase Three

Voltage 440v/50hz

Power (Wattage) 1650 W

Motor HP 2.24

Dimension (mm) 1218 x 345 x 351

Weight 50.5 Kgs

Max. Air velocity at Nozzle 24 m/s

Body Material MS Powder Coated

Effective height Upto 22 feet

Blower material Blower material

Noise Level dB : < 66 db

Specification

Euronics Air curtains that look like air door comes with high quality international standards - CE GS approved casing made in ABS body, Which is sealed to resist dust going inside, ...



Scan product





Ref: KT110003060AI5F

Industrial Air Curtain 5 feet Euronics

Industrial Air Curtain 5 feet Euronics

RPM (Max/ Min) 2700

CFM 3680

Phase Three

Voltage 440v/50hz

Power (Wattage) 2200W

Motor HP 2.99

Dimension (mm) 1523 x 345 x 351

Weight 62 Kgs

Max. Air velocity at Nozzle 24 m/s

Body Material MS Powder Coated

Effective height Upto 22 feet

Blower material 4

Noise Level dB : < 68 db

Specification

Euronics Air curtains that look like air door comes with high quality international standards – CE GS approved casing made in ABS body, Which is sealed to resist dust going inside, ...



Scan product



Ref: KT110003060EIS3F

Industrial Air Curtain SS EIS 3ft Euronics

Industrial Air Curtain SS EIS 3ft Euronics

Model No: EIS3

Width(Size): 3 Feet

RPM (Max/ Min): 2700

CFM: 2200

Phase: three

Voltage: 440v/50hz

Power (Wattage): 1100 W

Motor HP: 1.5

Dimension (mm): 914 x 345 x 351

Weight: 44 Kgs

Max. Air velocity at Nozzle : 24 m/s

Body Material: Stainless Steel – 304 Grade

Effective height: upto 22 feet

Blower material: M.Steel

Noise Level dB:...

Specification

Euronics Air curtains that look like air door comes with high quality international standards – CE GS approved casing made in ABS body, Which is sealed to resist dust going inside, ...



Scan product





Ref: KT110003060EIS4F

Industrial Air Curtain SS EIS 4ft Euronics

Industrial Air Curtain SS EIS 3ft Euronics

Model No: EIS3

Width(Size): 3 Feet

RPM (Max/ Min): 2700

CFM: 2950

Phase: three

Voltage: 440v/50hz

Power (Wattage): 1650W

Motor HP: 1.5

Dimension (mm): 914 x 345 x 351

Weight: 44 Kgs

Max. Air velocity at Nozzle : 24 m/s

Body Material: Stainless Steel – 304 Grade

Effective height: upto 22 feet

Blower material: M.Steel

Noise Level dB:

Specification

Euronics Air curtains that look like air door comes with high quality international standards – CE GS approved casing made in ABS body, Which is sealed to resist dust going inside, ...



Scan product



Ref: KT110003090EIA3

Air Curtain Three Phase 3Ft. Euronics

Model No -EIA3

Dimension (mm):914 x 345 x 351

Max. Air velocity at Nozzle:24 m/s

Noise Level dB:<65 db

No. of Blowers:2

No. of Motors:1

Wattage:1100 W

Phase-Three

Voltage:440v/50hz

Blower Type:Aluminum

CFM:2200

Effective height:20-22 feet

Weight Kgs:44kg

Warranty: 1 Year



Scan product

