



Product Catalogue **IP PA System**

Automation > PA Solutions > IP PA System



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT1140040077363

Flameproof Indoor Loudspeaker ATS 7363



Rated wattage : 6 watts
 Rated voltage : 11 Volts
 Rated SPL at 1 khz, 1 mtr , 86 db
 Effective freq response : 500 Hz to 11 Kz
 Dimension : 200 mm x 270 mm
 Climatic
 Temperature class : T6
 Relative humidity : 95 %
 Material
 Flameproof unit cast Aluminium LM6
 Mounting bracket : Provided
 Colour : Powder coated Orange
 Weight : 6.5 Kg
 Termination : 2 double compression glands
 Perfect su...



Scan product

Ref: KT114004007IM20

Network Paging Console Phone M 20



M-20 with built-in speaker and goosneck mic. Connecting the M-20 to an IP network (LAN or WAN) permits hands-free conversation of high sound quality to be made between the M-20 and the IP Paging Microphone. With a numerical keypad, you can dial any number or make a quick call to the target IP paging microphone or Paging Console Phone
 Power supply - DC12V/2A
 Standby Power Consum...



Scan product



Ref: KT114004007IM30

Network Paging Console Phone with touch Screen M30



Power Supply:DC 12V, 1.5 A
Standby Power Consumption : $\leq 10W$
Audio coded -MP3, PCM, ADPCM
Audio stamping and Bit Rate -8 KHZ -44.1 KHZ , 16 Bit,
Built in speaker -1.5W 4 Ohm
S/N->82 DB
Camera-2 Million Pixels

Specification

The Dasscom M-30 Network Paging Console Phone is a high-performance IP-based paging and intercom master station built for modern communication environments. Supporting TCP/IP, SIP,...



Scan product

Ref: KT114004007IMSO

IP Audio Center Software



SIP Paging Server with Web Management & Scheduling
Software - 70 users
Number of IP Audio Endpoints 4000 (Max)
Number of Paging Groups (Zones) Unlimited
Number of MP3 Audio Files Unlimited
Number of Playlists Unlimited
Number of Timetable Triggered Broadcast Tasks Unlimited
Number of Number Triggered Broadcast Tasks Unlimited
Number of SIP Concurrent Calls 500 (Max)
Number of S...

Specification

Dasscom IP Audio Center is the engine of Dasscom IP Audio Solution, it is a software solution which can be installed on hardware or cloud-based servers. It has IP public address sy...



Scan product



Ref: KT11400400DS15W

NETWORK CABINET SPEAKER DS15W

Dual-speaker driver design - low frequency bass driver unit and high-frequency tweeter driver unit. Provides premium sound quality, enhances the audience experience

Dasscom IP Audio Center auto provisioning support, large-scale installations (local or remote) will be extremely easy and time-saving

]Built-in SIP support, can be integrated with Dasscom IP Audio Center or 3rd part...



Scan product

Ref: KT11400400DS30H

NETWORK HORN SPEAKER DS30H

Dasscom DS-30H is a SIP-enabled horn speaker that provides exceptionally clear and intelligible voice for SIP paging, notification/tone broadcasting and streamed background music. It is suitable to be deployed in outdoor and other open spaces for public notifications and public safety purposes.

Built-in 30W amplifier, 400Hz to 8KHz frequency range and 117dB max sound pressure l...



Scan product



Ref: KT11400400DS30W

NETWORK CABINET SPEAKER DS30W

Indoor Wall Speaker 30W with PoE, Built-in Amplifier & DSP
Dual-speaker driver design - low frequency bass driver unit
and high-frequency tweeter driver unit.

Provides premium sound quality, enhances the audience
experience

Dasscom IP Audio Center auto provisioning support, large-
scale installations (local or remote) will
be extremely easy and time-saving

]Built-in SIP support,...



Scan product