



Product Catalogue

# Access Control, Attendance System

Automation > Access Control, Attendance System



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,  
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT101006002SSE2

## Exit Switch SS 2 wire

S S Exit Switch  
S S Body



Scan product

Ref: KT101002003NF22

## Face,Finger, Card, Password Based Reader NF22

Visible Light Indoor Facial Recognition

Face Capacity 1500

Palm Capacity : 500

Finger Capacity : 5000

Mifare Card Capacity : 1500

Max. User : 1500

Log Capacity : 200000

Communication Interface : Wi-Fi, TCP/IP, US

RF card options

Access control :

Exit Reader : N-FR12, Wiegand Reader, Push Button, No  
Touch , Bell

Dimension : 185 x 72 x 25 mm



Scan product



Ref: KT101002003BM70

## **Face, Finger, Card, Password Based BM70 W PRO**

Model : BM70W PRO  
Face Capacity - 1200  
Finger Capacity - 2000  
Card User - 2000  
Max User -2000  
Log Capacity - 150000  
RF Card Optional - 125kHz EM  
Inbuilt Battery - Yes  
LAN - Yes  
Access Control - Yes



Scan product

Ref: KT101002006NUFA

## **Face, Finger, Card, Password Based Reader N UFACE 602**

Face Capacity - 3000  
Finger Capacity - 10,000  
Card Capacity - 3000  
Max. User - 3000  
Log Capacity - 2,00,000  
Cpu - 1ghz  
Communication - Wifi, TCP/IP, RS232/485, USB  
Push Data - Yes  
Access Control - Wiegand Input/output : Yes  
Identification Mode - Face, Fingerprint, Card, Pin  
Battery - Yes  
Operating Temperature - 0°C ~ 50°C  
Power - 12V DV / 2A  
Dimension - 175 X 145 X 79.5mm



Scan product



Ref: KT10100100200Z12

### **Card, Password Based Access Control System Without Memory Z12**

Authentication Method - CARD, PIN  
User Capacity - 2000  
Color - Black  
Card Type - EM Card)  
Keypad - 2 x 6 Touch Keypad With Bell Button  
Operating Frequency - 125(KHZ)  
Built-in Buzzer - Yes  
Operating Voltage - 12/24v  
Led - Yes



Scan product

Ref: KT101001002NBM6

### **Face, Finger, Card, Password N BM 60 W PRO Ultimate Multi Bio Without Battery, Without Access Relay**



Face Capacity : 500(1:N)  
Finger Capacity:2000  
Card Capacity - 2000  
Max user-2000  
Log Capacity: 1,50,000

#### **Features**

High-Speed and Accurate Face Identification  
Good adaptation for dry, moist and rough fingerprints.  
Face,Fingerprint,Card,Password authentication Supremely low Electric energy consumption.  
Highly reliable and durable.  
Comprehensive SOKis available for development an...



Scan product



Ref: KT101001002EA42

## **Standalone touch keypad Access Control Model No SA42**



Model No.: SA42  
Card type : proximity  
working Voltage -12V  
reading range -2-5 Cm ?  
Operating Humidity - 10%-90%  
Door Opening time - 0-99S  
alarm output Load -



Scan product

Ref: KT101002003MB50

## **Face, Finger, Card, Password Based Reader Multibio - 500**



Multibio - 500  
Face Capacity 1,500  
Finger Capacity 5,000  
Palm Capacity -500'  
Card Capacity -2000  
Log Capacity -2,00,000  
Max User- 2000  
Speedy recognition to avoid long queue  
Large display with easy handling features  
Dual camera for live body sensing & observation  
Camera support low light and normal light  
Auto ON/OFF Energy saving light  
Visible Light Indoor Facial Recognition Vi...



Scan product



Ref: KT101003001DR03

## Interlocking System 3 Door - ESSL with out memory



Microcontroller Based Design

EMG: Emergency switch

SW1, SW2, SW3: Switch /Reader - Door 3, Door2, Door 1

Ideal for Pharma / Clean Room Applications



Scan product

Ref: KT10100400DG706

## Digital Lock Dorset DG706 GM

Dorset Digital Lock

Model No.: DG-706 GM

### FEATURES

Glass Door Digital Lock

- Unlocking Method: Finger, Card, Pin, Key, App
  - Finger, Card, Pin: 100 Unique access
  - Glass to Glass Bracket (optional)
  - Compatible with Glass Sliding & Swing Doors
  - Door Thickness: up to 14mm
- Utility Usages : Villas, Apartments, Commercial or Government Offices, Hotels, Resorts.

### Specification

Glass Door Digital Lock

- Unlocking Method: Finger, Card, Pin, Key, App
- Finger, Card, Pin: 100 Unique access
- Glass to Glass Bracket (optional)
- Compatible with Glass Sliding &...



Scan product



Ref: KTI01001001NBM2

## **Finger, Card, Password N BM20**

Finger Capacity -1000

Card Capacity - 1000

Max User - 1000

Log Capacity -150000

High-Speed and Accurate Fingerprint Identification

Fingerprint, Card, Password authentication

Good adaptation for dry, moist and rough fingerprints.

Supremely low Electric energy consumption.

Highly reliable and durable.

Comprehensive software development kit(SDK) is available for development and in...



Scan product

Ref: KTI01002003SMAP

## **Face, Card MiniAC Plus**

Linux-Based Access control and Time &Attendance Terminal with Visible Light Facial recognition

Display 5-inch Touch Screen

Face Capacity 3,000

Palm Capacity 1,500 (Optional)

Card Capacity 3,000

Transactions 150,000

Operation System Linux

Standard Functions ID Card, ADMS, T9 Input, DST, Camera, 9

digit user ID, Access Levels, Groups, Holidays,

Anti-passback, Record Query, Tamper S...



Scan product



Ref: KTI01002003MUGN

## Face ,Fingerprint, Card Without battery AIFace Magnum

Model No. : AIFace-Magnum  
FaceCapacity:1500  
FingerprintCapacity:5000  
CardCapacity:10,000  
TransacΘonCapacity:200,000  
Display:2.4-inchtouchScreen  
FacialRecogniΘonAlgorithm:eSSLFace3.5  
FacialRecogniΘonSpeed:



Scan product

Ref: KTI01002003OA30

## Face, Palm Based OmniAC 30

OmniAC Series - OmniAC30  
Multi-Biometric technology combining palm and face recognition

- IP66 water & dustproof protection rating
- Supports 125 kHz and 13.56 MHz frequency credentials
- Supports multiple mount types (Single gang/ European/ Asian box)

Primary Power -12 to 24 VDC (3A min @12V)  
POE -Supported  
RS-485 connection -Port 1: RS-485 standard/ OSDP V2.1.7  
CPU-1.2GHZ Qu...



Scan product





Ref: KT10100400FEM60

### Flameproof EM Lock 600LBS



Flameproof EM Lock 600 LBS  
Voltage Tolerance -15%  
Voltage Input -12/24V DC  
Current Draw 480mA At 12V DC , 240mA At 24 DC  
Magnetic Contact for door status (No type)  
Holding force -600 LBS (272 KGS)  
Operating Temperature -0-55 Degree C  
Anti Rust Surface treatment  
Dimension -275LX63WX42T



Scan product

Ref: KT10100100SF100

### Card, Finger Print Based Reader SF100



Fingerprint Capacity : 1500 ,  
Card Capacity : 5000 ,  
Transactions : 80000 Logs,  
Fingerprint Sensor : 500 DPI Optical sensor,



Scan product



Ref: KT101002003COFA

## Face, PIN, Card COSEC ARGO FACEE Reader

Human Face -Yes  
PIN -Yes  
Card -EM Prox  
User Profiles -50,000  
Face Templates -200,000  
Max. Templates Per User -30  
Event Logs -500,000



Dimensions (HxWxD) 186mm x 74 mm x 50mm (Wall Mount)  
Display -3.5" IPS LCD (Touch Screen)  
Display Resolution -480 x 320 Pixel  
Gorilla Glass -Yes (Gorilla Glass 3)

CPU Quad Core ARM Cortex-A7 @ 1.5 GHz -GPU  
Built-in 2 TOPS Neural Network Computin...




Scan product

Ref: KT10100400DG102

## Digital Lock Dorset DG102

Dorset Digital Lock  
Model No.: DG-102 Champagne Matt OR Copper  
FEATURES  
Dual Authentication  
Integrated Notification Bell  
Finger Print ID (Upto 100 unique access)  
Password: (Upto 100 unique access)  
RFID (Upto 100 unique access)  
Mechanical Key  
Auto Locking/Manual Locking  
Low Battery Alarm  
Door Thickness: 35mm-90mm  
Color Style = Champagne matt (GM) DG 102 MCM or Copper (CU) DG ...



Scan product



Ref: KT10100400JBKC

## Junction box with Krone Connector

Junction box with Krone Connector 20pair  
For EPABX




Scan product

Ref: KT101001001ACAT

## Access and Attendance System

Access Control System With Attendance  
With Reader, EM Lock + Brackets, Exit Switch & Power  
Supply.



×



Scan product



Ref: KT101001002Z3AC

## **Fingerprint Attendance Cum Professional Access Control System Z300ac**

Model : Z300ac

Card Type :125 KHz Proximity(Default),13.56MHz M1(Optional)

Communication: USB Disk, TCP/IP

Fingerprint Sensor :600 DPI Optical Sensor

Fingerprint Capacity : 3000

Card Capacity : 3000

Transaction Capacity : 160000

Password Capacity : 3000

Wiegand Input : Yes

Wiegand Output : Yes



Scan product

Ref: KT101003001CUCO

## **Customize Controller**

Customize Controller As per Requirement



Scan product



Ref: KTIO1001001BIO1

## **Finger, Card N Bio 1 with battery Time Watch**

Make : Time watch

3,000 Fingerprint and 3,000 card & password templates

High verification speed , Cloud / multi location : optional for device world wide using or multi location connecting .

User Capacity : 3,000 [FP/Card(EM Card, Mi-Fare - Optional)/Password

Log Capacity : 1,60,000

Communication Interface : TCP/IP,(Host & Slave)

FRR : 0.001% , FAR : 0.00001%

LCD : 2.8" TFT Color...



Scan product

Ref: KTIO1001002FLG2

## **Standalone Access Control Device Frameless Glass Door Lock FLG22**

Model Name:

Storage Capacity

Finger Capacity : 100

Card Capacity: 100

Max User 100

Log Capacity: 160

Features

High-Speed and Accurate Identification

Good adaptation for dry, moist and rough fingerprints

Fingerprint, Mifare Card, Password authentication

Supremely low Electric energy consumption

Metal body for durability

TN Color Display for Convenience

Biometri...



Scan product



Ref: KT101002003NUFS

## **N Ultra Face Face, Card, Finger Based Reader Ultraface Strong light Out Door Without Battery**

Model : Ultraface Strong Light (With Out Battery )

Multi -Bio Time Attendance system

Face Capacity : 3000

Finger Capacity : 30,000

Card Capacity : 3000

Max User : 3000

Log Capacity :2,00,000

4G GPRS : Optional

Communication : WIFI , TCP ,IP ,USB

LCD : 2.8" TFT Color Screen

Wiegand in & out :Yes

Support Exit Reader : Wigand Reader , Remote , push Button , No Touch



Scan product

Ref: KT101004003GFDL

## **Catus Connect Smart WiFi Fingerprint Door Lock**

360° FINGERPRINT RECOGNITION : Fingerprints once registered, the sensor recognizes up to 99 registered fingerprints at any angle.

PIN CODE : Register up to 99 unique PINs. Save a password of 4 to 9 digits for enhanced password strength.

RFID CARDS : Register up to 99 RFID cards for multiple user access.

REMOTE ACCESS : The lock can be remotely opened and closed through mobile a...



Scan product



Ref: KT10100400DG304

### Digital Drawer Lock Dorset DG304

Digital Drawer Lock

Model No.: DG-304

Type: Digital / Biometric Drawer Lock

Access Mode: Fingerprint

Fingerprint Capacity: Up to 40 users

Power Source: Battery operated

Application: Drawer, cabinet, wardrobe



Scan product

Ref: KT10100400DG902

### Digital Lock Dorset DG 902

Digital Lock D 902 5-in-1 Access (Bio + Pin + Card + Key  
with Wi-Fi Inbuilt)

Finger Print ID (Upto 100 unique access)

Password: (Upto 100 unique access)

RFID (Upto 100 unique access)

Mechanical Key

Auto/Manual/Privacy Locking

Low Battery Alarm

Door Thickness: 35mm-90mm



Scan product



Ref: KT10100400PNGS1

## Smart Glass Door Lock G1 Phlipton

Model: PN-GDL-GS1 (WiFi Series G1)

Brand: Phlipton

Series: WiFi Series G1 Smart Lock

Access Modes: Fingerprint, Passcode, Mobile App (WiFi enabled), Mechanical Key, Wireless Remote

Fingerprint (100)

Card and password (1000 groups)

Connectivity: WiFi (App-based control)

Power supply : 4pcs 1.5V AA alkaline dry batteries

Colors : Matte black, space gray, champagne gold

Applicatio...



Scan product

Ref: KT10100408DG413

## Digital Lock Yale YDG 413 GL

Digital Lock Yale YDG 413 GL

Voice Guide Feature

The voice guided operating manual for easier and more convenient use.

Automatic Locking

The Yale smart digital lock series automatically locks the door

after checking it is properly closed.

Fake PIN Code

To prevent the PIN code from being exposed, It allows you to enter fake

numbers before or after entering your PIN code.

Low B...

### Specification

Smart, Secure and Convenience for Your Glass Door

YDG413 smart lock gives you simplified control on protection for glass door. It offers advantages to those who are searching for ...



Scan product





Ref: KT1010040GDLSW

## Digital Door Lock-DLS1



Model : DL S1  
Power Supply : 4.5 v - 6v (4 pcs AA Cell Power)  
passcode length : 6-8 Bits  
card volume - 100 pcs  
Password Volume - 100pcs  
Finger Volume: 50 pcs  
Administrator : 9  
Door Thickness : 38-120mm  
Material : Aluminium Alloy  
Size : 358x70 mm



Scan product

Ref: KT101004003LH30

## RFID Hotel Door Lock Model No LH3000



Model : LH 3000  
Software : Biolock Hotel Lock System  
Card Type : ISO14443 (RFID Type -A S70 4KB /S50 1KB)  
Operating Temperature : 0-45 C  
Package Dimension : 410 x 218 x 15mm  
Net Weight : 3kg  
Door Thickness : 35-55 mm

Features :  
With advance 13.6 mhz Mifare -1 card technology  
American standard mortise  
Stainless steel housing with the color of silver  
with professional ho...



Scan product



Ref: KT101001002KR5M

## Card Reader KR500 M

Model No.:KR500 M

### Features

KR500M 13.56MHz Mifare card reader  
Read Range KR500M - Up to 5CM  
Reading Time (Card)  $\leq 200\text{ms}$   
Connection: Wiegand  
Input Port : 2ea  
Power/Current-DC 6-14V / Max.70mA  
Operating Temperature-  $-20^{\circ}\text{C}$  to  $65^{\circ}\text{C}$ ( $-10^{\circ}$  to  $+70^{\circ}\text{C}$ )  
Height:7.8cm  
Depth:-1.6cm  
Width:-4.4cm



Scan product

Ref: KT101002003F09W

## Face, Finger, Card F09

Multi - Biometric Access Control Terminal With Video  
Intercom Capability  
Fingerprint Template Capacity -3,000 (1:N) (Standard)  
Face Template Capacity -1,500 (1:N) (Standard) \\\nCard Capacity -3,000 (1:N) (Standard)  
User Capacity -3,000 (1:N) (Standard)  
Transaction Capacity - 150,000 (1:N)  
Simple access control functions (Electric Lock; Door Sensor;  
Exit Button)



Scan product



Ref: KT101002003SMAC

## Face, Card MiniAC

Model MiniAC

Display 4.3" @ TFT Colour Touch LED Screen (272\*480)

Camera WDR Binocular Camera @ 1MP

Operation System Linux

Authentication method Face / Card / Password (Virtual Keypad)

Face Template Capacity 1,500 (1:N) (Standard)

Card Capacity 1,500 (1:N) (Standard)

User Capacity 1,500 (1:N) (Standard)

Transaction Capacity 200,000 (1:N)

Max. User Password Length 8 Digits



Scan product

Ref: KT10100200NX990

## Face, Finger, Card, Password Based Reader N X990 With Battery

Storage Capacity

Finger Capacity : 10,000

Card Capacity: 10,000

Password Capacity : 10,000

User Capacity : 10,000

Log Capacity : 1,50,000

TCP/IP, Wi-Fi, RS232/485, USB Host & Client

Access Control - Yes

Power : 12V DC / 2A

Battery Backup : Yes



Scan product



Ref: KT101001002A221

## Standalone Access Control Device With Card and Password SA221

### Product Specification

Model Name/Number Biomax SA 221 Standalone Access Control

Display Type Touch Screen

Color Black

Language English

Operating Temperature -40 to +70 Degree Celcius

Reading Range 5 - 10 cm

Minimum Order Quantity 1

### Product Description

Backlight Touch Keypad

Metal Case, anti-vandal

Wg26 Input/Output

2000 cards/codes in total

Utility: A smart lock is an electr...



Scan product

Ref: KT101001002DSKH

## video door phone KH6 Series IPBased Indoor Station

### Key Feature

- New UI V2.0: User friendly design
- 7-inch colorful touch screen with resolution 1024 × 600
- Standard PoE
- Stores messages and capture pictures in the TF card
- Remote unlocking via the client software or the mobile client
- Views live videos of door stations and linked cameras

### Specification

### System Parameters

### Operating System

Embedded Linux operat...



Scan product



Ref: KT101001002KR50

## Card Reader KR500 E

Model No.:KR500 E

### Features

KR500E 125KHz Proximity card reader

Read Range KR500E - Up to 10CM ,

Reading Time (Card)  $\leq 200\text{ms}$

Connection: Wiegand

Input Port : 2ea



Scan product

Ref: KT101001002SA72

## Standalone Keypad Access Control Model No SA72

Model : SA72

Access Ways : Card, Code, Card+Code

Digital backlight Keypaid

wg26 Input/Output

Capacity : 2000 Users

Access ways : card,Code,Card+Code

Card type : Proximity

Working Voltage : DC12V

Reading Range : 2-5CM

Door Opening time - 0-99S

Alarm Output Load -



Scan product



Ref: KT101002003AFMR

## Face Reader AiFace Mars, ESSL Without Battery

Model : AiFace - Mars

Linux-Based Access control and Time & Attendance Terminal with Visible Light Facial recognition

Features

- Visible Light Facial Recognition
- Anti-spoofing algorithm against print attack(laser, color and B/W photos), videos attack and 3D mask attack
- MultipleVerifications: Face / Palm / Card / Password
- Multiple card modules:  
125KHz ID card(EM) / 13.56MHz IC...



Scan product

Ref: KT101002003ERIS

## Face ,Fingerprint, Card,Password Without battery

Model : AI FACE ERIS

Technical Specifications

Display : 4-inch color LED touch screen

Camera : 2MP binocular camera

Operation System : Linux

Hardware : CPU: Dual Core@1GHz ,RAM: 1GB ,ROM: 8GB

Authentication method : Face / Fingerprint / Card/ Password

User Capacity : 3000

Face Template Capacity : 3000

Fingerprint Template Capacity : 3000

Card Capacity : 3000

Transaction Capaci...



Scan product



Ref: KT101002003ORCU

## **Face ,Fingerprint, Card,Password Without battery Ai Face Orcus**



Model : Ai Face -Orcus

Multiple Authentication method : Fingerprint / Face / Card / Password

Fingerprint Template Capacity :3,000

Face Template Capacity : 1,500

Card Capacity ; 3,000

User Capacity : 3,000

Transaction Capacity : 1,50,000

Biometric Authentication Speed : Fingerprint:



Scan product

Ref: KT10100200602UF

## **Face, Finger, Card, Password Based Reader UFACE 602 ID**



Face capacity : 1,200 (3000 Optional) 1:N

Fingerprints templates: 2000

Card Storage : 10,000 (optional)

Transaction storage : 1,00,000

Card reader : Yes

CPU: 1.0GHz

Fingerprint sensor : 500 DPI Optical sensor relay: 12 V relay

for lock EM lock, Bolt Lock

or Strike lock

Battery: 7.4 V, 2000 mAh Backup Battery



Scan product



Ref: KT1010040GL400

## Digital Lock Glass Door Lock GL400 ESSL

Model: GL400 Plus

Shell material: aluminum alloy / ABS

- Panel material: IML injection molding / Acrylic
- Unlocking mode: APP/ Fingerprint / Password / IC card / Temporary password / Remote control (optional)
- Fingerprint type: Semiconductor fingerprint sensor
- Recognition speed: 0.5s
- Recognition error:  $\leq 0.0001\%$
- Fingerprint capacity: 100
- IC Card capacity: 200 (Shared ...)



Scan product

Ref: KT101001001HDGL

## Hotel, Office Digital Lock

Model -3398

Finger print - (120 number)

Password (1) & key (2 number) Low voltage Alarm,  
Door Thickness min 38mm Required.



Scan product





Ref: KT101001001S403

## Card, Password Based Reader SC403

Card Capacity : - 30,000  
Transaction Storage : - 50,000  
Card Reader : - Yes  
CPU : - 32 bit High End Microprocessor



Scan product

Ref: KT101001002ADET

## Detecher

Ultra Surface treatment Oxidation ,  
Dimension : 70\*35MM ,  
Magnetic Force : > 10000GS  
Warranty : NA



Scan product



Ref: KTI01001002ADET

### **Detecher**

Ultra Surface treatment Oxidation ,  
Dimension : 70\*35MM ,  
Magnetic Force : > 10000GS  
Warranty : NA



Scan product

Ref: KTI01001002AMSM

### **AM System Master ESSL**

Master unit  
AM System (Master)  
Anti Theft System  
Frequency : 58KHz  
DR Label :150 ~ 180 Cm  
Hard Tag : 1.8 ~ 2.4m  
Material : Fiberglass Reinforced Plas????c  
Frame Color : Gray  
Dimension : 1630 x 470 x 25mm  
Packaging : 1700 x 530 x 280mm  
Net / Gross weight : 26KG /29 Kg  
Opera????ng Voltage : 110 ~ 220V  
Power Consump????on : 200W max.  
Output : 24V 3A  
Work Rate of each Antenna : 25...



Scan product



Ref: KTI01001002AMSM

## AM System Master ESSL

Master unit  
AM System (Master)  
Anti Theft System  
Frequency : 58KHz  
DR Label :150 ~ 180 Cm  
Hard Tag : 1.8 ~ 2.4m  
Material : Fiberglass Reinforced Plas????c  
Frame Color : Gray  
Dimension : 1630 x 470 x 25mm  
Packaging : 1700 x 530 x 280mm  
Net / Gross weight : 26KG /29 Kg  
Opera????ng Voltage : 110 ~ 220V  
Power Consump????on : 200W max.  
Output : 24V 3A  
Work Rate of each ANtenna : 25...



Scan product

Ref: KTI01001002AMSS

## AM System Slave ESSL

AM System (Slave)  
Slave unit  
Frequency : 58KHz  
DR Label :150 ~ 180 Cm  
Hard Tag : 1.8 ~ 2.4m  
Material : Fiberglass Reinforced Plas????c  
Frame Color : Gray  
Dimension : 1630 x 470 x 25mm  
Packaging : 1700 x 530 x 280mm  
Net / Gross weight : 26KG /29 Kg  
Opera????ng Voltage : 110 ~ 220V  
Power Consump????on : 200W max.  
Output : 24V 3A  
Work Rate of each ANtenna : 25W  
Temperature : -5°C...



Scan product



Ref: KTI01001002AMSS

## AM System Slave ESSL

AM System (Slave)

Slave unit

Frequency : 58KHz

DR Label :150 ~ 180 Cm

Hard Tag : 1.8 ~ 2.4m

Material : Fiberglass Reinforced Plas????c

Frame Color : Gray

Dimension : 1630 x 470 x 25mm

Packaging : 1700 x 530 x 280mm

Net / Gross weight : 26KG /29 Kg

Opera????ng Voltage : 110 ~ 220V

Power Consump????on : 200W max.

Output : 24V 3A

Work Rate of each ANtenna : 25W

Temperature : -5°C...



Scan product

Ref: KTI01001002EA32

## Standalone Access Control Device With Contact less Smart Card SA32 EM

Model : SA32 -E/M

Access By Card , Pin , Or Card & Pin

Has 1 Relay output and 1 Push (Low) Output

Has 1 Door Button Port and 1 Doorbell Port

Operating Voltage : DC 12V+-10%

Card Storage : 1000 user

Card Type (Alternative ) : EM(ID)card (IC Card For Options )

Card Reading Distance : 1-15CM



Scan product



Ref: KT101001002INF6

## Visible Light Indoor Facial Recognition Indigo Face 6

Model Name: IndigoFace 6



Storage Capacity  
Face Capacity : 2000  
Finger Capacity : 10,000  
Max. User: 2000  
Log Capacity: 2,00,000  
Card Capacity: 2000  
Password Capacity: 2000

### Features

Access control to secure your premises  
Speedy recognition to avoid long queues  
Good adaptation of dry, moist and rough fingerprint  
Dual camera for live body sensing & observation  
Strong metal build ...



Scan product

Ref: KT101001002IPZ6

## Access Card reader Z6

Model : Z6  
Water Proof Level : IP /68  
Working Voltage : DC9-16V  
Card Reader Distance : 3-8 cm  
Dimension : 110 x52x22mm



Scan product



Ref: KT101001002IPZ6

## Access Card reader Z6

Model : Z6

Water Proof Level : IP /68

Working Voltage : DC9-16V

Card Reader Distance : 3-8 cm

Dimension : 110 x52x22mm

the opening status  
shows green light



The closing status  
shows a red light



Scan product

Ref: KT101001002IPZ6

## Access Card reader Z6

Model : Z6

Water Proof Level : IP /68

Working Voltage : DC9-16V

Card Reader Distance : 3-8 cm

Dimension : 110 x52x22mm

the opening status  
shows green light



The closing status  
shows a red light



Scan product



Ref: KT101001002KR60

## Card Reader KR600 E, M



Model No.: KR600 E/M


Height:11.6cm

Depth:1.6cm

Width:7.5cm

Power/Current -DC 6-14V / Max.70mA

Warranty : 1 Year



Scan product

Ref: KT101001002NB1W

## Multi Bio Attendance and Access Control Bio 101 W

Model Name: N-Bio101 W



Storage Capacity

Face Capacity: 2000

Finger Capacity: 5000

Card Capacity: 2000

Max User: 2000

Log Capacity: 1,50,000

Features

Good adaptation for dry, moist and rough fingerprints.

Output relay for door open.

Face, Fingerprint, Card, Password authentication

Supremely low Electric energy consumption.

Highly reliable and durable.

Comprehensive SDK is ava...



Scan product



Ref: KT101001002NBAS

## **Standalone Access Control Device With Card, Fingerprint and Password NBioAccess**

Model Name : N-BioAccess

Storage Capacity  
Finger Capacity: 10,000  
Card Capacity: 10,000  
Max Users: 10,000  
Password: 10,000  
Log Capacity: 2,00,000

Features:  
High-Speed and Accurate Fingerprint Identification  
Fingerprint, Card, Password authentication  
Output relay for door open.  
Supremely low Electric energy consumption.  
Highly reliable and durable.  
Comprehensive software devel...



Scan product



Ref: KT101001002NG4W

## **Multi Bio Attendance and Access Control NG4W**

Model Name: NG4W

Storage Capacity  
Face Capacity: 10,000  
Finger Capacity: 30,000  
Card Capacity: 10,000  
Log Capacity: 2,00,000  
Max User: 10,000

Features  
World-class Face Identification Technology  
High-Speed and Accurate Fingerprint Identification  
Face, Fingerprint, Card authentication  
2 output relay for door open.  
Self-Service Inquiry  
Good adaptation for dry, moist and rough f...



Scan product





Ref: KT101001002NUFC

## **Multi Bio Time Attendance and Access Control System N UltraFace**

Model Name: N-Ultra Face Strong Light



Storage Capacity  
Face Capacity: 3000  
Finger Capacity: 30,000  
Card Capacity: 3000  
Max User: 3000  
Log Capacity: 2,00,000

### **Features**

World-class Face Identification Technology  
High-Speed and Accurate Face Identification  
Good adaptation for dry, moist and rough fingerprints.  
Output relay for door open.  
Face, Fingerprint, Card, Password authenti...



Scan product

Ref: KT101001002NX90

## **Standalone Access Control Device With Fingerprint and Password N-X90 GPRS**

Model Name: NX90 + GPRS



Time Attendance and Access Control  
Storage Capacity  
Finger Capacity: 2000  
Card Capacity: 2000  
Max User: 2000  
Password: 2000  
Log Capacity: 1,50,000

### **Features**

High-Speed and Accurate Fingerprint Identification  
Fingerprint, Card, Password authentication  
output relay for door open.  
Good adaptation for dry, moist and rough fingerprints.  
Supremely low Electr...



Scan product



Ref: KT101001002PRO1

## Standalone Access Control Device With Finger Print And Password -N Access 10 Pro

Product Name: N-Access 10

### Product Specification

Type Of System Fingerprint Recognition System

Sensor Type Optical Sensor

Type Of Attendance System finger+card

Brand Bio Max

Model Name/Number Access 10 Pro

Usage/Application fingerprint access control

Screen Size 2.4

Display Type Keypad

Language English

Installation Type Wall Mounted

Operating System Linux

FRR

Utility: A smar...



Scan product

Ref: KT101001002PRO3

## Standalone Access Control Device With Face, Fingerprint And Password NBM300PRO

Model Name: N-BM300Pro

Storage Capacity:

Face Capacity : 500

Finger Capacity : 1,500

Card Capacity : 500

Max User : 500

Password : 500

Log Capacity : 1,00,000

Features:

high-Speed and accurate Face Identification

Good adaptation for dry, moist and rough fingerprints.

Face, Fingerprint, Card, Password & Authentication

Supremely Low Electric Energy Consumption

Highly Rel...



Scan product



Ref: KT101001002SC40

## Standalone Access Control Device With Card, Fingerprint and Password NSC403 Pro



Model Name: N-SC403 Pro

Storage Capacity  
Card Capacity: 50,000  
Max User: 50,000  
Password: 50,000  
Log Capacity: 2,00,000

### Features


RFID & Password Identification  
Accepting Card from 1 to 5 cm.  
Less than 1 sec. card reading speed.  
Supremely low Electric energy consumption.  
Highly reliable and durable.  
Comprehensive software development kit(SDK) is available for development and in...



Scan product

Ref: KT101001002SS10

## Standalone Access Control Device With Finger Print And Password - Access10



Product Specification  
Model Name/Number ACCESS10  
Brand BIOMAX  
Usage/Application ACCESS CONTROL  
Display Type LCD  
Fingerprint Capacity 500  
CARD CAPACITY 500  
PASSWORD COUNT 2  
Minimum Order Quantity 1  
Product Description  
Finger Capacity : 500  
Card Capacity: 500 (non-standard)  
Code count (Password) : 2

Utility: A smart lock is an electromechanical lock that is designed to perform l...



Scan product



Ref: KT101001002USRI

## **Standalone Usb RFID Card Reader Z11 ID**

Model : Z11 ID

Product Type: 125KHZ Smart USB Reader

Support Cards: 125Khz RFID EM4100 EM4102 TK4100

Card/Tag

Work Frequency: 125Khz

Identification Method Proximity Card



Scan product

Ref: KT101001002WL10

## **Standalone Access Control Device With Fingerprint and Password WL10**

Model Name : N-WL10

Storage Capacity:

Fingerprint Capacity: 1000

Password : 1000

Max User: 1000

Log Capacity: 1,00,000

Feature:

High-Speed and Accurate Fingerprint Identification

Fingerprint, Password authentication.

"N-WL-10Simple USB based Biometric Attendance System

Good adaptation for dry, moist and rough fingerprints.

Supremely low Electric energy consumption.

Highly relia...



Scan product



Ref: KT101001002WL20

## **Standalone Access Control Device With Fingerprint and Password NWL20**



Model Name: N-WL20

Storage Capacity:

Fingerprint Capacity: 1000

Password : 1000

Max User: 1000

Log Capacity: 1,50,000

Feature:

High-Speed and Accurate Fingerprint Identification

Fingerprint, Password authentication.

"N-WL-10Simple USB based Biometric Attendance System

Good adaptation for dry, moist and rough fingerprints.

Supremely low Electric energy consumption.

Highly reliab...



Scan product

Ref: KT101001002X990

## **Time Attendance and Access Control System NX990**



Model Name: N-X990

Storage Capacity

Finger Capacity: 10,000

Card Capacity: 10,000

Max User: 10,000

Password: 10,000

Log Capacity: 1,50,000

Features

High-Speed and Accurate Fingerprint Identification

Fingerprint, Card, Password authentication

output relay for door open.

Supremely low Electric energy consumption.

Highly reliable and durable.

Comprehensive software development ...



Scan product



Ref: KTI01001002Z900

## Touch less face attendance system (Face + Card + Finger )

Brand : Timeoffice

Model Number : Z900 TOUCH-LESS FACE ATTENDANCE SYSTEM (FACCE+ FINGER+CARD)

Backup Options :PENDRIVE, LAN OR , TCP/IP

LCD :Yes

LCD Resolution :128X68

Scratch Proof :Yes

Identification Method :Face, Card, Fingerprint

Fingerprint Capacity :1000

Card Capacity :1000

Power Requirement : 12V,1.5A

Type : Access Control, Time & Attendance



Scan product

Ref: KTI010010Z301AC

## Face Based Attendance Cum Access Control Z301AC

Model Name/Number -Z301AC

Usage/Application -Face Recognition Based Attendance Cum Access Control

Communication - TCP/IP

Transaction Storage - 200000

Type Of System - Face Access Control

Display Type - LCD

## Interfaces -TCP/IP

Warranty :1 year



Scan product



Ref: KT101002003AFMV

## Face & Card AiFace Venus



Model No.:AiFace - Venus  
Linux-Based Access control and Time &Attendance Terminal  
with Visible Light Facial recognition  
Display 5-inch Touch Screen  
Face Capacity 6,000  
Card Capacity 10,000  
Transactions 200,000  
Operation System Linux  
Standard Functions  
ID Card, ADMS, T9 Input, DST, Camera, 9 digit user ID, Access  
Levels, Groups, Holidays,  
Anti-passback, Record Query, Tamper Switch...



Scan product

Ref: KT101002003AIJU

## Face Reader AiFace-Jupiter, ESSL Without Battery



Visible Light Facial Recognition  
· Better hygiene with touchless biometric authentication  
· Anti-spoofing algorithm against print attack (laser, color and B/W photos),  
videos attack and 3D mask attack  
· Available card modules:12.5 KHz EM card / 13.56MHz IC card (MF)  
· Supplement light with adjustable brightness  
· Multiple Verification Methods: Face / Fingerprint / Card / Password...



Scan product



Ref: KT101002003AINP

## Face Reader AiFaceNeptune, ESSL with Battery wifi



BASIC PAYROLL APPLICATION



USER MANUAL



CHARGER



Neptune Linux-Based

Time Attendance and Access Control System Visible Light

Facial Recognition

Features:

Visible Light facial recognition

Card modules (optional): 125KHz ID Card (EM) / 13.56MHz IC Card

Anti-spoofing algorithm against print attack(laser, color and B/W photos), videos attack and 3D mask attack

Multiple verification methods : Face / Password / Card (optional)

Back...



Scan product

Ref: KT101002003ATF3

## Face, Finger, Card, Password Based ATF 305 WIFI

Face Recognition Time & Attendance Terminal

ATF-305 face recognition time & attendance terminal

support up to 500 face templates,

5000 Fingerprint 500 card/password with TimeWatch latest hardware platform and

algorithm , it offers brand new and user-friendly operation interface to provide smooth user

experience. With advanced face algorithm and multi-biometric verification techno...



Scan product





Ref: KT101002003FD8L

## Face, Card FaceDepot8AL

Intelligent energy-saving design; precisely evaluation of the distance (up to 2.5m (8.2ft)) between the user and the device by

a microwave detector before waking up the recognition terminal

- 2MP starlight CMOS sensor camera with WDR function, which enables the terminal to recognize faces under extreme lighting

conditions (0.5 lux – 50,000 lux)

Access Control Interface Lock Rel...



Scan product

Ref: KT101002003NG4W

## Face, Finger, Card, Password Based N G4W with wi fi & Battery

Storage Capacity :

Face Capacity : 10,000

Finger Capacity : 30,000

Card Capacity : 10,000

Log Capacity : 2,00,000

Max User : 10,000

Communication : WI-FI, TCP ,/IP , RS 232 /485, USB

4G GPRS : Optional, Sensor type : 500 DPI

RF card options : 125khz EM (Standard /13.56mhz Miface (optional )



Scan product



Ref: KT101002003SF10

## Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003SF10

## Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product



Ref: KT101002003SF10

## Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003SF10

## Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product



Ref: KT101002003SF10

## Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003THA9

## Infrared Thermometer with access control

Display : Infrared LED

Accurate : +- 0.2 c

Measuring Time :0.5 C

working voltage : 5v -12v input

installation : Wall Mounted

Read Range : 5-10cm

Alarm: yes (external available )

Temp measurement range : 35C -42.9C



Scan product



Ref: KT101002003Z5V2


### **Face, Finger, Card Base Reader Model Z500V2 With memory**



Face + Card + Finger print reader  
Face Capacity : 1000 ,  
Fingerprint Capacity : 5000  
Card Capacity : 5000  
Transaction Capacity : 3,00,000 Records  
Display : 2.8" TFT Color Screen  
Camera lens : Dual camera lens (color/infrared)  
Working Mode : Day/Night  
Battery Backup : Yes  
Language : English  
Communication : USB Memory Disk, TCP/IP, WI-FI(Optional)  
Access Control : Yes(Basic)  
Ide...



Scan product



Ref: KT10100200MUAIA

### **Face, Finger, Card, Aiface Arion ESSI**

Display 5-Inch  
Camera WDR Low Light Camera @ 2MP  
Operation System Linux  
Hardware CPU: 1.GHz Dual Core  
RAM: 1GB  
ROM: 8GB  
Authentication Method Face , Fingerprint , Card , Password  
(Virtual Keypad)  
Fingerprint Template Capacity 6,000 (1:N)  
Face Template Capacity 6,000 (1:N)  
Card Capacity 10,000 (1:N)  
Transaction Capacity 200,000 (1:N)  
Biometric Verification Speed Fingerprint:...



Scan product



Ref: KT10100200RK40P

### **Finger, Card Reader Model no K40 pro**

Model no.: K 40 pro  
Display 2.8" TFT Screen  
Fingerprint Capacity: 1000  
Card Capacity : 1000  
Transactions :1,00,000  
With SSR Function  
Warranty : 1 year



Scan product

Ref: KT101003001CO03

### **Interlocking System 3 Door**

3 Door Interlocking Systems  
(Model: SPL-DIS-0-3D-0-L1)  
Controller in ABS Plastic Enclosure with Din Rail Mounted: 01  
No,  
SS Duel LED(red & Green) Switch with Plate: 06 No's  
SS Emergency D/O Switch with Plate(without LED): 03 No's  
600 LBS Magnet with feedback Sensor: 03 No's,

No image



Scan product



Ref: KT101003001DR06

## Interlocking System 6 Door

EXCLUDING AC:  
Buzzer indication in controller.  
Switch for open door.  
Emergency Exit Switch.  
600 LBS magnet – 6 no.  
Switch for 6 Door 8 no.



Scan product

Ref: KT101004003GA60

## Digital Lock GA 60 B 4 Way Bluetooth

Manufacture competitiveness: Annual capacity, 5M units  
·Product line-up: Accumulated over 500 models  
·Quality assurance: 56 types of strict tests  
·Technology: Holding over 50 patents  
Installation Wooden & Steel Door Door Thickness 40-70mm  
PIN Code 4-12 Digit  
Fingerprint Up to 100 fingerprint can be registered  
Smart Card Up to 100 smart card can be registered  
Physical key 2PCS ...



Scan product



Ref: KT101004003Y415

## Digital Lock Yale

Make : Yale  
Model : YDM 4115 A  
Color : Brown  
Finger +card +Key system



Scan product

Ref: KT101004003ZML10

## WIFI Base digital door lock

Model : ML100  
Keyless Authentication Methods : Smartphone, Fingerprint, Passcode, IC Card, NFC  
User Capacity : 300  
Fingerprint Capacity : 100 (administrator:10, normal user:90)  
Passcode Capacity : 100 (administrator:10, normal user:90)  
Fingerprint Sensor : Capacitive Fingerprint Sensor  
Power Supply : 4 × AA Alkaline Battery (not included)  
Door Thickness ; 35mm to 60mm



Scan product





Ref: KTI0100400DG102\_IGM

## Digital Lock Dorset DG102 IGM

Dorset Digital Lock

Model No.: DG-102 IGM

### FEATURES

Dual Authentication

Integrated Notification Bell

Finger Print ID (Upto 100 unique access)

Password: (Upto 100 unique access)

RFID (Upto 100 unique access)

Mechanical Key

Auto Locking/Manual Locking

Low Battery Alarm

Door Thickness: 35mm-90mm

graphite Matt (GM)

IGM = Single Bolt Lock



Scan product

Ref: KTI0100400DG102\_MGM

## Digital Lock Dorset DG102 MGM

Dorset Digital Lock

Model No.: DG-102 MGM

### FEATURES

Dual Authentication

Integrated Notification Bell

Finger Print ID (Upto 100 unique access)

Password: (Upto 100 unique access)

RFID (Upto 100 unique access)

Mechanical Key

Auto Locking/Manual Locking

Low Battery Alarm

Door Thickness: 35mm-90mm

graphite Matt (GM)

MGM = Three Bolt Lock



Scan product

Utility Usages : Villas, Apartments, Commer...



Ref: KT10100400DG104

## Digital Lock Dorset DG104

Dorset Digital Lock

Model No.: DG-104 MCM or MCU

### FEATURES

Wi Fi

OTP Access

Mobile Access

Audit Trail

Integrated

NOTIFICATION Bell

Dual Authentication

Integrated Notification Bell

Finger Print ID (Upto 100 unique access)

Password: (Upto 100 unique access)

RFID (Upto 100 unique access)

Mechanical Key

Auto Locking/Manual Locking

Low Battery Alarm

Door Thickness: 35mm-90mm

...



Scan product

Ref: KT10100400DG104\_IGM

## Digital Lock Dorset DG104 IGM

Dorset Digital Lock

Model No.: DG-104 IGM

### FEATURES

Wi Fi

OTP Access

Mobile Access

Audit Trail

Integrated

NOTIFICATION Bell

Dual Authentication

Integrated Notification Bell

Finger Print ID (Upto 100 unique access)

Password: (Upto 100 unique access)

RFID (Upto 100 unique access)

Mechanical Key

Auto Locking/Manual Locking

Low Battery Alarm

Door Thickness: 35mm-90mm

graphit...



Scan product



Ref: KT10100400DG104\_MGM

## Digital Lock Dorset DG104 MGM



Dorset Digital Lock

Model No.: DG-102 MGM

### FEATURES

Wi Fi

OTP Access

Mobile Access

Audit Trail

Integrated

NOTIFICATION Bell

Dual Authentication

Integrated Notification Bell

Finger Print ID (Upto 100 unique access)

Password: (Upto 100 unique access)

RFID (Upto 100 unique access)

Mechanical Key

Auto Locking/Manual Locking

Low Battery Alarm

Door Thickness: 35mm-90mm  
graphit...



Scan product

Ref: KT10100400DG201

## Digital Lock Dorset DG 201

Digital Lock Dorset DG 201

### ACCESS MODES

1. 360° Fingerprint ID (Up to 100 unique access)

2. RFID Card (Up to 100 unique access)

3. Pin

4. Mechanical Key

5. Video Door Phone and Home Automation Compatibility  
(Optional)


Smart Features: Anti-Theft Password, Drained Battery Quick  
Fix, Dual Authentication

Alarms: Low Battery Alarm, Fire Detection Alarm, Intrusion  
Alarm

Locking Mode...

### Specification

The ZEST DG 204 Mortise Digital Door Lock is designed for secure  
access control in homes, offices, and apartments. It provides  
convenient keyless entry with enhanced security and m...



Scan product



Ref: KT10100400DG202

## Digital Lock Dorset DG 202

Digital Lock Dorset DG 202

### ACCESS MODES

1. 360° Fingerprint ID (Up to 100 unique access)
2. RFID Card (Up to 100 unique access)
3. Pin
4. Mechanical Key
5. Mobile Access (WIFI)
6. Video Door Phone and Home Automation Compatibility (Optional)

Smart Features: Anti-Theft Password, Drained Battery Quick Fix, OTP Access

Alarms: Low Battery Alarm, Fire Detection Alarm, Intrusion Ala...

### Specification

The ZEST DG 204 Mortise Digital Door Lock is designed for secure access control in homes, offices, and apartments. It provides convenient keyless entry with enhanced security and m...



Scan product



Ref: KT10100400DG204

## Digital Lock Dorset DG 204

Digital Lock Dorset DG 204

### ACCESS MODES

1. 360° Fingerprint ID (Up to 100 unique access)
2. RFID Card (Up to 100 unique access)
3. Pin
4. Mechanical Key
5. Mobile Access (WIFI)
6. Video Door Phone and Home Automation Compatibility (Optional)

Smart Features: HD Video Camera, 2-Way Intercom, Drained Battery Quick Fix

Alarms: Low Battery Alarm, Fire Detection Alarm, Intrusion Ala...

### Specification

The ZEST DG 204 Mortise Digital Door Lock is designed for secure access control in homes, offices, and apartments. It provides convenient keyless entry with enhanced security and m...



Scan product





Ref: KT10100400DG205\_MGM

## Digital Lock Dorset DG205 MGM

Dorset Digital Lock

Model No.: DG-205 MGM

### FEATURES

Wi Fi

Dual Authentication

Video Door Phone (Optional)

Integrated Notification Bell

OTP Access

Mobile Access

Audit Trail

Face Recognition

Password: (Upto 100 unique access)

RFID (Upto 100 unique access)

Mechanical Key

Auto Locking/Manual Locking

Low Battery Alarm

Door Thickness: 35mm-90mm

Integrated Surveillance Camera

Goog...



Scan product

Ref: KT10100400DG901\_GM

## Digital Lock Dorset DG901 GM

Dorset Digital Lock

Model No.: DG-901 GM

### FEATURES

WITH INTERNAL LOCKING

Video Door Phone(Optional)

Both Side Finger Print ID (Upto100 access)

Password: (Upto 31 unique access)

Mechanical Key on Both Side

Auto Locking/Manual Locking

Low Battery Alarm

Door Thickness: 35mm-60mm

Remote Control (Optional)

Utility Usages : Villas, Apartments, Commercial or  
Government Offices, Hotels...



Scan product



Ref: KTI0100400ESF7G

## Digital Lock EPIC ES F700G

Model No. : ES-F700G (for GATE)

### FEATURES

□ 5 Way : FINGERPRINT + PIN NUMBER + RFID CARD + MECHANICAL KEY + BLUETOOTH

□ Especially designed for Gates

□ Up to 100 Fingerprints / Up to 200 RFID Cards can be registered

□ Guest Pin Number registration (One-Time Pin Number)

□ Auto-Lock, Re-Lock, Double Lock Function □ Random Number and Multi-touch Feature

□ In case of emergency, use the ...



Scan product

Ref: KTI0100400GADCL

## Godrej Advantis Digital Cabinet Lock

Advantis Digital Cabinet Lock

Product No.: 2999

Type: Digital Cabinet Lock

Application: Wooden cabinets / drawers / lockers (swing doors only)

Access Mode: Password (PIN)

Password Length: 4-9 digits

Password Capacity: Up to 14 users

Power Supply: 9V battery

Material / Finish: Black finish

Warranty: 1 year



Scan product



Ref: KTIO100400PDGPR

## Digital Lock Dorset DG 204 Pro

Digital Lock Dorset DG 204 Pro

1. 360° Fingerprint ID (Up to 100 unique access)
2. RFID (Up to 100 unique access)
3. Pin
4. Mechanical Key
5. Mobile Access (WIFI)
6. Doorbell Gateway

Smart Features: HD Video Camera, 2-Way Intercom, Drained Battery Quick Fix

Alarms: Low Battery Alarm, Fire Detection Alarm, Intrusion Alarm

Locking Mode: Manual / Auto Locking Mode, Privacy Locking...



### Specification

The ZEST DG 204 Mortise Digital Door Lock is designed for secure access control in homes, offices, and apartments. It provides convenient keyless entry with enhanced security and m...



Scan product

Ref: KTIO100400PNPS1

## Smart Glass Door Lock Series 1 Pro Phlipton

Smart Glass Door Lock Series 1 Pro Phlipton

Power Supply : 4.5V-6V ( 4 pcs AA Cell power )

Unlock Methods : Fingerprint / RFID card

Passcode / Mechanical Key / Application

Quiescent Current :



### Specification

The Phlipton Series 1 Pro is a versatile smart biometric door lock designed for wooden and residential doors. It features five convenient unlocking methods: fingerprint, passcode, ...



Scan product



Ref: KTI0100408DG104

## Digital Lock Dorset DG 104

Digital Lock Dorset DG 104

### ACCESS MODES

1. 360° Fingerprint ID (Up to 100 unique access)
2. RFID Card (Up to 100 unique access)
3. Pin
4. Mechanical Key
5. Mobile Access (WIFI)
6. Video Door Phone and Home Automation Compatibility (Optional)

Smart Features: Universal Handed Operation, OTP Access, Drained Battery Quick Fix

Alarms: Low Battery Alarm, Fire Detection Alarm, Intrus...

### Specification

The ZEST DG 204 Mortise Digital Door Lock is designed for secure access control in homes, offices, and apartments. It provides convenient keyless entry with enhanced security and m...



Scan product

Ref: KTI0100408RC100

## Yale Remote Control For Smart Locks

Yale Remote Control For Smart Locks

Model : Yale RC 100

Optional remote control for unlocking your front door.

### Specification

Smart, Secure and Convenience for Your Glass Door smart lock gives you simplified control on protection for glass door. It offers advantages to those who are searching for better ...



Scan product





Ref: KT10100408RKYRA

## Digital Lock Yale Kyra Pro

### Product Key Features:

Yale Home  
Biometric  
PIN Code  
RFID Card  
Upto 5 Years Warranty  
Mechanical Key  
Remote Control  
WiFi  
Bluetooth



Biometric: Available  
PIN code: Available  
RFID keytag: Available  
Remote control: Optional (sold separately)  
Mechanical key override: 2 pcs available  
Color: Matt Black / Champagne Gold Trimming  
Front body: 78 (W) × 390 (H) × 50 (D) mm  
Back body: 76 (W) ...



Scan product

Ref: KT1010040GGM10

## Digital Door Lock With finger Access

Model : GM1000BK

Up to 100 Fingerprints / Up to 100 RFID Cards can be registered

4 Pin Number registration (4-12 Digit)

Auto-Lock, Re-Lock, Double Lock Function □Random Number and Multi-touch Feature

In case of emergency, use the mechanical key to open the door

Home Network, Remote Control, Bluetooth and Wi-fi Bridge (Optional)

Front Body Dimension: 50(W) X 270(H) X 23(D)mm



Scan product



Ref: KT1010040GGM60

## Digital Door Lock With finger And Face Accesss



Up to 100 face can be registered  
Up to 100 Fingerprints / Up to 100 RFID Cards can be registered  
4 Pin Number registration (4-12 Digit)  
Auto-Lock, Re-Lock, Double Lock Function □Random Number and Multi-touch Feature  
In case of emergency, use the mechanical key to open the door  
Home Network and Remote Control (Optional)  
Wi-fi Module inbuilt  
Front Body Dimension: 90(W) x 385(H) x...



Scan product

Ref: KT1010040HBL400

## Digital Door Lock HBL400



Wi-Fi Enabled Digital Lock  
3D Structured Light Facial Recognition with a Built-in Doorbell and LCD Screen  
Features  
3D Structured Light Facial Recognition  
Temporary Access  
Supports Remote Mobile App  
Wi-Fi Communication  
Audio Instructions  
Random Passcode  
Capacitive Fingerprint Sensor  
Emergency Charging Port  
Smart Alerts  
Built-in Doorbell  
Lock Automatically  
Capture Photos / Videos...



Scan product



Ref: KT1010040TL700

## Digital Door Lock TL 700

Childproofing Fingerprint Smart Door Lock with a Built-in Doorbell

### Features

- An assurance knob to avoid child wandering from home and illegal unlocking through the peephole
- Quick fingerprint recognition and door opening by intuitively placing the finger on the handle
- Aluminum Alloy + Tempered Glass design, more elegant and artistic
- No need to deploy an extra doorbell
- C...



Scan product

Ref: KT1010040TL800

## Digital Door Lock TL 800

Wi-Fi Smart Digital Lock with a Built-in Doorbell and LCD Screen

### Features

Remote Unlocking With Mobile App

Wi-Fi Communication

Audio Instructions

Random Passcode

Capacitive Fingerprint Sensor

Emergency Charging Port

Smart Alerts

Built-in Doorbell

Lock Automatically

Capture Photos / Videos

Specifications

Material Aluminium Alloy and Tempered Glass

Capacity

IC S50 Card: 50

Fin...



Scan product



Ref: KTI010050014DCB

## Multidoor Controller C 24 4 Door Controller

C-24 Four Door Access Controller

Make : Biomax


Introduction :

C24 four door access control board is a new generation of intelligent network access control products. It uses super network processor and mass memory to realize real network data exchange, high-speed data operation and super large user data management.

Product Parameters :

Working Voltage: DC9V-14V

Working Curren...



Scan product

Ref: KTI14004007CHFG

## Epic Clip holder for Glass

Epic Clip holder for Glass

Glass to Glass Installation



Scan product