



Product Catalogue

Access Control

Automation > Access Control, Attendance System > Access Control



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT101002003NF22

Face,Finger, Card, Password Based Reader NF22

Visible Light Indoor Facial Recognition

Face Capacity 1500

Palm Capacity : 500

Finger Capacity : 5000

Mifare Card Capacity : 1500

Max. User : 1500

Log Capacity : 200000

Communication Interface : Wi-Fi, TCP/IP, US

RF card options

Access control :

Exit Reader : N-FR12, Wiegand Reader, Push Button, No Touch , Bell

Dimension : 185 x 72 x 25 mm



Scan product

Ref: KT10100100200Z12

Card, Password Based Access Control System Without Memory Z12

Authentication Method - CARD, PIN

User Capacity - 2000

Color - Black

Card Type - EM Card)

Keypad - 2 x 6 Touch Keypad With Bell Button

Operating Frequency - 125(KHZ)

Built-in Buzzer - Yes

Operating Voltage - 12/24v

Led - Yes



Scan product



Ref: KT101001002EA42

Standalone touch keypad Access Control Model No SA42



Model No.: SA42
Card type : proximity
working Voltage -12V
reading range -2-5 Cm ?
Operating Humidity - 10%-90%
Door Opening time - 0-99S
alarm output Load -



Scan product

Ref: KT101002003MB50

Face,Finger, Card, Password Based Reader Multibio - 500



Multibio - 500
Face Capacity 1,500
Finger Capacity 5,000
Palm Capacity -500'
Card Capacity -2000
Log Capacity -2,00,000
Max User- 2000
Speedy recognition to avoid long queue
Large display with easy handling features
Dual camera for live body sensing & observation
Camera support low light and normal light
Auto ON/OFF Energy saving light
Visible Light Indoor Facial Recognition Vi...



Scan product



Ref: KT101001001NBM2

Finger, Card, Password N BM20

Finger Capacity -1000

Card Capacity - 1000

Max User - 1000

Log Capacity -150000

High-Speed and Accurate Fingerprint Identification

Fingerprint, Card, Password authentication

Good adaptation for dry, moist and rough fingerprints.

Supremely low Electric energy consumption.

Highly reliable and durable.

Comprehensive software development kit(SDK) is available for development and in...



Scan product

Ref: KT101002003COFA

Face, PIN, Card COSEC ARGO FACEE Reader

Human Face -Yes

PIN -Yes

Card -EM Prox

User Profiles -50,000

Face Templates -200,000

Max. Templates Per User -30

Event Logs -500,000

Dimensions (HxWxD) 186mm x 74 mm x 50mm (Wall Mount)

Display -3.5" IPS LCD (Touch Screen)

Display Resolution -480 x 320 Pixel

Gorilla Glass -Yes (Gorilla Glass 3)

CPU Quad Core ARM Cortex-A7 @ 1.5 GHz -GPU

Built-in 2 TOPS Neural Network Computin...



Scan product



Ref: KTI01001002Z3AC

Fingerprint Attendance Cum Professional Access Control System Z300ac

Model : Z300ac
 Card Type :125 KHz Proximity(Default),13.56MHz M1(Optional)
 Communication: USB Disk, TCP/IP
 Fingerprint Sensor :600 DPI Optical Sensor
 Fingerprint Capacity : 3000
 Card Capacity : 3000
 Transaction Capacity : 160000
 Password Capacity : 3000
 Wiegand Input : Yes
 Wiegand Output : Yes



Scan product



Ref: KTI01001001BIO1

Finger, Card N Bio 1 with battery Time Watch

Make : Time watch
 3,000 Fingerprint and 3,000 card & password templates
 High verification speed , Cloud / multi location : optional for device world wide using or multi location connecting .
 User Capacity : 3,000 [FP/Card(EM Card, Mi-Fare - Optional)/Password]
 Log Capacity : 1,60,000
 Communication Interface : TCP/IP,(Host & Slave)
 FRR : 0.001% , FAR : 0.00001%
 LCD : 2.8" TFT Color...



Scan product



Ref: KT101001002FLG2

Standalone Access Control Device Frameless Glass Door Lock FLG22

Model Name:

Storage Capacity

Finger Capacity : 100

Card Capacity: 100

Max User 100

Log Capacity: 160

Features

High-Speed and Accurate Identification

Good adaptation for dry, moist and rough fingerprints

Fingerprint, Mifare Card, Password authentication

Supremely low Electric energy consumption

Metal body for durability

TN Color Display for Convenience

Biometri...



Scan product

Ref: KT101002003NUFS

N Ultra Face Face, Card, Finger Based Reader Ultraface Strong light Out Door Without Battery

Model : Ultraface Strong Light (With Out Battery)

Multi -Bio Time Attendance system

Face Capacity : 3000

Finger Capacity : 30,000

Card Capacity : 3000

Max User : 3000

Log Capacity :2,00,000

4G GPRS : Optional

Communication : WIFI , TCP ,IP ,USB

LCD : 2.8" TFT Color Screen

Wiegand in & out :Yes

Support Exit Reader : Wiegand Reader , Remote , push Button
, No Touch



Scan product



Ref: KT101001002KR5M

Card Reader KR500 M

Model No.:KR500 M

Features

KR500M 13.56MHz Mifare card reader
Read Range KR500M - Up to 5CM
Reading Time (Card) $\leq 200\text{ms}$
Connection: Wiegand
Input Port : 2ea
Power/Current-DC 6-14V / Max.70mA
Operating Temperature- -20°C to 65°C (-10° to $+70^{\circ}\text{C}$)
Height:7.8cm
Depth:-1.6cm
Width:-4.4cm



Scan product

Ref: KT101001002A221

Standalone Access Control Device With Card and Password SA221

Product Specification

Model Name/Number Biomax SA 221 Standalone Access Control

Display Type Touch Screen

Color Black

Language English

Operating Temperature -40 to $+70$ Degree Celcius

Reading Range 5 - 10 cm

Minimum Order Quantity 1

Product Description

Backlight Touch Keypad

Metal Case, anti-vandal

Wg26 Input/Output

2000 cards/codes in total

Utility: A smart lock is an electr...



Scan product



Ref: KT101001002KR50

Card Reader KR500 E

Model No.:KR500 E

Features

KR500E 125KHz Proximity card reader

Read Range KR500E - Up to 10CM ,

Reading Time (Card) $\leq 200\text{ms}$

Connection: Wiegand

Input Port : 2ea



Scan product

Ref: KT101001002SA72

Standalone Keypad Access Control Model No SA72

Model : SA72

Access Ways : Card, Code, Card+Code

Digital backlight Keypaid

wg26 Input/Output

Capacity : 2000 Users

Access ways : card,Code,Card+Code

Card type : Proximity

Working Voltage : DC12V

Reading Range : 2-5CM

Door Opening time - 0-99S

Alarm Output Load -



Scan product



Ref: KT10100200602UF

Face, Finger, Card, Password Based Reader UFACE 602 ID



Face capacity : 1,200 (3000 Optional) 1:N
 Fingerprints templates: 2000
 Card Storage : 10,000 (optional)
 Transaction storage : 1,00,000
 Card reader : Yes
 CPU: 1.0GHz
 Fingerprint sensor : 500 DPI Optical sensor
 relay: 12 V relay for lock EM lock, Bolt Lock or Strike lock
 Battery: 7.4 V, 2000 mAh Backup Battery



Scan product

Ref: KT101001002EA32

Standalone Access Control Device With Contact less Smart Card SA32 EM



Model : SA32 -E/M
 Access By Card , Pin , Or Card & Pin
 Has 1 Relay output and 1 Push (Low) Output
 Has 1 Door Button Port and 1 Doorbell Port
 Operating Voltage : DC 12V+-10%
 Card Storage : 1000 user
 Card Type (Alternative) : EM(ID)card (IC Card For Options)
 Card Reading Distance : 1-15CM



Scan product



Ref: KT101001002INF6

Visible Light Indoor Facial Recognition Indigo Face 6

Model Name: IndigoFace 6



Storage Capacity
Face Capacity : 2000
Finger Capacity : 10,000
Max. User: 2000
Log Capacity: 2,00,000
Card Capacity: 2000
Password Capacity: 2000

Features

Access control to secure your premises
Speedy recognition to avoid long queues
Good adaptation of dry, moist and rough fingerprint
Dual camera for live body sensing & observation
Strong metal build ...



Scan product

Ref: KT101001002IPZ6

Access Card reader Z6

Model : Z6
Water Proof Level : IP /68
Working Voltage : DC9-16V
Card Reader Distance : 3-8 cm
Dimension : 110 x52x22mm



Scan product



Ref: KT101001002IPZ6

Access Card reader Z6

Model : Z6

Water Proof Level : IP /68

Working Voltage : DC9-16V

Card Reader Distance : 3-8 cm

Dimension : 110 x52x22mm



Scan product

Ref: KT101001002IPZ6

Access Card reader Z6

Model : Z6

Water Proof Level : IP /68

Working Voltage : DC9-16V

Card Reader Distance : 3-8 cm

Dimension : 110 x52x22mm



Scan product



Ref: KT101001002KR60

Card Reader KR600 E, M



Model No.: KR600 E/M

Height:11.6cm

Depth:1.6cm

Width:7.5cm

Power/Current -DC 6-14V / Max.70mA

Warranty : 1 Year



Scan product

Ref: KT101001002NB1W

Multi Bio Attendance and Access Control Bio 101 W

Model Name: N-Bio101 W



Storage Capacity

Face Capacity: 2000

Finger Capacity: 5000

Card Capacity: 2000

Max User: 2000

Log Capacity: 1,50,000

Features

Good adaptation for dry, moist and rough fingerprints.

Output relay for door open.

Face, Fingerprint, Card, Password authentication

Supremely low Electric energy consumption.

Highly reliable and durable.

Comprehensive SDK is ava...



Scan product



Ref: KT101001002NBAS

Standalone Access Control Device With Card, Fingerprint and Password NBioAccess

Model Name : N-BioAccess

Storage Capacity
Finger Capacity: 10,000
Card Capacity: 10,000
Max Users: 10,000
Password: 10,000
Log Capacity: 2,00,000

Features:
High-Speed and Accurate Fingerprint Identification
Fingerprint, Card, Password authentication
Output relay for door open.
Supremely low Electric energy consumption.
Highly reliable and durable.
Comprehensive software devel...



Scan product



Ref: KT101001002NG4W

Multi Bio Attendance and Access Control NG4W

Model Name: NG4W

Storage Capacity
Face Capacity: 10,000
Finger Capacity: 30,000
Card Capacity: 10,000
Log Capacity: 2,00,000
Max User: 10,000

Features
World-class Face Identification Technology
High-Speed and Accurate Fingerprint Identification
Face, Fingerprint, Card authentication
2 output relay for door open.
Self-Service Inquiry
Good adaptation for dry, moist and rough f...



Scan product



Ref: KT101001002NUFC

Multi Bio Time Attendance and Access Control System N UltraFace

Model Name: N-Ultra Face Strong Light



Storage Capacity
Face Capacity: 3000
Finger Capacity: 30,000
Card Capacity: 3000
Max User: 3000
Log Capacity: 2,00,000

Features

World-class Face Identification Technology
High-Speed and Accurate Face Identification
Good adaptation for dry, moist and rough fingerprints.
Output relay for door open.
Face, Fingerprint, Card, Password authenti...



Scan product

Ref: KT101001002NX90

Standalone Access Control Device With Fingerprint and Password N-X90 GPRS

Model Name: NX90 + GPRS



Time Attendance and Access Control
Storage Capacity
Finger Capacity: 2000
Card Capacity: 2000
Max User: 2000
Password: 2000
Log Capacity: 1,50,000

Features

High-Speed and Accurate Fingerprint Identification
Fingerprint, Card, Password authentication
output relay for door open.
Good adaptation for dry, moist and rough fingerprints.
Supremely low Electr...



Scan product



Ref: KT101001002PRO1

Standalone Access Control Device With Finger Print And Password -N Access 10 Pro

Product Name: N-Access 10

Product Specification

Type Of System Fingerprint Recognition System

Sensor Type Optical Sensor

Type Of Attendance System finger+card

Brand Bio Max

Model Name/Number Access 10 Pro

Usage/Application fingerprint access control

Screen Size 2.4

Display Type Keypad

Language English

Installation Type Wall Mounted

Operating System Linux

FRR

Utility: A smar...



Scan product

Ref: KT101001002PRO3

Standalone Access Control Device With Face, Fingerprint And Password NBM300PRO

Model Name: N-BM300Pro

Storage Capacity:

Face Capacity : 500

Finger Capacity : 1,500

Card Capacity : 500

Max User : 500

Password : 500

Log Capacity : 1,00,000

Features:

high-Speed and accurate Face Identification

Good adaptation for dry, moist and rough fingerprints.

Face, Fingerprint, Card, Password & Authentication

Supremely Low Electric Energy Consumption

Highly Rel...



Scan product



Ref: KTI01001002SC40

Standalone Access Control Device With Card, Fingerprint and Password NSC403 Pro



Model Name: N-SC403 Pro

Storage Capacity
Card Capacity: 50,000
Max User: 50,000
Password: 50,000
Log Capacity: 2,00,000

Features


RFID & Password Identification
Accepting Card from 1 to 5 cm.
Less than 1 sec. card reading speed.
Supremely low Electric energy consumption.
Highly reliable and durable.
Comprehensive software development kit(SDK) is available for development and in...



Scan product

Ref: KTI01001002SS10

Standalone Access Control Device With Finger Print And Password - Access10



Product Specification
Model Name/Number ACCESS10
Brand BIOMAX
Usage/Application ACCESS CONTROL
Display Type LCD
Fingerprint Capacity 500
CARD CAPACITY 500
PASSWORD COUNT 2
Minimum Order Quantity 1
Product Description
Finger Capacity : 500
Card Capacity: 500 (non-standard)
Code count (Password) : 2

Utility: A smart lock is an electromechanical lock that is designed to perform l...



Scan product



Ref: KT101001002USRI

Standalone Usb RFID Card Reader Z11 ID

Model : Z11 ID

Product Type: 125KHZ Smart USB Reader

Support Cards: 125Khz RFID EM4100 EM4102 TK4100

Card/Tag

Work Frequency: 125Khz

Identification Method Proximity Card



Scan product

Ref: KT101001002WL10

Standalone Access Control Device With Fingerprint and Password WL10

Model Name : N-WL10

Storage Capacity:

Fingerprint Capacity: 1000

Password : 1000

Max User: 1000

Log Capacity: 1,00,000

Feature:

High-Speed and Accurate Fingerprint Identification

Fingerprint, Password authentication.

"N-WL-10Simple USB based Biometric Attendance System

Good adaptation for dry, moist and rough fingerprints.

Supremely low Electric energy consumption.

Highly relia...



Scan product



Ref: KT101001002WL20

Standalone Access Control Device With Fingerprint and Password NWL20



Model Name: N-WL20

Storage Capacity:

Fingerprint Capacity: 1000

Password : 1000

Max User: 1000

Log Capacity: 1,50,000

Feature:

High-Speed and Accurate Fingerprint Identification

Fingerprint, Password authentication.

"N-WL-10Simple USB based Biometric Attendance System

Good adaptation for dry, moist and rough fingerprints.

Supremely low Electric energy consumption.

Highly reliab...



Scan product

Ref: KT101001002X990

Time Attendance and Access Control System NX990

Model Name: N-X990



Storage Capacity

Finger Capacity: 10,000

Card Capacity: 10,000

Max User: 10,000

Password: 10,000

Log Capacity: 1,50,000

Features

High-Speed and Accurate Fingerprint Identification

Fingerprint, Card, Password authentication

output relay for door open.

Supremely low Electric energy consumption.

Highly reliable and durable.

Comprehensive software development ...



Scan product



Ref: KT101001002Z900

Touch less face attendance system (Face + Card + Finger)



Brand : Timeoffice
Model Number : Z900 TOUCH-LESS FACE ATTENDANCE
SYSTEM (FACCE+ FINGER+CARD)
Backup Options :PENDRIVE, LAN OR , TCP/IP
LCD :Yes
LCD Resolution :128X68
Scratch Proof :Yes
Identification Method :Face, Card, Fingerprint
Fingerprint Capacity :1000
Card Capacity :1000
Power Requirement : 12V,1.5A
Type : Access Control, Time & Attendance



Scan product

Ref: KT1010010Z301AC

Face Based Attendance Cum Access Control Z301AC



Model Name/Number -Z301AC
Usage/Application -Face Recognition Based Attendance Cum
Access Control
Communication - TCP/IP
Transaction Storage - 200000
Type Of System - Face Access Control
Display Type - LCD
Interfaces -TCP/IP
Warranty :1 year



Scan product



Ref: KT101002003ATF3

Face, Finger, Card, Password Based ATF 305 WIFI

Face Recognition Time & Attendance Terminal
ATF-305 face recognition time & attendance terminal support up to 500 face templates, 5000 fingerprint 500 card/password with TimeWatch latest hardware platform and algorithm, it offers brand new and user-friendly operation interface to provide smooth user experience. With advanced face algorithm and multi-biometric verification techno...



Scan product

Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800
Card Capacity - 800
Transaction Storage - 80,000
Push Data - Yes
Card Reader - Yes
Fingerprint Sensor - 500DPI Optical Sensor
LED Indicator - Green /Red
Schedule Bell/Speaker - Mini Speaker
Communication - TCP/IP, USB-Host
Standard Features - Inbuilt Battery Backup, Self Service Query, SSR Recorder, Automatic Status Switch, DST, T9 Input
Power Supply ...



Scan product



Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product



Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product



Ref: KT101002003THA9

Infrared Thermometer with access control



Display : Infrared LED
Accurate : +- 0.2 c
Measuring Time :0.5 C
working voltage : 5v -12v input
installation : Wall Mounted
Read Range : 5-10cm
Alarm: yes (external available)
Temp measurement range : 35C -42.9C



Scan product

Ref: KT101002003Z5V2

Face, Finger, Card Base Reader Model Z500V2 With memory



Face + Card + Finger print reader
Face Capacity : 1000 ,
Fingerprint Capacity : 5000
Card Capacity : 5000
Transaction Capacity : 3,00,000 Records
Display : 2.8" TFT Color Screen
Camera lens : Dual camera lens (color/infrared)
Working Mode : Day/Night
Battery Backup : Yes
Language : English
Communication : USB Memory Disk, TCP/IP, WI-FI(Optional)
Access Control : Yes(Basic)
Ide...



Scan product



Ref: KTIO100200MUAIA

Face, Finger, Card, Aiface Arion ESSI

Display 5-Inch
Camera WDR Low Light Camera @ 2MP
Operation System Linux
Hardware CPU: 1.GHz Dual Core
RAM: 1GB
ROM: 8GB
Authentication Method Face , Fingerprint , Card , Password
(Virtual Keypad)
Fingerprint Template Capacity 6,000 (1:N)
Face Template Capacity 6,000 (1:N)
Card Capacity 10,000 (1:N)
Transaction Capacity 200,000 (1:N)
Biometric Verification Speed Fingerprint:...



Scan product

Ref: KTIO1004002EMPL

Mounting Plate for EM Lock

Mounting Plate for EM Lock



Scan product