





Product Catalogue

Attendance System

Automation > Access Control, Attendance System > Attendance System



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT101002003NF22

Face, Finger, Card, Password Based Reader NF22

Visible Light Indoor Facial Recognition

Face Capacity 1500

Palm Capacity : 500

Finger Capacity : 5000

Mifare Card Capacity : 1500

Max. User : 1500

Log Capacity : 200000

Communication Interface : Wi-Fi, TCP/IP, US

RF card options

Access control :

Exit Reader : N-FR12, Wiegand Reader, Push Button, No Touch , Bell

Dimension : 185 x 72 x 25 mm



Scan product

Ref: KT101002003BM70

Face, Finger, Card, Password Based BM70 W PRO

Model : BM70W PRO

Face Capacity - 1200

Finger Capacity - 2000

Card User - 2000

Max User -2000

Log Capacity - 150000

RF Card Optional - 125kHz EM


Inbuilt Battery - Yes

LAN - Yes

Access Control - Yes



Scan product



Ref: KT101001002NBM6

Face, Finger, Card, Password N BM 60 W PRO Ultimate Multi Bio Without Battery, Without Access Relay



Face Capacity : 500(1:N)

Finger Capacity:2000

Card Capacity - 2000

Max user-2000

Log Capacity: 1,50,000

Features

High-Speed and Accurate Face Identification

Good adaptation for dry, moist and rough fingerprints.

Face,Fingerprint,Card,Password

authentication Supremely low Electric energy consumption.

Highly reliable and durable.

Comprehensive SOKis available for development an...



Scan product

Ref: KT101002003MB50

Face,Finger, Card, Password Based Reader Multibio - 500



Multibio - 500

Face Capacity 1,500

Finger Capacity 5,000

Palm Capacity -500'

Card Capacity -2000

Log Capacity -2,00,000

Max User- 2000

Speedy recognition to avoid long queue

Large display with easy handling features

Dual camera for live body sensing & observation

Camera support low light and normal light


Auto ON/OFF Energy saving light

Visible Light Indoor Facial Recognition

Vi...



Scan product



Ref: KT101001001NBM2

Finger, Card, Password N BM20

Finger Capacity -1000

Card Capacity - 1000

Max User - 1000

Log Capacity -150000

High-Speed and Accurate Fingerprint Identification

Fingerprint, Card, Password authentication

Good adaptation for dry, moist and rough fingerprints.

Supremely low Electric energy consumption.

Highly reliable and durable.

Comprehensive software development kit(SDK) is available for development and in...



Scan product

Ref: KT101002003SMAP

Face, Card MiniAC Plus

Linux-Based Access control and Time & Attendance Terminal with Visible Light Facial recognition

Display 5-inch Touch Screen

Face Capacity 3,000

Palm Capacity 1,500 (Optional)

Card Capacity 3,000

Transactions 150,000


Operation System Linux

Standard Functions ID Card, ADMS, T9 Input, DST, Camera, 9 digit user ID, Access Levels, Groups, Holidays,

Anti-passback, Record Query, Tamper S...



Scan product



Ref: KT101002003MUGN

Face ,Fingerprint, Card Without battery AIFace Magnum

Model No. : AIFace-Magnum
FaceCapacity:1500
FingerprintCapacity:5000
CardCapacity:10,000
TransacΘonCapacity:200,000
Display:2.4-inch touchScreen
FacialRecogniΘonAlgorithm:eSSLFace3.5
FacialRecogniΘonSpeed:



Scan product

Ref: KT101002003OA30

Face, Palm Based OmniAC 30


OmniAC Series - OmniAC30
Multi-Biometric technology combining palm and face recognition

- IP66 water & dustproof protection rating
- Supports 125 kHz and 13.56 MHz frequency credentials
- Supports multiple mount types (Single gang/ European/ Asian box)

Primary Power -12 to 24 VDC (3A min @12V)
POE -Supported
RS-485 connection -Port 1: RS-485 standard/ OSDP V2.1.7
CPU-1.2GHZ Qu...



Scan product



Ref: KT10100100SF100

Card, Finger Print Based Reader SF100

Fingerprint Capacity : 1500 ,
Card Capacity : 5000 ,
Transactions : 80000 Logs,
Fingerprint Sensor : 500 DPI Optical sensor,



Scan product

Ref: KT101002003COFA

Face, PIN, Card COSEC ARGO FACEE Reader

Human Face -Yes
PIN -Yes
Card -EM Prox
User Profiles -50,000
Face Templates -200,000
Max. Templates Per User -30
Event Logs -500,000




Dimensions (HxWxD) 186mm x 74 mm x 50mm (Wall Mount)
Display -3.5" IPS LCD (Touch Screen)
Display Resolution -480 x 320 Pixel
Gorilla Glass -Yes (Gorilla Glass 3)

CPU Quad Core ARM Cortex-A7 @ 1.5 GHz -GPU
Built-in 2 TOPS Neural Network Computin...



Scan product



Ref: KT101001001BIO1

Finger, Card N Bio 1 with battery Time Watch

Make : Time watch

3,000 Fingerprint and 3,000 card & password templates

High verification speed , Cloud / multi location : optional for device world wide using or multi location connecting .

User Capacity : 3,000 [FP/Card(EM Card, Mi-Fare - Optional)/Password

Log Capacity : 1,60,000

Communication Interface : TCP/IP,(Host & Slave)

FRR : 0.001% , FAR : 0.00001%

LCD : 2.8" TFT Color...



Scan product

Ref: KT101002003NUFS

N Ultra Face Face, Card, Finger Based Reader Ultraface Strong light Out Door Without Battery

Model : Ultraface Strong Light (With Out Battery)

Multi -Bio Time Attendance system

Face Capacity : 3000

Finger Capacity : 30,000

Card Capacity : 3000

Max User : 3000

Log Capacity : 2,00,000

4G GPRS : Optional

Communication : WIFI , TCP , IP , USB


LCD : 2.8" TFT Color Screen

Wiegand in & out : Yes

Support Exit Reader : Wiegand Reader , Remote , push Button , No Touch



Scan product



Ref: KT101002003VFAX

Finger, Card Reader COSEC VEGA FAX Matix



"Fingerprint and RF Card based Door Controller with Touch Screen, PoE, Wi-Fi and IP65 Ratings

- Optical Fingerprint and RF Card based Reader (Card Module is not Included)
- Support EM Prox, Mifare Smart and HID iCLASS Card Module
- 3.5" Touch Screen, PoE, IP65 and Wi-Fi
- Built-In Interfaces Such as USB, Door Lock, Door Sense, Exit Reader, Exit Switch, Ethernet, Aux Inp...



Scan product

Ref: KT101002003VFAX

Finger, Card Reader COSEC VEGA FAX Matix




"Fingerprint and RF Card based Door Controller with Touch Screen, PoE, Wi-Fi and IP65 Ratings

- Optical Fingerprint and RF Card based Reader (Card Module is not Included)
- Support EM Prox, Mifare Smart and HID iCLASS Card Module
- 3.5" Touch Screen, PoE, IP65 and Wi-Fi
- Built-In Interfaces Such as USB, Door Lock, Door Sense, Exit Reader, Exit Switch, Ethernet, Aux Inp...



Scan product



Ref: KT101002003F09W

Face, Finger, Card F09



Multi - Biometric Access Control Terminal With Video Intercom Capability
 Fingerprint Template Capacity -3,000 (1:N) (Standard)
 Face Template Capacity -1,500 (1:N) (Standard) \

Card Capacity -3,000 (1:N) (Standard)

User Capacity -3,000 (1:N) (Standard)

Transaction Capacity - 150,000 (1:N)

Simple access control functions (Electric Lock; Door Sensor; Exit Button)



Scan product

Ref: KT101002003SMAC


Face, Card MiniAC



odel MiniAC
 Display 4.3"@ TFT Colour Touch LED Screen (272*480)
 Camera WDR Binocular Camera @ 1MP
 Operation System Linux
 uthentication method Face / Card / Password (Virtual Keypad)
 Face Template Capacity 1,500 (1:N) (Standard)
 Card Capacity 1,500 (1:N) (Standard)
 User Capacity 1,500 (1:N) (Standard)
 Transaction Capacity 200,000 (1:N)
 Max. User Password Length 8 Digits



Scan product



Ref: KT101001002DSKH

video door phone KH6 Series IPBased Indoor Station

Key Feature

- New UI V2.0: User friendly design
- 7-inch colorful touch screen with resolution 1024 × 600
- Standard PoE
- Stores messages and capture pictures in the TF card
- Remote unlocking via the client software or the mobile client
- Views live videos of door stations and linked cameras

Specification

System Parameters

Operating System

Embedded Linux operat...



Scan product

Ref: KT101002003AFMR

Face Reader AiFace Mars, ESSL Without Battery

Model : AiFace - Mars


Linux-Based Access control and Time & Attendance Terminal with Visible Light Facial recognition

Features

- Visible Light Facial Recognition
- Anti-spoofing algorithm against print attack(laser, color and B/W photos), videos attack and 3D mask attack
- Multiple Verifications: Face / Palm / Card / Password
- Multiple card modules:
125KHz ID card(EM) / 13.56MHz IC...



Scan product



Ref: KT101002003ERIS

Face ,Fingerprint, Card,Password Without battery

Model : AI FACE ERIS

Technical Specifications

Display : 4-inch color LED touch screen

Camera : 2MP binocular camera

Operation System : Linux

Hardware : CPU: Dual Core@1GHz ,RAM: 1GB ,ROM: 8GB

Authentication method : Face / Fingerprint / Card/ Password

User Capacity : 3000

Face Template Capacity : 3000

Fingerprint Template Capacity : 3000

Card Capacity : 3000

Transaction Capaci...



Scan product

Ref: KT101002003ORCU

Face ,Fingerprint, Card,Password Without battery Ai Face Orcus

Model : Ai Face -Orcus

Multiple Authentication method : Fingerprint / Face / Card / Password

Fingerprint Template Capacity :3,000

Face Template Capacity : 1,500

Card Capacity ; 3,000


User Capacity : 3,000

Transaction Capacity : 1,50,000

Biometric Authentication Speed : Fingerprint:



Scan product



Ref: KT10100200602UF

Face, Finger, Card, Password Based Reader UFACE 602 ID



Face capacity : 1,200 (3000 Optional) 1:N
 Fingerprints templates: 2000
 Card Storage : 10,000 (optional)
 Transaction storage : 1,00,000
 Card reader : Yes
 CPU: 1.0GHz
 Fingerprint sensor : 500 DPI Optical sensor
 relay: 12 V relay
 for lock EM lock, Bolt Lock
 or Strike lock
 Battery: 7.4 V, 2000 mAh Backup Battery



Scan product

Ref: KT101001001S403


Card, Password Based Reader SC403



Card Capacity : - 30,000
 Transaction Storage : - 50,000
 Card Reader : - Yes
 CPU : - 32 bit High End Microprocessor



Scan product



Ref: KT101002003AFMV

Face & Card AiFace Venus



Model No.:AiFace - Venus
 Linux-Based Access control and Time &Attendance Terminal
 with Visible Light Facial recognition
 Display 5-inch Touch Screen
 Face Capacity 6,000
 Card Capacity 10,000
 Transactions 200,000
 Operation System Linux
 Standard Functions
 ID Card, ADMS, T9 Input, DST, Camera, 9 digit user ID, Access
 Levels, Groups, Holidays,
 Anti-passback, Record Query, Tamper Switch...



Scan product

Ref: KT101002003AIJU


Face Reader AiFace-Jupiter, ESSL Without Battery



Visible Light Facial Recognition
 · Better hygiene with touchless biometric authentication
 · Anti-spoofing algorithm against print attack (laser, color and B/W photos),
 videos attack and 3D mask attack
 · Available card modules:12.5 KHz EM card / 13.56MHz IC card (MF)
 · Supplement light with adjustable brightness
 · Multiple Verification Methods: Face / Fingerprint / Card / Passw...



Scan product



Ref: KT101002003AINP

Face Reader AiFaceNeptune, ESSL with Battery wifi



Neptune Linux-Based

Time Attendance and Access Control System Visible Light

Facial Recognition

Features:

Visible Light facial recognition

Card modules (optional): 125KHz ID Card (EM) / 13.56MHz IC Card

Anti-spoofing algorithm against print attack(laser, color and B/W photos), videos attack and 3D mask attack

Multiple verification methods : Face / Password / Card

(optional)

Back...



Scan product

Ref: KT101002003ATF3

Face, Finger, Card, Password Based ATF 305 WIFI



Face Recognition Time & Attendance Terminal

ATF-305 face recognition time & attendance terminal

support up to 500 face templates,

5000 fingerprint 500 card/password with TimeWatch latest hardware platform and

algorithm , it offers brand new and user-friendly operation


interface to provide smooth user

experience. With advanced face algorithm and multi-

biometric verification techno...



Scan product



Ref: KTI01002003FD8L

Face, Card FaceDepot8AL

Intelligent energy-saving design; precisely evaluation of the distance (up to 2.5m (8.2ft)) between the user and the device by

a microwave detector before waking up the recognition terminal

- 2MP starlight CMOS sensor camera with WDR function, which enables the terminal to recognize faces under extreme lighting

conditions (0.5 lux – 50,000 lux)

Access Control Interface Lock Rel...



Scan product

Ref: KTI01002003NG4W

Face, Finger, Card, Password Based N G4W with wi fi & Battery

Storage Capacity :

Face Capacity : 10,000

Finger Capacity : 30,000

Card Capacity : 10,000

Log Capacity : 2,00,000

Max User : 10,000


Communication : WI-FI, TCP ,/IP , RS 232 /485, USB

4G GPRS : Optional, Sensor type : 500 DPI

RF card options : 125khz EM (Standard /13.56mhz Miface (optional)



Scan product



Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host


Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product



Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host


Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product



Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003VFOT

Finger, Card Reader COSEC VEGA FOT Matrix

GENERAL

Credential Support Fingerprint, RFID Card and PIN

IP Rating Yes (IP65 Design)

RF Option EM Prox

CAPACITY

Max. Users 50,000

Max. Template Storage 9,600 in 1: N Mode and 100,000 in 1:1 Mode

Event Buffer 500,000

Templates per User Up to 10 (Single Template per Finger Mode)

Up to 5 (Dual Template per Finger Mode)


Cards per User Up to 2

COMMUNICATION

Ethernet Yes (10/100 Mbp...



Scan product



Ref: KT101002003Z5V2

Face, Finger, Card Base Reader Model Z500V2 With memory



Face + Card + Finger print reader
 Face Capacity : 1000 ,
 Fingerprint Capacity : 5000
 Card Capacity : 5000
 Transaction Capacity : 3,00,000 Records
 Display : 2.8" TFT Color Screen
 Camera lens : Dual camera lens (color/infrared)
 Working Mode : Day/Night
 Battery Backup : Yes
 Language : English
 Communication : USB Memory Disk, TCP/IP, WI-FI(Optional)
 Access Control : Yes(Basic)
 Ide...



Scan product

Ref: KT10100200MUAIA


Face, Finger, Card, Aiface Arion ESSI



Display 5-Inch
 Camera WDR Low Light Camera @ 2MP
 Operation System Linux
 Hardware CPU: 1.GHz Dual Core
 RAM: 1GB
 ROM: 8GB
 Authentication Method Face , Fingerprint , Card , Password
 (Virtual Keypad)
 Fingerprint Template Capacity 6,000 (1:N)
 Face Template Capacity 6,000 (1:N)
 Card Capacity 10,000 (1:N)
 Transaction Capacity 200,000 (1:N)
 Biometric Verification Speed Fingerprint:...



Scan product



Ref: KT10100200RK40P

Finger, Card Reader Model no K40 pro

Model no.: K 40 pro
Display 2.8" TFT Screen
Fingerprint Capacity: 1000
Card Capacity : 1000
Transactions :1,00,000
With SSR Function
Warranty : 1 year



Scan product