



Product Catalogue

Top Selling

Top Selling

KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara

Ref: KT116005001P100

Caution Tape Premium Quality 100 Micron

Caution Tape Premium Quality 100 Micron

500 Mtrs per Roll

other options (60 / 80 /150 micron available on request)

Color: Yellow

Width: 6"

Warranty:- Not Applicable



Customized Options possible depending upon quantity on request

Matter Options - Danger / Danger - Keep out / Caution / Caution - No Parking / Work in progress/ Police Line- Do Not Cross / Crime Scene / Stop /...



Scan product

Ref: KT1100040011525_GREY

KTI Bird Spike 1.5" X2.5" Grey

Make - KTI

1 No Covers 1 Foot Area Approximately

Bird Spikes Are Renowned for Their Versatility, Durability, and Ease Of Installation, One of The best Anti-Roosting Products Available in India. Pests Repellent Polycarbonate spikes are ideal for use with medium-sized birds such as pigeons, grackles, starlings, crows, and blackbirds, and also make spaces unappealing for seagulls ...



Scan product

Ref: KT116019001P7MM_BLACK_-_YELLOW

KT1 Safety Chain Plastic 6 MM Black Yellow

Make - KTI

Thickness - 6 MM

Available In Different Color

Warranty:- Not Applicable

Color: Black - Yellow



x



Scan product

Ref: KT115016004DHSG_BLUE

KT1 Dotted Hand Gloves Blue

Make - KTI

Seamless knitted cotton/nylon liner, stretch fit, soft and flexible

PVC Polka-dots provides excellent grip and reduces hand fatigue

Good abrasion resistance, anti-slip, great breathability

Elastic knitted wrist, one side dots

Color: Blue



[Watch video](#)



Scan product

Ref: KTI16031001RUBB

KTI Truck Wheel Chock 3 Kg

Heavy-duty vulcanised rubber wheel chock engineered to prevent unintended vehicle rolling, slippage, and movement during parking, maintenance, loading, and unloading operations. Make / Brand: KTI Material: High-density, weather-resistant, non-marking vulcanised rubber Dimensions: 240 mm (L) x 120 mm (W) x 175 mm (H) Weight: 3.5 kg (approx.) Profile Design: Wedge shape with grip-trac...

Specification

The KTI Rubber Wheel Chock is constructed from high-density vulcanised rubber designed to withstand harsh outdoor weather, industrial environments, and heavy vehicular wheel pressure...



Watch video



Scan product

Ref: KTI16032001WSRF

KTI Rubber Wheel Stopper 600L x 125W x 100H

Make - KTI
Size - 125 W x 600 L x 100 H
Weight - 3.5 KG
Material: Rubber
Black Color With Reflective Sticker
Warranty:- Not Applicable



Made of premium quality rubber material with strong compression resistance performance and durable. Resistant to ultraviolet light, moisture, oil and extreme temperatures. Suitable for indoor or outdoor garage, shopping mall, commercial and bus...



Scan product

Ref: KT116019002NK75

KTi Safety Cone Nilkamal 750mm

Brand - Nilkamal

Height - 750 Mm

Weight - 3.5 to 4 Kg Approx

Hexagonal Heavy Duty Inbuilt Base

Traffic cones are typically used outdoors during road work or other situations requiring traffic redirection or advance warning of hazards or dangers, or the prevention of traffic. Traffic cones are also used to mark where children are playing or to block off an area. For night time ...



Scan product

Ref: KT112004002SM10

Hand Held Metal Detector SM 10CM

Model : SM10CM

Make : Sivananda

Detects Minute Quantities Of Gold, Silver, And Platinum, Brass, Copper, Mild & Stainless Steel Are Detected Effectively. With Rechargeable Battery And Charging Cord Ultra High Sensitivity & Stability.

Dimensions (Approx)

Weight: 300 Grams

Length : 330mm

Width : 110mm

Depth : 38mm

Weight: 300gm

Sensitivity: 0.1 gram of metal from 20-25 mm dist...



Scan product



Watch video

Ref: KT116032001P803

KTi Wheel Stopper 500L x 100H x 150W

Make - KTI

Model : PS 803

Size: 500L x 100H x 150W

Material :plastic /ABPS



Scan product

Ref: KT115015001JCBG_GREEN

KTi Safety Jacket Cross Belt Green

Make - KTI

Reflective Safety Cross Belt(Elastic)

□ 25mm Reflective Tape

□ Standard Orange /Green Colors

□ Available Size To Fit To All (Adjustable)reflective Safety Cross Belt(Elastic)

□ 25mm Reflective Tape

□ Standard Orange /Green Colors

□ Available Size To Fit To All (Adjustable)

Color: Green



Scan product



Watch video

Ref: KT112002001HP01

Door Frame Metal Detector Hope Three Zone

Model No.: 700243

Metal Detector Type: Walk Through Metal Detector

LED Light bars on both Door panels

3 pinpoint zones to precisely identify locations from head to toe

Auto set, Micro controller based

High performance Multi Zone Detection

operational frequency can adjusted Manually or automatically

Sensitivity adjustable 0-400

Security level-0-200

Frequency level -0-50

...



Scan product

Ref: KT102002001KTIL

Boom Barrier With LED Up to 5 Meter

Model : BGL-100 (ESSL)

Boom Barrier: with Company Fitted LED up to 5 meter

Length:- Up to 5 Meter With LED

Dimenssion : 268 X 348 X 1050 in MM

Maximum Length of Boom : 5 meter

Boom Rest Stand : yes

LED Indicator Red/Green

Arm Material : Aluminium

Time for Up/Down : 6 s

Input Control Signal : Dry Contact

Ingress Protection Degree : IP54

Mode : Automatic/Manual

Bumping Bo...



Scan product



Watch video

Ref: KT116018003EXWT

Metal Expandable Barrier With Tape



Weight: 33 Kg Approx..
Height: 4 Feet Approx.
Length (Open): 12 Feet Approx
Length (Close): 2 Feet Approx

CROSS PIPE - - 40 x 20 mm
SIDE PIPE - - 72 x 72 mm
PIPE THICKNESS - - 3 mm
PIPE THICKNESS(MOVABLE)- - 1.2 mm
WHEEL - - 4 nos
WHEEL BRACK - - N.A.
WHEEL CAPACITY - - 100 kgs
COATING - - Powder Coated (80 to 100 micron)

WITH YELLOW REFLECTIVE TAPE both side of barrier

A...



Scan product

Ref: KT117002001AGFX_GD_1

Photo Luminescent EXIT Signage Size 100*300



Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.
As per Indian Standards - IS 12349-1988.
Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.
Match specifications mentioned in IS 12349-1988.
Size 100*300(Size On Request)
Warranty:- Not Applicable
EXIT Signage Size 100*300



Scan product

Ref: KT112002003MGHI

Door frame Metal Detector 18 Zone with Software

Door Frame Metal Detector - 18 Zone
with Software TCP / IP Protocol
Traffic Counter : "IN" "OUT" "With Bar Display"

Model No.: MT -VIC

Multi Zone -18

Construction Material :Wooden Laminated Frame

Dimension : OD : 2253 H X860 B X 570 D

ID : 2000 H X720 B X570 D

Power Supply -220V AC , 50 HZ

Power Consumption -Less than 40 watts

Alert mode: Visual and Alarm mode

Detection ...



Scan product

Ref: KT112002003MGHS

Door frame Metal Detector-18 Zone

Model No.: MT -VIC

Multi Zone -18

Construction Material :Wooden Laminated Frame

Dimension : OD : 2253 H X860 B X 570 D

ID : 2000 H X720 B X570 D

Power Supply -220V AC , 50 HZ

Power Consumption -Less than 40 watts

Alert mode: Visual and Alarm mode

Detection of material : Ferrous and non ferrous

Sensitivity calibration level - 0-255

Application :Indoor/Outdoor

Traffic ...



Scan product

Ref: KT112002001MGHS

Ultra High Sensitive DFMD 8 Zone

Model No. : MT-IIIC

Zone -Multi Zone 8 Zone

Size : 2240HX820WX700L

Power supply -230V AC 50 HZ

- Bi-directional Detection and Counter
- High Discrimination and Throughput
- Unmatched Anti-interference Performance
- Real-time Monitoring for Environmental Interface
- Full-module Design for Easy and Rapid Assembly
- LED on the Front side of door Frames (Entry)
- Ultra high-sen...



Watch video



Scan product

Ref: KT112002001ZK01

Door Frame Metal Detector Single Zone ZKD1010L

Model -ZK-D1010L

Power Supply -AC 100V to 240V

Working Temperature --20°C to 55°C

Channel Dimensions (mm) 14

Dimension (L*W*H) 2236*827*380 (mm)

Dimension with Packing (L*W*H)2280*282*560 (mm)

Power SupplyAC 100V to 240V

Running Power 18W

Storage Temperature -20°C to 55°C

Weight (kg)33kg

Working Frequency 3KHz to 8KHz

Working Humidity



Scan product

Ref: KT112002003MGMT

Door frame Metal Detector 33 Zone

Model No. -MT-VII C

Multi zone - 33

Dimension -OD: 71 OL X 840W X 2220H

Body -Wooden imported laminated frame

Counter -Intelligent traffic counter for transit.

Speed of PAssing through-Auto adjust by the person's speed/foot swing

Power supply -230 V AC($\pm 10\%$), 50 Hz($\pm 3\%$)

Battery Backup- 12V DC upto 6 Hrs

Detection of Material -Ferrous, Non-Ferrous & Alloy metals



Scan product

Ref: KT116018003EXBF

Fibre Expandable Barrier Regular

Height: 4 Feet Approx.

Length (Open): 12 Feet Approx

Length (Close): 2 Feet Approx

CROSS PIPE - - 40 x 20 mm

SIDE PIPE - - 72 x 72 mm

PIPE THICKNESS - - 3 mm

PIPE THICKNESS(MOVABLE)- - 1.2 mm

WHEEL - - 4 nos

WHEEL BRACK - - N.A.

WHEEL CAPACITY - - 100 kgs

COATING - Painting

Application /Used for : Expandable barriers are used to close off large areas where they can expand to ...



Scan product

Ref: KT116018003EXSR

Small Metal Expandable Barrier

Foldable Expandable Metal Barrier

Product Size :

Length -440 MM (Closed)

Length -3000 MM(Open)

Height -1000 MM

Base width -400 MM



Scan product