




Product Catalogue

Safety

Safety



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KTI16005001CTWR

Caution Tape, Barricade Tape Make OEM

Make: KTI
Standard Quality
Length- as per required qty
Width-3"
Micron-60
Warranty:- Not Applicable

No image



Scan product

Ref: KTI15016004HGNN


Hand Gloves Nitrile Maple

Material: Deep Nitrile
Color : Blue
Warranty: Not Applicable

No image




Scan product



Ref: KTI16017002REMT

KTI Anti Skid Tape Black 2 inch with Autoglow 1Mtr




Make - KTI"
Autoglow Tape in the center: 2"
Size: 50mmx1 mtr
Comes 5 Mtr Roll Long, 2" Width
MOQ - 5Mtr



Scan product

Ref: KTI160180013PFB


Flood Barrier Middle Part



Material - ABS Plastic With Rubber Foam Gripping
Size - Middle Part
Top - 70.50 Cm
Bottom - 70.50 Cm
Height - 52 Cm
Depth - 69 Cm
Wooden box packing charges Extra 3200/- + for 10 NOS.



Scan product



Ref: KT116002002HDBL

Heavy Duty MS Bollards

Fabricated Ms Bollards
With plate and with 50mm Ms Dome
100mm die 3.2 mm thickness
1mtr length
200 x 200 x 6mm plate
16mm x 100mm anchor fastner
Super Durable powder coating with 60/70 micron
Silver radium stip -3 nos(2 down side +1 up side)
Color -Dark Grey 3633

No image



Scan product


Ref: KT115015001RAOR

Reflective Arm Bands Orange

EASY TO WEAR ARM BANDS
HIGHLY REFLECTIVE MATERIAL
WITH VELCRO FASTENING FOR ANY SIZE ADJUSTMENT



Scan product



Ref: KT116022001SF4C

Solar Flasher With clamp 4 LED

Size-Diameter 18cm, Length 22.5cm

Solar Panel : 5 v 170 ma

Ni - MH Battery : 3.7 /2AH Li Battery

Work Mode : Falshing /off

Working Hours : 12 Hours

Color : Red / yellow

Led :4 pcs high intensity led bulb

Visibile Distance: 500 mtr

material : frame -pp shell -AS

Waterproof: can be used in



Scan product

Ref: KT117001002BULK

15W Bulkhead Wall or Ceiling Mounting Light

Watt : 15W Multiple LEDs.

Ingress protection :IP 65

Housing :Molded ABS, White in colour

Reflector : White powder coated MS C. A. C. A. - 22 S. W. G.


Input (V) : 110V DC

weight (kg) : 2 Kg. Approx

15W LED BULKHEAD WALL /CEILING MOUNTING LIGHT



Scan product



Ref: KT116025001PS93

Spring Post with Lane Divider

Pole size : 80X710 MM
Pole colour : Orange
Base Length -750 MM
Base width -250 MM
Base height -75 MM
Colour -Yellow/Black



Scan product


Ref: KT117001002BLML

BIS Emergency Light Prolite PEL LED LML

Model : PEL LED LML
HOUSING : 22 MS C.R.C.A Fabricated
LED HOUSING & DIFFUSER : Plastic molded enclosure for led lamp & Clear molded abs / polycarbonate.
SUPPLY VOLTAGE : 230 VAC $\pm 10\%$, 50Hz $\pm 10\%$.
SUPPLY CURRENT (max) : 40 mA (max)
IP RATING : IP - 20
AUTOMATIC SWITCHING : RELAY
Overall wattage : 6w
ON MAINS (BATTERY) : 5W (CHARGING COMSUMPTION)
BACK-UP DURATION : 3 hours (...)



Scan product



Ref: KTI16024001HR25

KTI Highway Rumbler Strip Rubber

Make - KTI
Model No.- RS25-2 br />
Material - Rubber
Bolt Hole - 6Nos. in One Running meter
Length- 500mm
Width - 125mm
Height - 25mm
No. Of Reflectors - None
Colour - Yellow & Black
Load Bearing Capacity - 50 Tons
Total No. Of Pieces- One Running Meter - 2Nos
No Color fading
No Cement Filling



Scan product


Ref: KTI15015001RAYY

Reflective Arm Bands Yellow

EASY TO WEAR ARM BANDS | HIGHLY REFLECTIVE MATERIAL
| WITH VELCRO FASTENING FOR ANY SIZE ADJUSTMENT



Scan product



Ref: KTI16019002FT75

Frontier Safety Cone Rubber Base 750mm

FTC - SRN

Item ID: FTCHRBRD

Description: UV Stabilized non fading colour, with 6 inch reflective

tape, Weight- 4 kg, (+-) 3% tolerance.

Dimensions: Height

750 X Square Base- 380 mm



Scan product

Ref: KTI15015001RABL

Reflective Arm Bands Blue


EASY TO WEAR ARM BANDS

HIGHLY REFLECTIVE MATERIAL

WITH VELCRO FASTENING FOR ANY SIZE ADJUSTMENT



Scan product



Ref: KT116024001RB50

Speed Breaker Rubber Based 50 MM With Arrow

Material - Polymer Rubberized

Color - Black and Yellow

Dimensions - 500(L) x 400(W) x 50(H)mm 8 holes for Bolting
Middle Part - 400 W X 500 L X 50 H (MM) / End Caps 400 W X 175 L X 50 H (MM)

Usage/Application - Industry, Construction Projects, Road, Residential Society, Hotels, Malls



Description- Road speed breakers are made of Carbon Black Mixed rubber, with additive of LDPE f...



Scan product


Ref: KT115021002STOE

Safety Toe Guard

Safety steel Toe guard



Scan product



Ref: KTI15018001WRSH

Simple Safety Helmet With ratchet



Make - KTI

With Ratchet

Available color : Red, Green, white, yellow

Application Construction, Industry

Color: Available



Scan product

Ref: KTI16024001SW05

Speed breaker ABS PVC 250 X 400 X 50 mm



Speed breaker PVC 250 X 400 X 50 mm

Brand : Sloway

Model : SW050ABS

Dimension : L250mm x W400mm x H50mm

Reflector : 04nos. Plastic Glass Reflector

Locking : Hidden Interlocking,

Thickness : 6 & 8mm

Fitting : 4 holes (8mm) in piece 04 pieces

01 meter (Yellow 02 / Black 02)

Product Capability:

Working Temperature: (-5 to 65 Degree)

Weight Load Barring capacity: 80ton

Force Endu...

Specification

Product Capability:

Working Temperature: (-5 to 65 Degree)


Weight Load Barring capacity: 80ton

Force Endure Capacity: 35ton

Other: 25mm Water Crossing Drainage facility



Scan product



Ref: KT11200500PLSL

Police Shoulder Light

Voltage -3.8 V

Charger Voltage - 5V Strobe Frequency 6 HZ

Size : 78*35*31 CM

Electric Current -50mA

Flashing mode: red and blue strobe,Visible distance 500m,Besides,it also have the function of lighting.



[Watch video](#)



[Scan product](#)

Ref: KT116026001WOS5_Green

Solar Stud Without Shank Green

Size:100L*110W*23H MM

LED: 6 (3 Each Side)


Material: Aluminum Alloy And PC

Color: Red And Yellow (Available)

Warranty: - Not Applicable



[Scan product](#)



Ref: KTI16009001MIPO

KTI Floor Message Board Maintenance in Progress

Make : KTI"

- Total Weight- 800 Gm
- Height Top To Bottom- 24.41 Inch / 2.03 Fit
- Top Width- 20.05 Cm
- Bottom Width- 30 Cm

Message: Maintenance in Progress



Scan product

Ref: KTI16006001LC50

KTI L Clamp For UHF Reader

500D

Make - KTI


MS With Primer Quote Only

Note : Location & Fixing will be client responsibility KT

Automation will not be responsible for same.



Scan product



Ref: KTI16029002TL24

100 MM Dia Traffic Light DC RED ,Green

100 MM DIA (IP 65 CERTIFIED)
M.S HOUSING TRAFFIC LIGHT
WORKING ON 24V DC /12V DC
(RED + GREEN)

No image



Scan product

Ref: KTI15016004CUT3

Cut Resistant Hand Gloves Level 3



HPPE CUT 3 Knitted Liner with Grey PU Coated Gloves Extra Flex

Art No : CPU3


Colour : Melange/Grey

Size : 8/M & 9/L

12 Pairs in Polybag 300 Pairs in Woven Bag



Scan product



Ref: KT117001002PEM4

LED Emergency Exit Light

Size : 600 X 300 MM

Conforms to - IS -10322

IP-IP 20

Housing -Made up of uniformly extruded, aluminium alloy. paint & Colour-Epoxy polyester powder coating, White in colour.

Diffuser cum Message Panel - CAD Designed printing on 6 M. M. clear acrylic sheet

Input (V) -- 230 Volts, 50 Hz; $\pm 10\%$.

LED-Multiple LEDs

mains connector-5 A, 250 Volts, PCB Mount with electrical grade

Bat...



Scan product

Ref: KT116024001FSB6

Polymer Speed Bump Hexacore FSB - 246

Item ID: FSB246

Description: Hexacore design, Oil Resistance, Chemical Resistance

Water Resistance, Requires no cement filling, UV stablized , non


fading colors, Reflector Tape- 2 Pcs, (+-) 3% tolerance.

Dimensions:

Length- 250 X Width- 450 X Height- 60 mm



Scan product



Ref: KT1160180013PCP

Flood Barrier Corner Part

Material - ABS Plastic With Rubber Foam Gripping

Size - Corner Part

Width - 49.50 Cm

Height - 53.00 Cm

Depth - 67.50 Cm

Wooden box packing charges Extra 3200/- + for 10 NOS.



Scan product

Ref: KT116018000R2X1

Water Filled Road Barriers 2000x500x1000 MM

Road Barriers (2X1) MTR

Specifications:-

□ Size -(Length-2000XWidth - 500 x Height- 1000)MM.

□ Material - LLDPE.

□ Weight of barricade-13Kgs. (+500 Gram)

□ Logo Printing Area- Yes

□ Reflective Tape- Yes

□ Water Filling Capacity - Approx 60 Ltr.

□ Colour - Red /Yellow

Interlocking- Yes



Scan product



Ref: KTI17002001AGER_GF_06_A

KTI Photo Luminescent Fire Hose Box Signage 150X150mm

Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent Fire Hose Box Signage (150X150mm)



Scan product

Ref: KTI15022001RB4F

KTI Snake Rescue Bag

Snake Rescue Bag with Handle

Hook Tip Rubber Coated

Brand Falcon

Model FSRB-135

Material SS

Length 4 Feet

48" Cotton, Steel handle with plastic grip



Features:-

Materials like high quality stainless steel to make a tool designed for real work.

Secure handle and hook geometry allows you to safely catch, control or move snakes.

The hook length keeps you at a safer distance when...

Specification


Designed for Snake Rescue.

Durable Material.

Secure Closure System.



Scan product



Ref: KTI17002001AGER_GW_2

KTI Photo Luminescent Warning Signages Danger



Photo Luminescent Warning Signages - Danger Electric Shock Risk-Size 200 x 250
Warning Signages



Scan product

Ref: KTI15016004CRL1


Cut Resistant Hand Gloves Level 1 Karam HS31



White Liner with Grey Nitrile Coating Karam HS31(L)
Low lint gloves as it's made from 100% Polyester yarn
Has a high abrasion resistance
Offers good grip when handling oil based components
EN 388:2016
Length :M(240mm), L(250mm), XL(260mm) ($\pm 3\%$)
Thickness : 13 gauge
Cuff Style: Straight with beaded overlock thread and white elastic in the cuff area



Scan product



Ref: KT115015001RAPK

Reflective Arm Bands Pink

EASY TO WEAR ARM BANDS | HIGHLY REFLECTIVE MATERIAL
| WITH VELCRO FASTENING FOR ANY SIZE ADJUSTMENT



Scan product

Ref: KT117001003PLT6

Led Emergency Exit Light 6mm Thickness

Conforms To: IS - 10322

Housing: Made up of uniformly extruded, aluminum alloy

Battery :Lithium-ion Rechargeable battery.

Duration :180 Minutes back up; $\pm 10\%$.


Recharging Cycle : 16 to 24 hours recharging period

Mounting Type :Ceiling/wall mounting with 2 nos. key holes.

Input (V):~ 230 Volts, 50 Hz; $\pm 10\%$.



Scan product



Ref: KT115015001RAPP

Reflective Arm Bands Purple

EASY TO WEAR ARM BANDS | HIGHLY REFLECTIVE MATERIAL
| WITH VELCRO FASTENING FOR ANY SIZE ADJUSTMENT



Scan product


Ref: KT116022001SFWL

Solar Flasher Warning Light

Cone Mounted
Dual Blinker solar Warning Light with Automatic sensor
color: Red



Scan product



Ref: KTI07001001OP72

Optical Smoke Detector with Base Siemens OP720

Smoke detector consisting of:

- Point detector
- Detector dust cap to protect the point detector during the construction phase

Function:

- Functions according to the scattered light principle with one sensor, optical forward scattering
- Opto-electronic measuring chamber which obstructs disruptive extraneous light but provides excellent detection of smoke particles
- Selectable...



Scan product

Ref: KTI15010001ABS1

First Aid Kit SJF ABS 01


Item Number: KT -SJF ABS 01

Size : 29 x 11 x 12 cm

Series: Workplace/Travel



Scan product



Ref: KT112002WOMS10QC

Breath Analyzer without Printer Model No MS10QC

Contact less Quick test MS10QC
Our hand-held breath alcohol analyzer, Quick Test MS-10QC. to have a better experience on this product, Quick Test MS-10QC. is a rapid breath alcohol analyzer for quick testing. It is developed mostly for police Company, Factory Hospital, Office use,

Sensor Type Semiconductor sensor
Measuring Range 0-400mg/100L BAC
Sensitivity/Differentiation Rat...

Specification

Our hand-held breath alcohol analyzer, Quick Test MS-10QC. to have a better experience on this product, Quick Test MS-10QC. is a rapid breath alcohol analyzer for quick testing
Sen...



Scan product

Ref: KT11602290030RG


300 MM Dia Traffic Light RED, Green

300 MM DIA (IP 65 CERTIFIED)
POLYCARBONATE HOUSING TRAFFIC LIGHT
WORKING ON 230V AC
(RED + GREEN)

No image



Scan product



Ref: KTI16018001PDV1

Road Barrier Fencing 2000L X 1200H X 500W

- Size -(Length-2000 X Width - 500 x Height 1200)MM.
- Material - LLDPE.
- Weight of barricade-11.00Kgs.(+500 Gram)
- Logo Printing Area- Yes
- Reflective Tape- Yes
- Water Filling Capacity - Yes.
- Colour - Red /Yellow
- Interlocking - Yes .



Scan product

Ref: KTI17002001AGER_GD_72


KTI Photo Luminescent Emergency Exit Upward Left Arrow Signage Size 100 x 300

Safety Signages

KTI Photo Luminescent Emergency Exit Upward Left Arrow Signage Size 100 x 300



Scan product



Ref: KT117001002EEL5

EMERGENCY EXIT LIGHT 5 IN 1 WITH LED

Double beam emergency Light with EXIT SIGN WITH LED

Color : Red or green

LED exit signs are ensuring they meet strict safety and quality standards for use in India.

Voltage: 12V

Backup Time 3 Hours

ISO 9001 Approval

MOQ : 5Nos.



Scan product

Ref: KT117002001AGER_GF_07

KTI Photo Luminescent Auto Glow Signage for FIRE ALARM CALL POINT 100X300mm


Safety Signages

as per Client Requirement (Customized)

KTI Photo Luminescent Auto Glow Signage for FIRE ALARM CALL POINT (100X300mm)



Scan product



Ref: KTI17002001AGER_GW_22

KTI Photo Luminescent Warning Signages Mind your head



Photo Luminescent Warning Signages - Mind your head-Size
200 x 250
Warning Signages



Scan product

Ref: KTI07003001CE22


Fire Blanket 2 X 2



Signature Fiberglass Fire Blanket
Model No.: DSZFG0.6
Working Temp.: 600 C To 900 C
Colour : White
Thickness : 0.6 MM
Size : 2 X 2 Meter



Scan product



Ref: KT116018003WP1M

Water Filled Road Barrier 1060 L X 855H X 350W MM



MATERIAL:- LLDPE HIGH VIRGIN
QUALITY (INTERLOCKING)
SIZE:- 1060 L X 855H X 350W MM
WT.:- 7KG (EMPTY)
WATER CAPACITY/WEIGHT:
WATER FILLING - 60LTR (40 -
50KG)
DISPLAY AREA:
CENTRE - 915 X 190 MM



Scan product

Ref: KT115010001AK2G

First Aid Kit AK 2

First-Aid Kit (Model: AK- II)
Description:




Material- First Aid box made from HDPE Granules with handle
Usage: Multiple Purpose like domestic, institution &
construction site, etc
Shelf Life: 2-5 years.
Certificate: GMP certificate
Compliance: WHO
Marked: CE & ISO
Suitable For: 10-12 persons
Box Color : Green
SIZE: W230 X L175 X H40

Contents
1) Small Size Sterilised Dressing N...



Scan product



Ref: KTI16031001WS45

Truck wheel chock with Single metal stand

Single side Wheel chock with single side stand
Wheel chock weight 4.5 kg



Scan product

Ref: KTI000000017475

Anti Puncture Leg Guard

High Density natural Chrome Split Leather
Eva padding for Impact Resistance
Imperial Polyester Quilt Lining Inside
Heat Resistant Up to 250? C
Tested at NABL LAB
Puncture Resistance 950N & tested at 1096 N
Test Method ASTM D 4833-2020
Cut Resistant level 2
L= 56 cm, W = 30cm,

Specification

Material: High Density natural Chrome Split Leather
Padding: Eva padding for Impact Resistance
Lining: Imperial Polyester Quilt Lining Inside
Heat Resistance: Up to 250? C
Puncture...



Scan product



Ref: KT116021001MD3M

Metal Delineator With 3M Tape

Size : 1000MM (H) X 100 MM (W) X 30MM (L)

Color : Black & White 4/Ctn

Weight : 2.6 kg

Specifications :-

Meets & Exceeds IRC 79-2019 Standards

Robust product design with powder coated body for corrosion resistance



Scan product

Ref: KT1000000017485

Anti Puncture Gloves

High Density natural Chrome Split Leather

Polka PVS Dots on Palm For Firm Grip

Imperial Polyester Quilt lining Inside

Heat Resistant Up to 250° C

Tested at NABL LABP

Puncture Resistance 950N & tested at 1096 N

Test Method ASTM D 4833-2020

Cut Resistant level 2

L= 57 cm, W = 21 cm

Specification

High Density natural Chrome Split Leather

Polka PVS Dots on Palm For Firm Grip

Imperial Polyester Quilt lining Inside


Heat Resistant Up to 250° C

Tested at NABL LABP

Puncture Resi...



Scan product



Ref: KT116018001FRB2

Road Barrier FRB- 2 SW Frontier

FRB- 2 SW (Red)

Item ID: FRB2SWRD

Description: Light weight, Only one person required for assembly,

UV Stabilized non fading colour, Water Ballast- 25 Ltrs, (+-)3% tolerance.

Dimensions: Length- 1000 X Width- 500 X Height 850 mm



Scan product


Ref: KT116007003KPKO

Edge Protection Type O

Type O



Scan product



Ref: KTI17002001AGER_GF_38

KTI Photo Luminescent Autoglow Fire Alarm Call Point Signage Size 150 x 150

Safety Signages

KTI Photo Luminescent Autoglow Call Point Signage Size 150 x 150



Scan product

Ref: KTI16001001ABYB

Anti Skid Tape 2 Inch For Aluminium backing

Conformal -Aluminum Backing For M S Structure /uneven surface


color : Yellow -black

Size : 2 '' x 60 ' Roll

To be used inside & out side.



Scan product



Ref: KT107005001FBWS

Fire Bucket Wall Stand

Fire Bucket Stand

□ Type : Single Bucket Stand

□ Material : MS

□ Color : Red

□ Features : It Can hold in single Pieces.

□ Application : Fire Fighting Operation at Initial Stage

□ Warranty:- Not Applicable



Scan product


Ref: KT107006004CLEN

Fire Extinguisher 4 kg Clean Agent Refilling

Fire Extinguisher 2 kg Clean Agent (Refilling)



Scan product



Ref: KTI90005001MS50

LED Screen 50 Samsung

Model No.: QB50C

UHD 4K display delivers innovation and efficiency with stunning design

Dynamic Crystal Color with Quantum Processor 4K for incredible picture quality

Slim and symmetrical design allowing for seamless environment

Professional display supporting video call and Smartview+



Scan product

Ref: KTI16007002D08R

KTI Pillar, Corner Guard D Shape 800 MM

Make - KTI

Size-90*90*25*800mm


Material-Rubber

Weight-

Warranty:- Not Applicable



Scan product



Ref: KTI07005001FSWB

Canopy fire bucket stand

Canopy Fire Bucket Stand with 4 Bucket

- Type : Four Bucket Stand
- Material : MS Square Tube and 3ft X 2ft Galvenised Sheet .
- Size : Height 3.5 Ft , 3ft Wide.
- Color : Red
- Weight : 7 Kg
- Roof Protects From Dirt and Rain. Four Hooks Provided to
- Hang the Bucket . Good Powder Coated Finish. Rubber
- Grommet is Provided at Each Hole.
- Standard Packing : 01 Stand.
- Appli...



Scan product

Ref: KTI16024001SWE5

Sloway End Cap PVC for plastic speed breaker

Sloway End Cap PVC curve shape

- Make - Sloway
- Model- SWE50ker
- Material-PVC
- Color-Black
- Size -L 130 X W 400 X H 50 mm
- Weight -380 grams



Scan product



Ref: KT115010001WPCS

First Aid Kit Workplace Construction

First-Aid Kit (Model: WORKPLACE CONSTRUCTION)

Description:



Material: First-Aid box made from MS material with Polycarbonate glass
Designed As per BOCW act 1996
Usage: Multiple Purpose like construction site, factories etc.
Shelf Life: 2-5 years.
Certificate: GMP certificate
Compliance: WHO
Marked: CE & ISO
Suitable For: 25 persons
Size: W 30.4cm x L 45.7cm x H 10.1cm

Contents...



Scan product

Ref: KT114004007NMFP

Flame Proof Emergency Light NMFP

Model :PEL LED NM/FP - 20W LED

IS - 10322

Ingress protection :IP 65

Housing : Cast aluminum, CMRI certified housing

Led : 20 Watt, Multiple LEDs, High lumen output.

Mains Connector : 5 A, 250 Volts, with electrical grade


Duration : 120 Minutes back up; $\pm 10\%$

Recharging cycle : 16 to 24 hours recharging period

Weight (kg) : 6 Kg. Approx.



Scan product



Ref: KTI15015015SPKT

Universal Spill Kit 15 ltr

Model: Universal Spill Kit -15 ltr
Application : 15L Bag LZ15 O/U/C

Description

Required PPE items Included in kit as per ISO Guidelines. Kits are designed as per International interchangeable standard. Universal Spill Kits absorbent materials made up of fully virgin PP (Polypropylene). Its used as a general purpose spill kit for or as maintenance spill Kits.

Matty Cloth Bag
15 ...



Scan product

Ref: KTI16032001WS49

Air Craft wheel Chock 7H X7T X10W Inch

Size : 7" height X 7 " Thickness X 10" Width


Weight : 9.8 Kgs

Material : Natural Rubber

Colour Black



Scan product



Ref: KT11602290030R2

300 MM Dia Traffic Light RedGreen 12v24v

300 MM DIA (IP 65 CERTIFIED)
POLYCARBONATE HOUSING TRAFFIC LIGHT
WORKING ON 12V/24V DC
(RED + GREEN)

No image



Scan product


Ref: KT11400400712NM

Rechargeable Emergency Light

Model: PEL LED 120 NM
As per : IS - 10322
Ingress protection : IP 20
Housing : 24 MS C.R.C.A. Fabricated
Input (V) : ~230 volts, 50 Hz; $\pm 10\%$.
LED : 10 Watt, Multiple LEDs, High lumens output.
Duration : 180 Minutes back up; $\pm 10\%$.
Recharging Cycle ; 10 to 12 hours recharging period.



Scan product



Ref: KTI16001001AAAT

Auto glow with Arrow Anti Skid Tape 2 Inch



Anti skid tape with Arrow
color : Arrow Green
Size : 2 " x 60 ' Roll
To be used inside & out side.



Scan product


Ref: KTI17002001AGER_GD_17

KTI Photo Luminescent EXIT RIGHT Signage Size 100 x 300

Safety Signages
KTI Photo Luminescent EXIT RIGHT Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GD_74

KTI Photo Luminescent Downward Left Corner Arrow Emergency Exit Man Left Arrow Signage Size 100 x 300

Safety Signages

KTI Photo Luminescent Downward Left Corner Arrow
Emergency Exit Man Left Arrow Signage Size 100 x 300



Scan product

Ref: KTI17002001AGER_GF_39


KTI Photo Luminescent Autoglow Fire Hooter Signage Size 150 x 150

Autoglow Fire Hooter Safety Signages

KTI Photo Luminescent Autoglow Fire Hooter Signage Size
150 x 150



Scan product



Ref: KTI17002001AGER_GS_03

KTI Photo Luminescent Emergency Telephone 100X300mm

Safety Signages
For Emergency Telephone Photo Luminescent



Scan product

Ref: KTI17002001AGNS_A


Photo Luminescent No Smoking Signage Size 150*200



Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.
No Smoking
As per Indian Standards - IS 12349-1988.
Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.
Match specifications mentioned in IS 12349-1988.
Size 150*200(Size On Request)
Warranty:- Not Applicable



Scan product



Ref: KTI15021001FGBT
Fire Gum Boot

Brand: Harvick
For fire safety boot



Scan product

Ref: KTI17002001AGER_GIS_1

**KTI Photo Luminescent Numeric 1
Signage 150X150mm**


Safety Signages GIS_1



KTI Photo Luminescent Numeric 1 Signage (150X150mm)



Scan product



Ref: KT110012003SS02

EyeFace Wash Fountain SS02



Unisafe Brand Model US-SS-02 Eye Wash Fountain. SS Atomizer is equipped with pop-off cover to prevent dust contamination. ½" stainless steel ball valve, Impact corrosion resistant, with SS receptor bowl. Inlet supply connection is ½" and drain connection is 1 ¼". Flange to support eye/face wash unit having 4 holes of 10mm and suitable anchor fastener. STAINLESS STEEL (SS-304) P...



Scan product

Ref: KT115016004ALUG


Aluminized Gloves



Design: Five Finger Gloves
Components:
Outer layer: Made out of Kevlar fabric.
(480 GSM)
Inner layer: Made of good Quality Woolen Fabric.
Size :- 14"
Warranty: Not Applicable



Scan product



Ref: KTI15009001PN92

Twisted Rope Anchorage Line PN920 14MM 121

20 Metres Twisted Rope Anchorage Line (14mm)
Made of 3-strand Polyamide Twisted Rope of dia 14mm.
One side loop; other side stop knot.

Textile Anchorage Lines in both Twisted and Kernmantle
Ropes made of polyamide and polyester, available in
different lengths to suit application.

These Anchorage Lines are certified as a system only when
used with specific KARAM Rope Grab Fall ...



Scan product

Ref: KTI15009001PN93

Twisted Rope Anchorage Line PN930 14MM 121


30 Metres Twisted Rope Anchorage Line (14mm)
Made of 3-strand Polyamide Twisted Rope of dia 14mm.
One side loop; other side stop knot.

Textile Anchorage Lines in both Twisted and Kernmantle
Ropes made of polyamide and polyester, available in
different lengths to suit application.

These Anchorage Lines are certified as a system only when
used with specific KARAM Rope Grab Fall ...



Scan product



Ref: KTI07001001AG12

Fire Alarm System 12 Zone Agni

Features Of Agni Device 12 Zone Conventional Fire Alarm Panel

- Agni Device 12 Zone Conventional Fire Alarm Panel
- Complies to IS 2189:1999 & Tested by ERTL (N) & System Sensor
- 2 x 16 character Backlit LCD Display (4 x 20 Character, Optional)
- 64 / 128 / 256 Events Logging Facility With Real Time Clock & Keypad
- 2 Wire Communication facility via RS 485 Port
- BMS Attachmen...



Scan product

Ref: KTI16018001PC30

Pedestrian Bollard Channelizer

Pedestrian Bollards Channelizers

Design : Antique design compatible with environment

Height : 570MM

Base : 230MM

Post Material : PE Plastic Solid body with chain hole features

Weight : 1.65Kg approx.

Color : Red/black


Type : High visible strip and body , durable.

Base Colour : Red, black, blue, carbon (option as per requirement).

Application : Pavement, walks ways, residential ...



Scan product



Ref: KTI17002001AGER_GIS_6

KTI Photo Luminescent Numeric 2 Signage 150X150mm

Safety Signages GIS_6



KTI Photo Luminescent Numeric 2 Signage (150X150mm)



Scan product

Ref: KTI17002001AGER_GIS_7

KTI Photo Luminescent Numeric 3 Signage 150X150mm


Safety Signages GIS_7



KTI Photo Luminescent Numeric 3 Signage (150X150mm)



Scan product



Ref: KT115004001HI36

Safety Harness HI36 CLASS L

Part No. HI-36 (CLASS L)

CE Mark : Conforms to EN 361:2002

ISI Mark : Conforms to ISI 3521(Part-1):1999

Special Grade forged steel used for high tensile strength

Polyester webbing with high-breaking strength

Attachment Elements: 2 chest attachment D-Ring for tower climbing. A Dorsal Attachment D-Ring for Fall Arrest.

Adaptability: Adjustable Chest-Strap, Shoulder Strap & Thigh...



Scan product

Ref: KT116029002TS1R

KTI 100 MM Dia Traffic Light RED DC

Make - KTI

100 MM DIA (IP 65 CERTIFIED)


SIGNAL HEAD with unbreakable polycarbonate housing with transparent lens including glass epoxy PCB with superbright high intensity traffic grade

LED's working on 12V/24V DC (Red)

No image



Scan product



Ref: KTI17002001AGER_GD_42

KTI Photo Luminescent Emergency Exit Man Symbol Right Signage Size 150 x 150



Safety Signages

KTI Photo Luminescent Emergency Exit Man Symbol Right Arrow Signage Size 150 x 150



Scan product


Ref: KTI17002001AGER_GD_46

KTI Photo Luminescent Downward Arrow Assembly Station Signage

Downward Arrow Assembly Station Signage Size 100 x 300
Safety Signages
as per Client Requirement (Customized)



Scan product



Ref: KTI17002001AGER_GD_73

KTI Photo Luminescent Emergency Exit Upward Arrow Signage Size 100 x 300

Safety Signages

KTI Photo Luminescent Emergency Exit Upward Arrow
Signage Size 100 x 300



Scan product

Ref: KTI17002001AGER_GD_75


KTI Photo Luminescent Downward Right Corner Arrow Emergency Exit Man Signage Size 100 x 300

Safety Signages

KTI Photo Luminescent Downward Right Corner Arrow
Emergency Exit Man Signage Size 100 x 300



Scan product



Ref: KTI17002001AGER_GD_88

KTI Photo Luminescent Fire Exit Door Right Side Signage 100X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Fire Exit Door Downstairs Right Side
Signage (100X300mm)



Scan product


Ref: KTI17002001AGER_GF_08

Photo Luminescent IN CASE OF FIRE BREAK GLASS Signage Size 100300 GREEN

Supply of Photo Luminescent Signage Type for Indoor /
Outdoor use.
As per Indian Standards - IS 12349-1988.
Signage are made up of Deluxe Sheet with Super Extra Glow
Intensity Luminous properties.
Match specifications mentioned in IS 12349-1988.
Size 100*300(Size On Request)
Warranty:- Not Applicable
IN CASE OF FIRE BREAK GLASS



Scan product



Ref: KTI17002001AGER_GF_19

KTI Photo Luminescent Fire Panel Signage 100X300mm

KTI Photo Luminescent Fire Panel Signage (100X300mm)
Safety Signages

Specification

Fire Panel Signage



Scan product

Ref: KTI17002001AGER_GM_52

Photo Luminescent FIRE ESCAPE KEEP CLEAR Signage Size 150x150 mm

Supply of Photo Luminescent Signage Type for Indoor / Outdoor use.

As per Indian Standards - IS 12349-1988.

Signage are made up of Deluxe Sheet with Super Extra Glow Intensity Luminous properties.


Match specifications mentioned in IS 12349-1988.

Size 150*150(Size On Request)

Warranty:- Not Applicable



Scan product



Ref: KTI17002001AGER_GP_7

KTI Photo Luminescent Open Flames And Smoking Prohibited Signage 100X300mm

Safety Signages

KTI Photo Luminescent Open Flames And Smoking Prohibited
(100X300mm)



Scan product

Ref: KTI17002001AGER_GS_52

KTI Photo Luminescent MAIN SWITCH Signage


Main Switch Signage Size 100 x 300

Safety Signages

as per Client Requirement (Customized)



Scan product



Ref: KTI17002001AGER_GS_59

KTI Photo Luminescent EMERGENCY TELEPHONE NUMBER IS Signage 100X300mm

Safety Signages
as per Client Requirement (Customized)
KTI Photo Luminescent Smoking Area Signage (100X300mm)




Scan product


Ref: KTI17002001AGER_GW_96

KTI Photo Luminescent Warning Signages DANGER 440 VOLTS

Photo Luminescent Warning Signages - Danger Electric
Shock Risk-Size 200 x 250
Warning Signages



Scan product



Ref: KTI17002001AGFE_GF_45

KTI Photo Luminescent Fire Ball Signage Size 150 x 150

Safety Signages

KTI Photo Luminescent Fire Ball Signage Size 150 x 150 Auto
Glow

Specification

K T I® Auto Glow Signage for FIRE BALL Sign Board, PVC Sheet With
High Glow Intensity In Total Darkness Board for Office (150X150mm)



Scan product

Ref: KTI15007001ET40


Ear Muff Udyogi ET40

Cup Material: ABS (Acrylonitrile Butadiene Styrene)

- Inserts: PU (Polyurethane foam)
- Cushions: Foam with PVC black lid
- Weight: 180 grams
- Headband: Nylon
- Testing Frequency Ranges (Hz): 63, 1000, 8000
- Attenuation Results (dB): 31(High); 24(Medium); 17(Low)
- Attenuation rating: SNR-27 dB ; NRR- 22 dB
- Color: Red/black
- Packaging: 25 pcs. per carton
- Standard: EN352-...



Scan product



Ref: KT115010001AK1R

First Aid Kit AK 1 (Red)

First-Aid Kit (Model: AK-I RED)

Description:



Material- First Aid box made from HDPE Granules with handle

Usage: Multiple Purpose like domestic, institution & construction site, etc

Shelf Life: 2-5 years.

Certificate: GMP certificate

Compliance: WHO

Marked: CE & ISO

Suitable For: 4-5 persons

SIZE: W 23cm x L 17.5cm x H 4cm

Contents

- 1) Medium Size Sterilised Dressing Nos. 4
- 2) ...



Scan product

Ref: KT115010001WPAD

First Aid Kit Work Place Admin

First-Aid Kit (Model: WP-Admin)

Description:



- Material- First Aid box made from MS Wall mounted

- Usage: Multiple Purpose like domestic, institution & construction site, etc

- Shelf Life: 2-5 years.

- Certificate: GMP certificate

- Compliance: WHO

- Marked: CE & ISO

- Suitable For: 10 persons

SIZE: W22.5cm X L23 X H7.5


Contents

Qty. Particular

04 Small Size Sterilized Dress...



Scan product



Ref: KTI17001002FLPB

Flame Proof Emergency Light PEL LED LML FP

PEL LED LML FP

Application:

PEL LED LML FP

PORTABLE - SWIVEL

Consist of two units of LED Lamps ,Which automatically switches - ON, on mains power failure & provides illumination on battery source for specified duration, after which the battery gets automatically cut-off, to facilitate quick recharge on the resumption of mains supply. Once the battery is fully charged, it autom...



Scan product

Ref: KTI15010001FACA

First Aid Kit Class A

First-Aid Kit (Model: Class-A)

Description:

Material: First Aid Aluminum, coated with food color paint .

Usage: Designed to use in Industrial/Factor purpose.

Shelf Life: 2-3 years.

Certificate: As per Factory Act 1948.

Suitable For: 10-25 persons.

Size: W 22.4cm X L 14.2cm X H 7.3cm.

Contents

Qty. Contents


QTY Content

4 Small Size Sterilised Dressing

4 Large Size Sterilised...



Scan product



Ref: KT117001002PEM2

Emergency Light

Emergency Light

3W WALL MOUNTED EXIT SIGN LIGHT

Technical Speciation :

IS - 10322 ,IP 20

Housing : 22 MS C.R.C.A. Fabricated

paint & Colour : Epoxy polyester powder coating, White in colour.

Diffuser cum message panel : 2 m.m. thick milky acrylic with vinyl pasted on it

Input (V) : ~230 volts, 50 Hz; $\pm 10\%$

LED:3W, Multiple LEDs. , LED Make : GMR Light, BridgeLux, Edison , Os...

No image



Scan product

Ref: KT115016004GKEL


safety arm sleeves KEL

For Protection of workers' arms from severe cuts, abrasions, and extreme thermal hazards

Level 5 cut resistance alongside contact heat protection up to 200°C-300°C.



Scan product



Ref: KT115015001RGWB

Police Reflective Jacket Front Zipper

200 GSM 100% polycotton
Fluorescent Green color with pvc tape & blue border
Zip type
with out pocket
logo cost extra if required
Moq : 50 qty



Scan product


Ref: KT107001001TWL4

Tower Light 4 LED With SOUND

Tower Light With 4 LED +Sound
Voltage: 12 V Dc
Warranty:- 1 Year



Scan product



Ref: KT115017004E101

Safety Goggles Venus E101

VENUS E-101 Sliding temple & VENUS E-101
ANSI Z87.1 :2003
IS 5983

Lens

Virgin Polycarbonate optical grade, no distortion, UV protection
Hard coated lens designed to be abrasion resistant, good visibility
High impact resistant for eye protection



Scan product

Ref: KT116002001MTRP


Metallic Tubular Reflective post

Metallic Tubular Reboundable Post PS-1981
Pole dia : 60mm
Height : 950mm
Poll wall Thickness : 5mm
Post Material : PE Plastic
Colors : yellow, / red
Type : Fixed, quick release or drivable
Base Size : 200×200 mm or 200m dia
Base Color : Black
(Available in Colors : White, yellow, orange, red)

Used Of :Plastic road bollards are generally used to demarcate out bounds areas in ca...



Scan product



Ref: KT116007002CG52S

Wall Pro Column, Corner Guard CG 52S

width -52X52 MM

offset 9MM

Max Lengths -8 Feet (2438 MM)

Corner conditions - Continuous Outside

Superior Wall Mounted Impact Resistance From Carts ,Language , Beds And Trolley Stretchers & Wheelchairs Wit 2mm Thick Aluminium Retainers With Thick 2mm Vinyl Top Cover With Width Of 52x52 Mm Of Length 8' (Feet) And 10 Mm Offset Along With Continuous Outside Coroner



Scan product

Ref: KT107001001ZDMC

Manual Call Point Bosch

FMC-210-DM Double Action Call Points


Mechanical blocking of locking mechanism after alarm triggering

Individual identification thanks to automatic or manual detector addressing

Indicator LED for alarm or for inspection Evaluation



Scan product



Ref: KTI07001001ZDSO

Outdoor Siren Bosch

FNM-420-B-RD Sounder outdoor, red

Volume of up to 102.5 dB(A)

u Maximum current consumption of less than 4.05 mA

u Up to 75 sounders per LSN 0300 A loop and 100 per LSN 1500 A loop

u Immediate synchronization

u 32 different tone types can be selected (incl. DIN tone)



Scan product

Ref: KTI15010001FWFA

Four Wheel First Aid Kit

First-Aid Kit (Model: 4 WHEEL KIT)

Description:

Material: First-Aid box made from

Usage: Designed to use in 4 wheel vehicles.

Shelf Life: 2-5 years.

Certificate: GMP certificate

Compliance: WHO

Marked: CE & ISO

Suitable For: 2-4 persons

Size: W 38cm X L 12.5cm X H 10cm

Contents

Qty. Contents


4 Small Size Sterilised Dressing

4 Medium Size Sterilised Dressing

4 Large Size Steri...



Scan product



Ref: KT11600800DH2R1

Dock Bumper D Type 900 mm 7kg

Model No.: H2RDB-1

Color: Black

Length-900MM

Width-150 MM

Height -105 MM

Thickness-20 MM

Weight - 7 KG

Material: Rubber

These Rubber Dock Bumpers are made in one-piece molding Bumpers can withstand sunlight, rain, snow, and incidental contact with petroleum products and automotive chemicals Bumpers are providing good tensile strength and abrasion resistance
Black finish.

...



Scan product

Ref: KT116017002OE3Y

KTI Reflective Tape 3 Inch

Make - KTI"

Reflective Tape: 3"


Color: Red/ Yellow/ White/ White And Red(Available)

Size: 45 Mtr Roll Long approx, 2" Width

Warranty:- Not Applicable



Scan product



Ref: KTI16018001FLOD

Flood Barrier Corner & Middle Part

Material - ABS Plastic With Rubber Foam Gripping

Size - Corner Part

Width - 49.50 Cm

Height - 53.00 Cm

Depth - 67.50 Cm

Wooden box packing charges Extra 3200/- + for 10 NOS.



Material - ABS Plastic With Rubber Foam Gripping

Size - Middle Part

Top - 70.50 Cm

Bottom - 70.50 Cm

Height - 52 Cm

Depth - 69 Cm

Wooden box packing charges Extra 3200/- + for 10 NOS.



Scan product

Ref: KTI17002001AGER_GIS_8

KTI Photo Luminescent Numeric 4 Signage 150X150mm


Safety Signages GIS_8



KTI Photo Luminescent Numeric 4 Signage (150X150mm)



Scan product



Ref: KT190005001S55C

LED Screen 55 Inch Samsung QM55C

Model No.: QM55C

Display Size: 55 inches

Resolution: 3840 x 2160 (4K UHD)

Brightness: 500 nits

Panel Type: LED (TFT-LCD)

Viewing Angle: 178° (horizontal & vertical)

Operating Hours: 24/7 (designed for continuous operation)

Connectivity: HDMI, USB, DisplayPort, Ethernet (LAN)

Operating System: Tizen (Samsung's platform for smart signage)

Features: Built-in media player, remote m...



Scan product

Ref: KT1120010Z3M88

3M 8822 Cupped Particulate Respirator Mask

Disposable Respirator 8822 provides lightweight comfort and effective respiratory FFP2 protection against dust and mists.

The convex shape, twin strap design, nose foam and nose clip ensure comfortable wear over a range of face sizes.

Brand: 3M


Filter Class: P2

Size One Size

Color: Multicolor



Scan product



Ref: KT115016003HS22

Karam Black Liner with Black PU Coating Gloves HS 22



Black Liner with Black PU Coating

SKU: HS22

Product Specifications

Coating Material: Polyurethane (PU)

Coating Color: Black

Liner Material: Polyester

Grip Smooth palm dipped

Cuff Style: Straight with beaded overlock thread and white elastic in the cuff area

Thickness :13 gauge

Length: M(240mm), L(250mm), XL (260mm) ($\pm 3\%$)



Scan product

Ref: KT115018001HWLE_BLUE

Fire Retardant Coverall 240 GSM



Fire Retardant Coverall 240 GSM with 2" reflective tape

Features:

Color: Blue

Shrink resistant

Specifications:

Heat temperature capacity: 1800C

100% Fire Retardant Cotton

240 GSM fabric

Sizes: S, M, L, XL, XXL, XXXL

Flame Retardant Coveralls are affordably priced and designed for long-lasting use.

Available in two colors : Orange & Blue

Certification:


EN ISO 11612 : 2015 (A1,...

Specification

These heat protective suits are used in rescue operations and areas of intense heat, fire, steam, and hot liquids. They are essential for firefighters, hospitals, cement industries...



Scan product



Ref: KTI16024001RS15

Rumbler Strip Plastic PS 1011 PU

Rumbler Strip PS 1011 PU

Length- 500mm

Width- 100mm

Height- 15mm

Color- Yellow/ Black


No. of Reflectors- NA

Load Bearing Capacity - 35 Tons

Made from Heavy Duty, Vibrant Plastic

Non-Slip, Chevron Surface

Pre-Drilled Fixing Holes for Easy & Fast Installation



Scan product

Ref: KTI16018001SF40

Metal Road Barrier With Wheels

Road Barrier

2000X1500X500

Weight :85 kg


with 4 wheels

Material : Metal

Warranty : NA



Scan product



Ref: KTI15017004ES06

Safety Goggles ES006 Indoor Outdoor

Brand : KARAM

Model Number: ES006

Weight:34gm

Lens Scale No.: Clear: 3-1.2 Indoor/Outdoor: 5-1.7

Variants: Indoor/Outdoor

Lens: High impact resistant optical class 1 Polycarbonate
hard-coated lens for scratch resistance

Shelf Life : 5 Years

Country of Origin; India

Certification: EN 166:2001, IS 5983:1980, ANSI Z 87.1-2015



Scan product

Ref: KTI160180BDIR40

Road Barrier -2000L X550 W X1000 H MM)

Road Barriers (2X1 Mtr.)-

Size -(Length-2000XWidth - 550 x Height-1000)MM.

Material - LLDPE.

Weight of barricade-13Kgs. (+500 Gram)

Logo Printing Area- Yes

Reflective Tape- Yes


Water Filling Capacity - Approx 60 Ltr.

Colour - Red /Yellow

Interlocking - Yes .



Scan product



Ref: KT115022020MI40

Life Jacket 90 KG With certified



SIZE CHEST :- 30" - 56" chest

CAPACITY:- UP TO 90 KG

SPECIALITY:- Made as per SOLAS/IRS/MMD standard

FABRIC:- florescent orange color pu coated

FOAM:- soft polyethylene foam

BUCKLE WITH REFLECTIVE TAPE:- Fitted with three buckle with adjustable belt Whistle attached with a lanyard

Reflective tape 3 nos.

CERTIFICATE:- ISO & CE

EUROGLOBAL CERTIFICATIONS (U.K)LTD

Applica...



Scan product

Ref: KT115016004AKHG

Aluminized Kevlar hand gloves




Outer layer made out of commercial grade EN ISO 11613 certified aluminised fabric

- On palm 480 GSM Kevlar fabric
- Rest portion EN ISO 11612certified Aluminized fabric
- Innermost layer of heat-resistant woolen
- size-14"
- Heat resistant up to 500c



Scan product



Ref: KTI15016003KCHG

Karam Split Leather Gloves FT801

Black Liner with Black PU Coating
Heat resistance upto 100°C for 15 seconds
SKU: HS22

Product Specifications

Coating Material: Polyurethane (PU)
Coating Color: Black
Liner Material: Polyester
Grip Smooth palm dipped
Cuff Style: Straight with beaded overlock thread and white elastic in the cuff area
Thickness :13 gauge
Length: M(240mm), L(250mm), XL (260mm) (±3%)




Scan product


Ref: KTI15017004G103

Safety Goggles Venus E603

Model : E-603
Over Spectacles
Protection for use with prescription spectacles One size fits all
/ ANSI Z87.1 : 2003
Polycarbonate temples with side shield & vent
Frameless design with wide field of vision
Can be worn over with prescription spectacles & prescription lenses
100 % Metal free, screw less design
Quality mark for assured performance



Scan product



Ref: KT115010001FACB

First Aid Kit Class B (SS)

First-Aid Kit (Model: Class-B (SS))

Description:



Material: First Aid Stainless Steel.

Usage: Designed to use in Industrial/Factory purpose.

Shelf Life: 2-3 years.

Certificate: As per Factory Act 1948.

Suitable For: 25-50 persons.

Size: W 25cm X L 16.1cm X H 8.2cm.

Contents

QTY Content

12 Small Size Sterilized Dressing

8 Large Size Sterilized Dressing

8 Medium Size Sterili...



Scan product

Ref: KT115017004UD94

Goggles Udyogi UD 94

UD 49- Safety Goggles

STANDARD : IS 5983:1980

Lens Polycarbonate

Single & cylinder lens

Flexible fitting goggle with 4 point ventilation system PVC / vinyl Frame


Lens filters out 99.9% of harmful UV light

Can be stored and transported in their original cartons at ambient

temperature (0° C to +30° C)



Scan product



Ref: KT116002001UNIT_Dis

Display Barricading Bollard pair

Display Barricading Bollard Pair

Make :OEM

- Total Height : 1500mmH X 2000mmL

- Pole Dia : 100mm

- Base Dia : 350mm

- Base Height : 75mm

- Reflective Bands : 3nos. X 75mm

- Weight : 12.5kg / 1 Bollard

With Message Board

Printing Charges @ 1200/- Extra



Scan product

Ref: KT116019004SH75

Safety Cone 750mm Orange


Height - 750 Mm

Weight - Approx. 4.2 Kg

Base - 420 mm



Scan product



Ref: KTI150220016SRK

Snake Rescue Kit



Watch video

Snake Rescue Kit is the perfect solution for snake enthusiasts, homeowners, and wildlife professionals. This comprehensive kit includes all the necessary tools and resources to ensure the safe and humane capture and relocation of snakes.

Contents Included in the Kits

1. Snake Catching Stick -4 feet
- 2.Snake Rescue Hook
- 3.Snake Rescue Bag
- 4.Anti Puncture Gloves
- 5.Anti Puncture...



Scan product

Ref: KTI07006003DCP6


Fire Extinguisher DCP 6 Kg Refilling



Refill of Existing Fire Extinguisher
6 KG DCP



Scan product



Ref: KT116031001PS81

Truck Wheel Chock Plastic 4.5 Kg

Material : Plastic

Size : 470 x 200x 280 mm

Weight : 4.5 kg



Scan product

Ref: KT116026001STS2

Solar Stud Round shape

Size: 360 Degree with Double Shank

Shape: Round


Material: Polycarbonate

Work time: 48 Hours when fully charged

Colours: red and yellow



Scan product



Ref: KT107006003DCP9

Fire Extinguisher DCP 9 Kg Refilling

Refill of Existing Fire Extinguisher
9 KG DCP



Scan product

Ref: KT116003001TIAT

Traffic Impact Attenuator Drum

Traffic Impact Attenuator Drum PS 6000

Material : LLDPE / HDPE


Height : 1000mm

Top Width : 400 mm Dia


Base Width : 600 MM Dia

Reflective Bands : 4 Nos x4" Width

Water Capacity : up to 200 litre



Scan product



Ref: KTI160100013M26_White

Lane Marking Tape 2" Make 3M White

Make-3M

Vinyl Tape 766 is an economical vinyl tape

Color :Red, Green, Blue, Yellow, Black , Yellow And Black, White And Red Available

1 Roll is 36 yards/ 33 mtr

Total Tape Thickness 0.125 mm (5 mil)

Total Tape Thickness 5 mil

Adhesive Type Rubber ,Tensile Strength 22.8 N/cm (208 oz/in)

Long Term Temperature Resistance 29 °C (85 °F) ,Minimum

Long Term Temperature

Resistance

16 ...



Scan product

Ref: KTI16016001QPSS

KTI SS 304 Q Manager 9 KG Approx

New Stainless Steel Q Manager High Quality

SS 304

Height - 1000 Mm Guaranteed

Weight 8.5 to 9 Kg

Belt Length - 2.95 Mtr Guaranteed

Base Dia - 300 Mm Guaranteed

Pipe Dia - 63 mm Guaranteed


Pipe Thickness - 0.6 mm Guaranteed

(Best Quality Product)

Color - Red / Blue / Black Available



Scan product



Ref: KTI15016004JS72

Electrical Insulated Seamless Gloves

Jayco Make
Art No. JS 1072
Confirming to IS 13774:2021
Class 0
Warranty: Not Applicable
Test Potential :2.5KV & working potential -0.5KV

Art No. JS 1072
Electrical Insulated Seamless Gloves



Electrical Insulated Seamless Gloves



Scan product

Ref: KTI160040013CH8


Cable Protector 3 Channel Height 75MM

Length - 900 MM
Width - 480 MM
Height- 75 MM

Flap-PVC and Plastic
Base - Rubber



Scan product



Ref: KT115001400V800

Mask Venus V800V7800

Venus V-800+V-7800 ABEK1+P2 R Combo

HFM+RE-Gas Filters & Particle Filters

Test Gases:
Cyclohexane (C_6H_{12}), Hydrogen Sulphide (H_2S), Chlorine
(Cl_2), Hydrogen Cyanide (HCN), Sulphur Dioxide (SO_2),
Ammonia (NH_3)

Maximum User Levels: 1000ppm or 10 X OEL whichever is
lower

CE 0121 EN143 + CE 0121 EN 14387



Scan product

Ref: KT115016004ATRN

Cut Resistant Hand Gloves Level 1 Atlas


Cut Resistant Hand Gloves

Model : Ruby Nitrile glove

Part no. 901& 902



Scan product



Ref: KTI16007002KFTW

Corner Protection Type W

Profile body -Recyclable polyurethane foam

Surface-Polyurethane foam coloured by reverse printing and fixed in place by foaming so that no paint appears on outside

Adhesive -Profile body is affixed using light -and ageing-resistant high performance adhesive which has got an adhesion power of 21 N / 25 mm

Resistant to temperature -From -40 ° C to 100 °C

Fire classification -Acco...

Edge Protection type W: 14 mm



Specification

Edge protection type W is a warning and protective bumper guard with the distinctive name Knuffi® that act as a personal crumple zone for people, machines and fixtures, absorb hard...



Scan product

Ref: KTI160260021STH_YELLOW_-_YELLOW_REFLECTORS

KTI Road Stud Without Shank Make OEM Yellow Body Yellow Reflector with hole

Make - KTI


Road Stud - Standard

Color Available

Road Stud Colors: Yellow Body - Yellow Reflector with hole



Scan product



Ref: KTI15001001RESC

HoneyWell Salisbury 24401 Rescue Hook

Insulated Handle Rescue Hook, 6 ft Long, 18" Opening

Features / Benefits

Length: 6 ft

Color: Yellow

Material: Fiberglass with Aluminum Bronze Alloy Head

Standards: ASTM F711

UPC: 000000168997

Part Number: 24401

Material :

Poly vinyl chloride FRP rod

Tested at 110KV



Scan product

Ref: KTI16032001WS47

Air Craft wheel Chock

size : 4.7 x 8.2x4.2 Approx.

(With nylon Strip Weight - 7 lb)

Pressure : 4000 kg /cm²


Curing time : 45 min

Hardness (SH-A) - 75 +-5 A

Elongation at break % 150min



Scan product



Ref: KT107006003DCM9

Fire Extinguisher DCP Metal 6 Kg Refilling



Metal fire extinguisher Refilling
6 KG DCP (METAL)



Scan product

Ref: KT115017004ES04

Safety Goggles ES004 Electrical Arc Make Karam



Electric Arc Welder's Choice Eyewear
ES004 Model

Certification:


EN 166:2001, EN 175:1997

Lens Scale No.: IR-11 Scale No. - 1FT

Material of Lens : High impact resistant optical class 1
Polycarbonate hard-coated lens for scratch resistance



Scan product



Ref: KT117001002BLEM

BIS Emergency Light Prolite PEL LED E M

Model No, PEL LED E/ M (SM)

Surface mounting type multi LED

CONFORMS TO | IS - 10322

ingress protection | IP 20

Housing | CRCA Sheet 22 SWG fabricated

paint & Colour | Epoxy polyester powder coating, White in colour.

Diffuser cum Message Panel Message printed on 8mm clear acrylic

Reflector Multi faceted, electrochemically brightened & anodized aluminum reflector to enhance int...



Scan product

Ref: KT110012002SS06

Safety Shower SS304 Model SS06

Unisafe Brand Model US-SS-06 Stainless Steel SS-304

Recommended Designed Pressure: 30 Psi / 2kg / 12ltr. Per Minute

Conforming To Is: 10592- 1982 Revised As Per 2018

As Per Specification To Is: 10592-1982 With Isi Mark &


Minimum Discharge Of 100 Lpm

(Both Units Actuate Independently)


(Pull/Pedal Operated With Push Plate)

Combination Unit Include Push Plate Which Is

Laser ...



Scan product



Ref: KT115001001RESK

Rescue Hook KM-RH

RESCUE STICK LENGTH - 6 FT
Model : KM-RH 11KV"KUSAM MECO
RESCUE HOOK -Rod Length 6
Range : 11KV



Scan product

Ref: KT11601700NAASS


Self Abrasive Yellow, Black Anti Skid tape



Self-Adhesive & Anti-Abrasive Tapes for Slippery wet and Oil or Greasy floors, stairs and ramps
Superior Slip resistance, long life durability
Quick, easy, and clean to apply, no special knowledge required
permanent hold due to strong adhesive
Easy and Clean
to be used inside and Outside
Product code -SC-503-2
Size: 2"X60' roll
roll size- 18 meters



Scan product



Ref: KT114004007EMFP

Flame Proof Emergency Light EMFP

Model No. PEL LED E/M/FP

As per : IS - 10322

Ingress protection: IP 65

Paint & Color : Epoxy paint shade 631 of IS : 5.

Input (v) : ~ 230 Volts, 50 Hz; $\pm 10\%$

Led : 11 Watt, High lumen output

Duration ; 120 Minutes back up; $\pm 10\%$

Recharging cycle ; 16 to 24 hours recharging period

No image



Scan product


Ref: KT115021001ALUS

Aluminized Fiber Glass Shoes


2 Layers Nitrile Sole

Outer Layer: Aluminize, Innermost Layer: Leather

Shoes are made of upper layer of aluminized glass fiber fabric & inner lining of high-quality leather, with heavy duty zipper covered with aluminized fabric flap with extra stud for double protection.



Scan product



Ref: KT11601800112000

Road Barrier 2000LX 500W X 1000H MM Nilkamal

Dimensions 2000x550x1000mm
Effective length - 2000 mm (2-meter barricade).
Available in Red and Yellow Color.



Scan product


Ref: KT107003001WJAG

Water Jel Fire Blanket Agni Kawach

Size - 5 ft x 6 ft
Usage/Application Fire Fighting
Brand : Agni Kavach
Color : Silver
Materials Woolen blanket with water soluble and biodegradable GEL.



Scan product



Ref: KT115009003PC20

Retractable Fall Arrester Blocks 20

Model: PCGS20(PN112) , Brand: Karam

Material for rope: G.I

Wire rope length: 20.0m

weight: 7.15kg



Scan product

Ref: KT117001003ESWM

Emergency Light EXIT SIGNAGES

Technical Specications :

IP 20

Conforms To : IS - 10322

Housing : 22 MS C.R.C.A. Fabricated

Paint & Colour : Epoxy polyester powder coating, White in colour.

Diffuser cum message panel :

Battery type ; Ni-Cd / Ni-Mh; rechargeable

LED Make : GMR Light, BridgeLux, Edison , Osram


Duration : 180 min back up; $\pm 10\%$

Charging Type : Constant current charger

Recharging Cycle : 16 ...



Scan product



Ref: KTI07006001S6CL

Fire Extinguisher KANEX 6 Kg Clean Agent



KANEX KCARQ-6 CLEAN
AGENT TYPE FIRE EXTINGUISHER - 6KG
Clean Agent 6 kg Fire
Extinguisher filled with HFC
Based gas, Electrically
nonconductive noncorrosive,
colorless and non-residual gas, Applicable classes A, B, C,
and
electrical fires, UGTS PressureGauge, Gross Weight 8.9 Kg,
empty Weight 2.9 Kg, Can
Height 530mm, Diameter 150 Å± 10mm, Discharge Time
22Sec, Controllable dis...



Scan product

Ref: KTI140040021200


Rechargeable Emergency Light 1200NM 20 Watt



Model: PEL LED NM (1200) - 20W LED
As per: IS - 10322
Ingress protection: IP 20
Housing: 24 SWG MS C.R.C.A. Fabricated
Input (V) : ~230 volts, 50 Hz; ±10%.
LED: 20-Watt, Multiple LEDs, High lumens output.
Duration: 180 Minutes back up; ±10%.
Recharging Cycle; 10 to 12 hours recharging period.



Scan product



Ref: KT1150220010SBK

Snake Bite Kit

A very useful European Concept Primarily Designed for saving life from Snake bite.
It is easy to use and certainly can extend the life of Casualty.
Packed in a Plastic Container.



Description:
Material- First Aid box made from HDPE Granules
Usage: For Industrial Area Factory
Shelf Life: 2-3 years.
Certificate: GMP certificate
Compliance: WHO
Marked: CE & ISO
Suitable For:...



Scan product


Ref: KT116007002TY0D

Corner Protection Type D

Surface protection type D: 50x20 mm
Resistant to temperature : From -40 ° C to 100 °C
Standard lengths : 1 m, 5 m (shrunk in foil) and up to 50 m (in cardboard)
Recyclable polyurethane foam



Scan product



Ref: KT1160080014568

Rubber Dock Bumper 400x150x80mm

Rubber Dock Bumper
Size: 400x150x80mm
weight : 8 Kgs



Scan product


Ref: KT11601800AIR20

Airport Road Barrier 2230X250X280 MM

Air[port Barrier
Low profile barriers of 280 mm height
area for water filling , fishing lights and
pre drilled holes for mounting warning flags
Interlocking barriers enable Continuous lines
2230 (L) X250 (W)X 280 (H) X 125 Liter (Water ballest) MM



Scan product



Ref: KTI16018001SFPB

MS Road Barrier 1800LX375WX1200H MM

Length = 6ft = 1800 mm

Height = 4ft = 1200 mm

Base Width = 375 mm

Tyre = 4" Fibre

Weight = 23 kgs

Outer Frame = 32 X 32 MM

Inner Frame = 20 X 20 MM

Display Size = 600 X 1200 MM



Scan product

Ref: KTI140040071200

Rechargeable Emergency Light 1200NM

Model: PEL LED 1200 NM

As per: IS - 10322

Ingress protection: IP 20

Housing: 22 SWG MS C.R.C.A. Fabricated

Input (V) : ~230 volts, 50 Hz; $\pm 10\%$.


LED: 40-Watt, Multiple LEDs, High lumens output.

Duration: 120 Minutes back up; $\pm 10\%$.

Recharging Cycle; 10 to 12 hours recharging period.



Scan product



Ref: KTI16018003SC10

Solar Chevron L 1200 MM X W400 MM with Stand

Solar Chevron L 1200 MM X W400 MM with Stand

Size - L-1200mm , W-400mm,

Solar panel -10W solar panel

Ni-MH- Battery-6V-10 MAH

Work mode -Right arrow, left arrow, both arrow

Working hours : 12 hours

Color -Red yellow

LED-Visible distance 500mtr

material - sheet metal

Water proof -Can be used Rainy day But not IP68



Specification

Sharp Highway Curves Guides drivers safely through dark bends by flashing sequential LED arrows. Construction Diversions: Alerts motorists well in advance to change lanes around act...



Scan product


Ref: KTI16019002R752_Green

Safety Cone Rubber Base 750mm 1.2kg Green

Height : 750 Mm



Scan product



Ref: KT11500400218PN

Safety Harness PN 18

Full Body Harness for Tower Climbing (Class L) with 3 Adjustment & 2 Attachment Points
Certification: IS 3521(Part 1):2021
Attachment Points : Dorsal, Sternal
Weight : 1.25kg




Scan product

Ref: KT115009001ECO3

Safety Harness Eco 3 Udyogi

Full Body Safety Harness with Energy Absorbing
Model : ECO3
Webbing Material : Synthetic Fibre (Polyester)
Webbing Width : 44 +/-1 mm
Webbing Breaking Strength : 23 kN
Safe Working Load Capacity : 100 kg
Stitching Thread Material : High tenacity virgin multifilament polyester
Stitch Thread Colour : White
Metal Components : High quality alloy steel, zinc plated, free from...



Scan product



Ref: KT115010001HWF3

Workplace First Aid Kit for Factory

Workplace First Aid Kit for Factory
Small Size Sterilised Dressing - 12
Medium Size Sterilized Dressing - 8
Large Size Sterilised Dressing - 8
Sterilized Eye Pads - 8
Large Size Burn Dressing - 6
Roller Bandage 5 cm - 3
Roller Bandage 10 cm - 1
Crepe Bandage 5 cm x 4 mtr - 1
Adhesive Tape 1/2" - 2
Band-Aid 19 x 72 mm - 10
Cotton Wool 10 gms - 2
Antiseptic Solution - 1
Aspirin T...

Specification

Material: First Aid box made from MS
Usage: Multiple Purpose like construction site, factories etc.
Certificate: GMP certificate
Compliance: WHO
Marked: CE & ISO
Suitable For: 25 p...



Scan product


Ref: KT115017004ES08

Safety Goggles ES008 Anti fog

Brand : KARAM
Model Number : ES008
Weight :105gm
Lens Scale No. : Clear: 3-1.2
Lens : High impact resistant optical class 1 Polycarbonate
hard-coated lens for scratch resistance
Shelf Life 5 Years
Ideal for Use:Chemical Industry
Certification : EN 166:2001



Scan product



Ref: KT107007002AFSU

Arc Flash Suit

Arc Rating – ATPV 40 cal/cm²

- > Coat with open end zip closure and hook and loop covered with flap. > One-piece topstitched, lay flat collar.
- > Adjustable straps with hook and loop closures on sleeve cuffs.
- > Bib overall with side elasticized waist and adjustable suspender.
- > Lower half of garment has felled inseams.
- > FR thread used throughout garment construction.

Test Re...



Scan product

Ref: KT115004002H746

Honeywell Bio S Cape Emergency Escape Breathing Apparatus Set 1815746


The Honeywell Bio-S-Cape (Part Number 1815746) is a self-contained, open-circuit compressed air Emergency Escape Breathing Device (EEBD) engineered for rapid, hands-free evacuation from toxic, smoke-filled, or oxygen-deficient environments. Brand: Honeywell Model / Part Number: Bio-S-Cape / 1815746 Cylinder Type: 3 Litre 200 bar lightweight composite air cylinder (supplied empty) R...

Specification

The Honeywell Bio-S-Cape 1815746 is an advanced Emergency Escape Breathing Device (EEBD) engineered to provide critical respiratory protection during urgent evacuations from hazard...



Scan product



Ref: KT115004002SC86

VENUS SCBA 1086AC

Brand : Venus

Model : 108-6AC

Type1, Backplate V08 design,

Analogue gauge,

CC cylinder

Equipped with V-666 full face mask (FFM)

Carbon composite cylinder (6.8L, 300 bar) for lightweight performance

Approx. 45 minutes air supply duration

Fire-resistant harness with adjustable straps

Ideal for firefighting, rescue, and hazardous environments



Scan product

Ref: KT116025001PSFD

Flap Delineator Post

Flap Delineators / Lane Divider

Model No.PS 1970 FLAP DELINEATOR POST

Size : 225 x 150 x 25mm

Compressive Strength : 30Tons

Material of Base Plate : ABS Plastic White or Yellow

Material of Shaft : EVA, Orange Color


Reflective Panels : One of each side of HIP Prismatic reflective stickers of appx. 75mm square.

Colours : Yellow base and orange flap.

Fixing : By means of Adhesive...



Scan product



Ref: KTI16029200T1RYG

KTI 100 MM Dia Traffic Light Red, Yellow, Green

100 MM DIA (IP 65 CERTIFIED)
MS HOUSING TRAFFIC LIGHT
WORKING ON 24V DC /230V
(RED + AMBER + GREEN)

Specification

MS HOUSING TRAFFIC LIGHT
WORKING ON 24V DC/230V
(RED + AMBER + GREEN)



Scan product




Ref: KTI07006001S4FC

Kanex 4 Ltr F Class WET Chemical Fire SS Body Type Fire Extinguisher

K Class Kitchen Wet chemical
(Blend of Potassium Acetate,
Potassium citrate or Potassium
carbonate) 4 ltr. Fire Extinguisher, Smooth and
Polished Stainless Steel body,
Applicable fire class K, UGTS
Pressure Gauge, Can Height
550 mm, Diameter 150 Å±
10mm, Discharge Time 13 Sec,
Jet Range 2 Meters, Average
Discharge is 95%, Controllable
discharge mechanism with
EPDM Hose & Specia...



Scan product



Ref: KTI1500400T2000

TYCHEM 2000 Chemical Safety Coverall

TYCHEM 2000 Chemical Safety Coverall

Full Part Number: QC127SYLxx0012yy (xx=size; yy=option code)

Fabric/Materials: TYCHEM® 2000

Design: Coverall w/ Hood, Elastic Wrists and Ankles

Seam: Serged

Color: Yellow

Quantity/Box: 12 per case

Sizes: MD, LG, XL, 2X, 3X, 4X, 5X, 6X, 7X

Option Codes: 00

Specification

Tychem® 2000 Coverall. Standard Fit Hood. Stormflap. Elastic Wrists and Ankles. Serged Seams. Pin Lock Slider Zipper Pull. Yellow.



Scan product

Ref: KTI07006001LI6S

KFLIHQ-6 Lithium Store Pressure Fire Extinguisher 6 kg

KANEX KFLIHQ-6 LITHIUMION STORED PRESSURE FIRE EXTINGUISHER -6 KG

Lithium Ion stored pressure Fire Extinguisher Cap. 6 ltr. filled with Water additive Aqueous


Vermiculate Dispersion (AVD), UGTS Pressure Gauge, Discharge Duration- 120-130

sec, Range 2.5-3.5 m, CanHeight 530 mm, Diameter 150 Å± 10mm, Min. Discharge Time

13 Sec, Controllable discharge mechanism, applicable on Clas...



Scan product



Ref: KTI10012002UPPE

Unicare Portable Pressurized eyewash



1. Portable Pressurized eyewash with shower attachment

Make: Unicare

Model: Portable eye wash

Unicare : Pressurized Eyewash meets the requirements of IS 10592, ANSI Z358.1, EN 15154-4, AS 4775

Material

Stainless Steel: 304

Water Holding Capacity :50L / 14 Gallons

Water Flow Eyewash (Min) :0.4 GPM / 1.5 LPM

Accessories

Shower Attachment, Pressure Gauge & Relief Valve, Level

Dip...



Scan product

Ref: KTI120010Z3M75

3M 7502 Silicone Reusable Half Mask

Respirator Type

Half Face


Brand :3M

Size Medium

Mask Material



Scan product



Ref: KT115018001H8CAL

Honywell Arc Flash Suit 8 Cal

Honywell Arc Flash Suit 8 Cal
8 Cal/cm2 Arc Flash Protective Kit- Coat & Pant
Features:

Dual front closure – Velcro and ZIP
100% Natural cotton fabric
Excellent Moisture Management
Breathability - Ideal for India's climate
Fit adapted to local demographics
Adjustable gussets on pants cuffs
Kit Includes:

Coat: 8 cal/cm2 coat.
Pants: 8 Cal/cm2 pant.
Balaclava: 8 Cal/Cm2 Balaclava...

Specification

8 Cal/cm2 Arc Flash Protective Kit- Coat & Pant



Scan product

Ref: KT116007002SN45


Stair Nosing ASN4523

Matt Silver
Blackmat Anodized
Champagne (Other
colors available on request
with MOQ 100 Pcs Chrome
in Gloss Finish)


10ft

Utility: A stair noise protector is a device or solution
designed to reduce or eliminate the noise created when
using stairs.

Use In: Residential Homes, Apartment Buildings, Office
Buildings, Hotels, Schools and Universities etc.....



Scan product



Ref: KTI16022900T1RG

300 MM Dia Traffic Light 2 In 1 Red, Green 12V DC Operated

SIZE - 300MM

Color- Green +Red In Single Light

Arrow - Green upside

Cross - Red

BODY -Polycarbonate, Suitable for extreme conditions

LIGHT SOURCE- Ultra bright LEDS

LENS- UV Stabilized,Waterclear Polycarbonate

FRONT HOOD - made of HDPE

POWER SUPPLY - 12V DC



Scan product

Ref: KTI16029200TSRYG

KTI 200 MM Dia Traffic Light Red, Yellow, Green

200 MM DIA (IP 65 CERTIFIED)

POLYCARBONATE HOUSING TRAFFIC LIGHT

WORKING ON 24V DC

(RED + AMBER + GREEN)

Specification


POLYCARBONATE HOUSING TRAFFIC LIGHT

WORKING ON 24V DC

(RED + AMBER + GREEN)




Scan product



Ref: KTI16031001MEWS

Metal Truck Wheel Chock with Handle

Wheel Chock with long Vertical Handle
3 MM Mild Steel Chequered Plate
D-12", L -9" and W-9"
Vertical Handle Length -30"



Scan product

Ref: KTI17001002T600

EMERGENCY LIGHT PROLITE PEL LED M SQ 600MM

EMERGENCY LIGHT PROLITE PEL LED M SQ 600MM

AS PER : IS : 10322

INGRESS PROTECTION : IP 20

HOUSING : 24 MS C.R.C.A. FABRICATED

PAINT & COLOUR : EPOXY POLYESTER POWDER COATING,
WHITE IN COLOUR

DIFFUSER : OPAL ACRYLIC DIFFUSER

INPUT (V) : ~230 VOLTS, 50 Hz $\pm 10\%$

LED : 36W, MULTIPLE LEDs, HIGH LUMEN OUTPUT

LED MAKE : SEOUL, BRIDGELUX, EDISON, OSRAM

CCT : 6500K ± 500 K


BATTERY TYPE : ...

Specification

Compact sleek, Recessed mounted battery
back-up LED Down Lights which would complement & gel with your
interiors to give a new/ modern look and would guide you to the
exterior safe...



Scan product



Ref: KT117001002TBNM

EMERGENCY LIGHT PROLITE PEL LED 3W NMBULKHEAD

EMERGENCY LIGHT PROLITE PEL LED 3W NM/BULKHEAD
AS PER : IS - 10322



INGRESS PROTECTION : IP 54/65

HOUSING : ALUMINIUM DIE-CAST

DIFFUSER : MILKY POLYCARBONATE DIFFUSER

INPUT (V) : ~230 VOLTS, 50 Hz $\pm 10\%$

LED : 3W, MULTIPLE LEDs

LED MAKE : GMR LIGHT, BRIDGELUX, EDISON, OSRAM

BATTERY TYPE : Ni-Cd / Ni-MH / LITHIUM-ION RECHARGEABLE

DURATION : 180 MINUTES BACK-UP $\pm 10\%$

CHARGI...



Scan product

Ref: KT10000000PN655

Confined Space Entryegress Kit With Kpod PN655


This kit is meant for personnel who are required to move into confined spaces, using the KARAM cantilever K-pod.

Specification

key_features: Comprehensive kit for moving into confined spaces, using the KARAM cantilever K-pod, Conforms to all relevant CE norms
certification: CE



Scan product



Ref: KT101002003H541

Honeywell North 54001 Full Facepiece Reusable Respirator, Medium Large

The Honeywell North 54001 (5400 Series) is a commercial-grade, reusable elastomeric full facepiece respirator engineered for cost-effective, high-performance respiratory and face protection across industrial environments. Make / Brand: Honeywell (North) Model / Part Number: 54001 (Size: Medium / Large) Facepiece Material: Soft, non-allergenic, latex-free thermoplastic elastomer (T...

Specification

The Honeywell North 54001 full facepiece respirator delivers an exceptional combination of worker safety, durability, and cost efficiency. Constructed from a soft, latex-free therm...



Scan product

Ref: KT107001001AFSP

Addressable Photoelectric Smoke Detectors Notifier FSP951R

FSP/951R : heat detector Honeywell notifier WITH B-501 : base

SLC LOOP:


- Two-wire SLC loop connection:
- Unit uses base for wiring:
- Compatible with FlashScan and CLIP protocol systems:
- Stable communication technique with noise immunity:

ADDRESSING::

- Addressable by device:
 - Rotary, decimal addressing:
- (Refer to the NOTIFIER panel manuals for device capacity.):
Walk test...



Scan product



Ref: KT107001001MISO

Honeywell Morley Strobe Sounder MI WSO PR N



Morley IAS MI-WSO-PR-N Wall Mounted Red Sounder

BASE :B501AP

Material : ABS

Color :Red

Operating Temperature : -25 to +70 deg C

Shape : Round

Supply Voltage: 15 to 29VDC (Non-isolation) 15 to 29VDC (Isolation)

Standby Current: 120μA (Non-Isolation) 225μA (Isolation)

Max current consumption sounder and strobe: 14.5mA (High Volume Tone 11 @15V)

Max Sound Output 99 dB(A) +/-3dB ...



Scan product

Ref: KT10700300HSC3

Signature Welding Blanket Size 2 X 2 Meter



Signature Welding Blanket

Model No. : KTZVCF3.2

Temp. : 1260 C to 1760 C


Size : 2 x 2 Meter

Colour : Brown (SS Metallic Reinforced) OR Vermiculite Coated Ceramic.

Application: This Cloth Is Widely Used In Welding, Foundry Works, Aluminum And Steel Mills, Boiler Insulation And Seal, Shipyards, Refineries, Power Plants And Chemical Plants.



Scan product



Ref: KT107007002H8CA

HONEYWELL ARC FLASH PROTECTION COAT PANT KIT 8 CAL

Part Code: INSKCP8RB

Manufacturer: HONEYWELL



Specification

- 8 cal/cm² ATPV ratings
- Made from arc flash resistant material
- Sewn with Nomex® thread
- Meet current ASTM F1506 and NFPA 70E 2012 Standards.
- All are CE 0120 certified.
- Ki...



Scan product

Ref: KT107008002PG1D

Portable Gas Detector PG 100 D

PG-100-D (Diffusion Type)

Gas to be Detected: LPG

Range: 0-100% LEL

Sensor: Pallister Gas Sensor

The Plug-in Sensor provides a full year of warranted protection against hazardous gases

- The Portable Detector detects smallest gas leak on service line and joints
- Easy handling and programming with 3 keys and one key for power ON/OFF
- Easy software calibration by using front ke...



Scan product