



Product Catalogue

Security

Security



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT1060020016RBT

Reinforced Barbed Tape RBT

Reinforced Barbed Tape (RBT) straight version of the Concertina wire



Scan product

Ref: KT112001005AT89

Mouthpiece For Alcohol Detector AT8900

Mouthpiece for Alcohol Detector Alcohol Detector AT8900
Warranty:- Not Applicable

No image



Scan product



Ref: KT112005008YKE4

Led Light Model KT E4

Model KTE4

Led : 15 W

Body/ Color:ABS/Black

Dimensions: L – 223 x B – 122 x H – 144 mm Approx.

Weight: 1.5 kg Approx. (Including Battery)

Powerful 15W Rechargeable LED Search Light



Operation Modes : 5 Modes – Low – Medium – High – SOS – Flasher

Operation Time :Low – Upto 8.5 Hours / High – Upto 6 Hours

Charging Time : 8 hours (Approx)

Light Range : Upto 1000m (Approx)

Batt...



Scan product



Watch video

Ref: KT104014002FBPS

Full Body Protector

Advanced Padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, Knife

Attacks Sharp projectiles or possible Threats in riot Situations.

Antimicrobial Fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design



Scan product



Ref: KT104008001DKRF

RFID Key Fob for DKMS

RFID Key Fob for Digital Key Management
Each key is attached to a smart-KeyFob. ISO14443 RFID.



Scan product

Ref: KT104021001PTMI

Walkie Talkie PT100 Mini 1 to 1.5 Km

Features:

Type-C USB charging

Two-way charger

99 channels

TOT function

Scan function

Power-saving function

General Specifications:

Frequency range: 446-446.2 MHz

Battery: 5000mAh Li-ion

Operating temperature range: -20°C to +50°

Technical Specifications:

Model: PT100 MINI

Product Name: Handheld FM radio

Channel Capacity: 99

Channel Spacing: 25KHz/12.5KHz

Operating Voltage: DC...



Scan product



Ref: KT104014002PARS

Anti Riot Kit

Anti-Riot Kit Inclusive of
Full Body Protector Fire retardant with Advance padding
-with Anti Stab and Anti Impact, Forearm Guard, Groin
Guard, Knee Guard, Shin Guard
Polycarbonate Shield -1 Nos
KTI Polycarbonate Lathi Transperent 1 Mtr -1 Nos
Helmet -1 Nos

No image



Scan product

Ref: KT112005001KTZ5

KTI ZOOMBALE BRIGHT SEARCH LIGHT 200MTR



HP375

Zoomable Metal LED Torch, 5 Modes, Rechargeable, Bright
Light •

Durable and Weather-Resistant: Constructed from robust
materials such as aircraft-grade aluminum alloy or high-
strength plastic, the torch withstands rugged use and
outdoor elements like rain, snow, or dust.

- Outdoor Adventures: Illuminate campsites, trails, and
remote areas with a powerful beam that enhan...



Scan product



Ref: KT104021001WAV1

Walkie Talkie PT101 1.5 to 2KM

Frequency Range-446-446.2 MHZ
Channels 16
Channel Spacing: 25 KHz / 12.5 KHz
Working Temperature: -20°C ~ + 60°C
Antenna Impedance: 50 Ω
Operating Voltage: DC 7.5V (± 20%)
Battery Capacity: 5000 mAh
Frequency Stability: $\leq \pm 2.5$ ppm
Dimensions: 116 x 59 x 38 mm (Without Antenna)

Specification

Transmitting Specifications

Output Power: ≤ 5 W

Modulation: 11K Φ F3E/16K Φ F3E

Rated Audio Distortion: $\leq 5\%$

Adjacent Power: ≥ 60 dB

Modulation Limitation: $\leq + 2.5$ KHz / ± 5.0 KHz

Receiv...



Scan product

Ref: KT104007001IPSN

Inductive Proximity Sensor

Square PNP-NC
Maximum Supply Voltage 40 Volts (DC)
Output Type PNP-NC
Sensing Distance 8 Millimetres
Specific Uses For Product proximity detection
Components SENSOR WITH 2MTR CABLE
Item Dimensions 36 x 18 x 18 Millimeters



Scan product



Ref: KT112004001S141

Hand Held Metal Detector LED Bar Scorpion 700141



Features:

- Single Push to ON.
- Automatic Setting (no adjustments required)
- Super high sensitivity, Detect all type of Metals
- Audio, Visual & Vibration alarm
- Visual indication for "ON", "METAL", "LED BAR"
- Operate of 9V Rechargeable Battery
- Power control : ON, OFF, Vibration
- Safe for Pregnant women and Pacemakers
- Single push button to adjust sensitivity
- ABS Plas...



Scan product

Ref: KT104021001HY77

Walkie talkie Hyundai GP 777 HXR



LICENSE FREE
IDEAL RANGE : 4KM
16 CHANNELS SCAN
INTELLIGENT DSP FUNCTION
1W SEMI DIGITAL AUDIO OUTPUT
ACCOUSTIC NOISE CANCELLATION
WATER SPLASH & DUST RESISTANCE (IP54)
36HR TALK TIME
48HR STANDBY BATTERY
AUTO BATTERY SAVE FUNCTION
LOW POWER VOICE ALERT
HIGH GAIN ANTENNA
ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL NAME
GP-777HXR Registration No: ETA-SD-20230503865



Scan product



Ref: KT104021001WAVX

Walkie Talkie PT100 1.5 to 2 Km



Frequency Range-446-446.2 MHZ
Channels 16
Channel Spacing: 25 KHz / 12.5 KHz
Working Temperature: -20°C ~ + 60°C
Antenna Impedance: 50 Ω
Operating Voltage: DC 3.7V (± 20%)
Battery Capacity: 4800 mAh
Frequency Stability: $\leq \pm 2.5$ ppm
Dimensions: 56 x 34 x 107 mm

Transmitting Specifications

Output Power: ≤ 5 W
Modulation: 11K Φ F3E/16K Φ F3E
Rated Audio Distortion: $\leq 5\%$
Adjacent Power...



Scan product

Ref: KT10402100WAVXP

Walkie Talkie PT100 Plus 1.5 to 2 Km



Model : PT100 Plus
Device Name : Wireless Intercom
Channel Capacity : 128
Channel Spacing - 25 KHZ /12.5KHz
Frequency range : 446-446.2 MHZ
Battery Capacity -6800 Mah

ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL NAME
Wavex PT100 Plus
ETA-SD-20250605118



Scan product



Ref: KT1040210017HXL

Walkie talkie Hyundai Wireless 6km



Hyundai GP 777- HXL transceiver
License free ideal range 6 KM
Acoustic noise cancellation 48 hr. Talk time

- License Free Transceiver
 - Ideal Range 6km
 - Intelligent DSP Function
 - IW Semi Digital Audio Output
 - Accoustic Noise Cancellation
 - Water Splash & Dust Resistance (IP54)
- HYUNDAI
- 48 Hr Talk Time
 - 60 Hr Standby Battery
 - Auto Battery Save Function
 - Low Power Voic...



Scan product

Ref: KT11200500PLSL

Police Shoulder Light



Voltage -3.8 V
Charger Voltage - 5V Strobe Frequency 6 HZ
Size : 78*35*31 CM
Electric Current -50mA
Flashing mode: red and blue strobe, Visible distance 500m, Besides, it also have the function of lighting.



Scan product



Watch video



Ref: KT104024001WSTW

6 Feet Windsock with Stand 6 Ft Height & 2 Ft Long Cage

Windsock Cage Stand with Windsock
WINDSOCK 6 FEET WITH 4 REFLECTIVE TAPE
MADE OUT OF G.I. PIPE 'C'CLASS

- (25mm) WITH 2 BEARINGS (GERMANY) HOUSED IN DUST PROOF CASING
- THE BEARING ALSO ENABLES THAT
- OFFERS THE WIND SOCKS EASIER MOVEMENT IN THE WIND DIRECTION
- ROUNDED FRAME MADE OF MS STRIPS
- WATER PROOF & HEAT RESISTANT
- COLOUR: GREEN
- HEIGHT: 6 FEET
- CAGE SIZE : 2 FEET...



Scan product




Ref: KT104014002FUCP

Body Chest Protector

Advance Padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection
Gives Solid Protection against Stone/brick pelting, Knife Attacks Sharp projectiles or possible Threats in riot Situations.

Fire redardant, Antimicrobial and chemical resistant Fabric
Velcro + Buckle for Comfortable fit
Lightweight and Ergonomic Design
Size : Medium



Scan product



Ref: KT108003SENIRS8

Sensinova PIR Motion Sensor IRIS S8



Model no.: IRIS S8 PIR Motion Sensor
Power Source :110-240V/AC
Working Temperature:-20 c~+40 C
Hold Time:Min. 10Sec, Max. 7Min
Detection Range :360°
Rated Load: 400W (220-240V/AC),200W (110-130V/AC)
(Incandescent), 200W (220-240V/AC), 100W (110-130V/AC)
(LED Load)
Power Frequency :50/60Hz
Detection Distance :8m max(



Scan product

Ref: KT1120050052755

Pelican Head Lamp



Model : 2755 Headlamp
Make : Pelican
Dimensions : Length : 2.25"
Material : Polycarbonate (PC)
O-Ring : Over -molded TPR
Lens : Polycarbonate (PC)
Shroud : Polycarbonate (pc)
Lamp Life : 50000 hrs IPX4
Battery Size : AAA
Battery Type : Alkaline ,Battery Quantity : 3 (inc.)
Volts : 4.5 v
Weight With Batteries :3.400z
Light Modes : High/Low /Flashing
Class I Division 1 IE...



Scan product



Ref: KT104021001PTMR

Walkie Talkie PT100R 2-2.5 KM



Model : PT 100R
Channel Capacity : 16
Channel Spacing - 25 KHZ/12.5 KHZ
Working Voltage -DC 7.5 V
Standard Battery: 5000 mAh Li-Poly
Antenna Impedance -50ohm
Size -118X60X34 mm
Frequency - +/- 2.5 PPM
Reference Sensitivity --119dBm
intermodulation >66 dB
Standard Accessories
Antenna, Battery, Charger, Adapter, Belt Clip, Lanyard

ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL ...



Scan product

Ref: KT104014002RGSH

Anti Riot Safety Helmet Green



Visor with Wire mesh
Adjustable, Protective and Comfortable to wear
Snap fit and quick release chin strap.
Scratch Proof, Shatterproof, Transparent polycarbonate Visor
provides excellent protection against projectiles.
Anti - Bacterial Cloth.
Quick Release buckle.
Proper Ventilation.



Scan product



Ref: KT108003001MSWM

PIR Motion Sensor

PIR Motion Sensor (White)

Material: Plastic; Color: White

Compatible Device: Incandescent, LED, Fluorescent and Halogen

Operating Voltage: 230V AC

Load Wattage : 1200W Incandescent and 300W Fluorescent

Installation Height: 1.8 - 2.5 Meters

Special Feature: 180° angle with Detection range of 12 meters



Scan product

Ref: KT104021001PT20

Walkie Talkie PT200 1 to 2KM

Walkie Talkie PT200 15 to 2KM

Frequency Range 446-446.2 MHz

Battery Voltage 7.4V

Channel Capacity 16

Antenna Impedance 500

Weight 319g

PLL Channel Spacing 12.5kHz/25KHz

Battery Capacity 5000mah

Dimensions(without Antenna) 125.7*62.5*41 mm

ETA-SD-20260504183

Specification

16 storage channels

High capacity polymer lithium battery

Extra long standby

VOX voice control

Side key customization

CTCSS/DCS non-standard sub tone programming

Scrambling functio...



Scan product



Ref: KT103006002HTW

3MP WiFi Robot PanTilt BT Camera

Model No.: T18161

Pan/Tilt Baby Monitoring Camera

- Built-in high-sensitivity Mic and Speaker, Full Duplex Audio Intercomm
- Intelligent motion tracking, automatically tracking when people break area
- Micro SD Card Up to 256GB & Cloud Storage (Optional)
- Wi-Fi connection, Bluetooth Configuration
- Area motion detection, Humanoid detection, push alarm information
- Support moni...



Specification

3MP Wi-Fi Robot Pan-Tilt BT Camera



Scan product

Ref: KT104021001WTWX

Battery for Wavex Walkie Talkie

Make :Wavex

For Walkie Talkie



Scan product



Ref: KT112005FOSRH55W

RECHARGEABLE LED SEARCH LIGHTS FOS 55W



Light Colour Temperature 3000k - WARM WHITE
LUMINOUS FLUX ~1800 LUMENS
BEAM RANGE ~ 1 Kilometre
BATTERY SPECIFICATIONS 12 V - 7 Ah, Sealed Lead Acid (SMF)
OPERATION MODES CONTINUOUS - Manual FLASHER - TIMER
SWITCH TYPE PUSH BUTTON + Toggle (Mode Selector)
OPERATION TIME Up to 80 minutes
BATTERY CHARGER In-Built Charger
CHARGING TIME 8-10 Hours
LED INDICATORS for Charging a...



Scan product

Ref: KT104015001SR30

Vehicle Speed Radar Tracer SRA3000 PRO



SPECIFICATIONS
Speeds Range: 10 to 199 in MPH or KMH
Point and Shoot technology
Reading Distance : up to 1500 feet
Noise filter setting: To reduce or eliminate undesired reading, the Tracer Pro has a user adjustable noise filter with three settings.
F 1 (default) is the least noise filtering and provides maximum range. Typically 110 feet baseballs and 1500 feet car/trucks
Opera...



Scan product



Ref: KTI12002AT8000S

Breath Analyzer with Printer and Camera Model No Alcoston 8000S

Technical Specifications

Measurement Modes: The device operates in both active and passive modes.

Active Mode: Measures BAC in the range of 0 to 550 mg/100ml.

Passive Mode: Measures BAC in the range of 0 to 100 mg/100ml.

Measurement Ranges:

BAC: 0-550 mg/100ml

Physical and Environmental Conditions:

Operation Temperature: 0°C to 40°C.

Storage Temperature: -30°C to 70°C.

Pressur...



Scan product

Ref: KTI06002002BDNG

Binding Wire

Binding wire

1.6 mm 90 GSM coating on wire



Scan product



Ref: KTI12002WOMS10QC

Breath Analyzer without Printer Model No MS10QC

Contact less Quick test MS10QC
Our hand-held breath alcohol analyzer, Quick Test MS-10QC. to have a better experience on this product, Quick Test MS-10QC. is a rapid breath alcohol analyzer for quick testing. It is developed mostly for police Company, Factory Hospital, Office use,

Sensor Type Semiconductor sensor
Measuring Range 0-400mg/100L BAC
Sensitivity/Differentiation Rat...

Specification

Our hand-held breath alcohol analyzer, Quick Test MS-10QC. to have a better experience on this product, Quick Test MS-10QC. is a rapid breath alcohol analyzer for quick testing
Sen...



Scan product



Ref: KTI180100DMJAD5

Double Mounting Siren 5 KM Carbon Brushless

Horizontal Double Mounting SIREN Three Phase
JAD:500
220/250 Volts
RPM - 2880
50 Cycle
Pure A.C (Carbon Brushless)



Scan product



Ref: KT104015002SMVS

Speed Display Board Sereniti Mini VASS AC Operated

SERENITi MINI VASS

SPEED DIGITS -Height: 12 inches, Display: 7 segments

"YOUR SPEED" legend -3.93", spell "YOUR SPEED"

Customizable message

LEDs -Ultra-bright, Green, and Red

LEGILITY -300+m

POWER CONSUMPTION Average



Scan product

Ref: KT1120050YELLOW

Revolving Light Yellow

Revolving Light Yellow

12 V Operated Magnetic Base

(Customs|Commodity|HS code: 85308000)



Scan product



Ref: KT10401000HXCCD20

3D People Counter HX-CCD20

- 1) Detection Accuracy up to 90% to 95%
- 2) Two-Way People Counting - Support drawing detection frames to detect the number of people entering, exiting, passing, staying, and returning
- 3) Regional People Counting - Support custom drawing of detection areas, accurately counting the number of people in a specified area, and the length of time people stay in a specified area
- 4) Dis...



Scan product

Ref: KT11200500850WR

RECHARGABLE LED FLOOD LIGHT 50W

RECHARGABLE LED FLOOD LIGHT 50W

MODEL NO: HISRFL-50W- 8HR

Rechargeable 50W 24Led Work Spot Flood Emergency Lights Camping Light with USB Ports to Charge Mobile Devices and Special SOS Modes.

SPECIFICATION:-

Power: 50W, Color of light: white (6000-6500K)

Luminous flux: 2400LM

Li-ion battery: 3.7V 18650 Li-batteries *6 Nos 2600maH BIS certified battery.

Input voltage: 12V 1A DC...



Scan product



Ref: KTI12002WOAT720

Non Contact BreathAnalyser AT7200 without Printer

Description

Dual functions alcohol tester---pump suction and accurate test, AT7200 adopt fuel-cell sensor and semi-conductor as its core component that can inspect accurately concentration of the breath alcohol.

Both fuel cell and semiconductor sensor-accuracy and fast

Both accurate and rapid pump suction test method

3.7V/5000 mAh Lithium battery

Traffic baton with white an...



Specification

Our hand-held breath alcohol analyzer, Quick Test MS-10QC. to have a better experience on this product,

Quick Test MS-10QC. is a rapid breath alcohol analyzer for quick testing

Sen...



Scan product

Ref: KTI12002MS9SIPL6

Breath Analyzer with Memory SIPL6

Digital Breath Alcohol Analyser with Memory,

Model: SIPL-6 (32GB SD Card, Taptic Vibrator,BMS,Data logging

High performance 16 bit ADC

High accuracy and faster response time

32GB SD Card for memory storage

Store up to 3 lakh readings

Three Status indicators - safe, warn & alert

Password restricted menu access

Quick test mode with no delay

Guided test sampling process

Confidenc...



Scan product



Ref: KT118005001KI50

KIOSK 50 inch

1. KIOSK MADE OF MILD STEEL
2. 1.5MM TO 2.0MM THICK METAL IS USED.
3. POWER COATING OF 50 MICRON TO 70MICRON MAX
4. HEIGHT AND WIDTH OF KIOSK WILL BE AS PER PANEL.
5. CASTER WHEELS WITH 02 LOCKABLES



Scan product

Ref: KT118010009EMAS_230_V_Without_Flasher

Emergency Alarm system for Outdoor 230 V Without Flasher

Emergency alarm system Consisting of

- 1) 230 V operated Electronic Siren
- 2) Push-Release Switch
- 3)10 Meter 3 Core 1.5 Sq MM Cable
- 4) Junction Box



Scan product



Ref: KT103006AN041L3

ANPR Camera Model No CP-UNC-TT41L3-VMD-Q



ANPR Camera

Model no.: CP-UNC-TT41L3-VMD-Q

- 1/1.8" 4 MP CMOS sensor (1.411 centimeters)
- Max. 4MP (2688 × 1520)@30fps
- H.265, H.264M, H.264H, H.264B, MJPEG
- 10 mm–50 mm Motorized Lens
- WDR(140dB), Day/Night(ICR), 3D NR, BLC, HLC
- IR Range of 30 Mtr., IP67, IK10 System



Scan product

Ref: KT104024001SFLS

Solar Powered Illuminated Wind Socks



WINDSOCK STAND

(SOLAR TYPE)

TECHNICAL SPECIFICATIONS

Windsock Cloth

Material: Polyester Parachute Fabric

► Eyelets: Brass (Anti-corrosion)

► Size: 24 x 72 inches

► Color Options: Orange & Lime Green / Red & White

► Reflective Tape: 4 Nos: provided for night visibility

Aviation Light with Solar Panel

Light Type: Low Intensity Solar LED Light (Type A) Light

Color: Red

► Power Out...



Scan product



Ref: KT1120020KT8080S

Breath Analyzer A 8080TC Sim Base

A8080TC - The safe Breath Analyzer with Sim Base.

Main specifications

Measuring Mode 1. Active Mode

2. Passive Mode (Manual sampling)

Measuring Range 0-550 mg/100ml (BAC)

Measuring Resolution 1 mg/100ml (BAC)

Measuring Unit mg/100ml(BAC), %0(BAC), mg/L (BrAC)

Measuring Accuracy 1. +/- 5 mg/100ml absolute error at range from 0~100 mg/100ml

2. +/- 5% of measured value at ran...



Scan product

Ref: KT104021001HY77E

Walkie talkie Hyundai GP 777 HXE

LICENSE FREE

IDEAL RANGE : 2KM

16 CHANNELS SCAN

INTELLIGENT DSP FUNCTION

1W SEMI DIGITAL AUDIO OUTPUT

ACCOUSTIC NOISE CANCELLATION

WATER SPLASH & DUST RESISTANCE (IP54)

24HR TALK TIME

36HR STANDBY BATTERY

AUTO BATTERY SAVE FUNCTION

LOW POWER VOICE ALERT

HIGH GAIN ANTENA

BATTERY 3.7V 4400mah

ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL NAME

GP-777HXE Registration No: ETA-SD-202...



Scan product



Ref: KT1040210GP66LV

Walkie talkie Hyundai GP 666LV

Model No.:GP-666LV

Brand - Hyundai

Analog Two Way Transceiver

- * License Free Transceiver
 - * Ideal Range 1.5km
 - * 1W Audio Output
 - * Accoustic Noise Reduction
 - * Waterproof & Dust Resistance (IP54)
 - * 16 Channel Group Calling
 - * 15 Hr Talk Time
 - * 30 Hr Standby Battery
 - * Low Power Voice Alert
 - * High-Gain Antenna
- ETA Certificate No. : ETA-SD-20250403389



Scan product

Ref: KT11800500203KM

Industrial Double mounted Siren Electrical Jay Kay Make 3KM J1D 350

Horizontal or Vertical Double Mounting SIREN Single Phase,

Model No.: J1D:350

H.P-1/10

6000 RPM

50 Cycle, A.C

Range: 3 Km

24, 30, 48, 110 & 220/250 Volts, 50 Cycle, A.C



Scan product



Ref: KTI12004002MTMD

Ultra High Sensitive Hand Held Metal Detector MTMHD 003

Model No.: MTHHMD-003

Dimension - 410mmX85mm X45 mm



Comes with Auto setting, which does not require adjustment
Detects all types of metals
Light Weight, handy and easy to use
Audio & Visual alarm during metal detection
Power ON, Metal detection and battery Charging indication
Long-lasting battery.



Scan product

Ref: KTI20001001KT03

Video Intercom KIT Dahua Video Door phone 7 Inch

Model : DHI-KTA03 with Memory Analog

7" TFT screen

Video intercom function: Unlock, voice call, video call, volume

adjustment, doorway monitoring

Support digital wide dynamic range (DWDR)

Display : 7.0" TFT

Resolution : 1024 × 600

Indicator Light : 1 indicator light; Green: Power on

Communication Method : Analog

Camera : 1/4" 1.3 MP CMOS

Field of View : Horizontal: 70° Ver...



Scan product



Ref: KT112005008YKM5

Led Light Model YK M5

20W Rechargeable LED powerful search light with an inbuilt solar panel.

Multi-utility search light with 6 Mode Operations.

Dimensions 28 × 17.5 × 18 cm

Light Source 20W


Battery 18650 Li-ion Battery (8000 mAh)

Body Material/Colour Aluminium & ABS / Black

Battery Adaptor External 5V 2Amp

Charging Dual charge AC Mains 220V50Hz/Through inbuilt solar panel

Light range Up to 1000m(ap...



Scan product

Ref: KT112002003MGHI

Door frame Metal Detector 18 Zone with Software

Door Frame Metal Detector - 18 Zone
with Software TCP / IP Protocol

Traffic Counter : "IN" "OUT" "With Bar Display"

Model No.: MT -VIC

Multi Zone -18

Construction Material :Wooden Laminated Frame

Dimension : OD : 2253 H X860 B X 570 D

ID : 2000 H X720 B X570 D

Power Supply -220V AC , 50 HZ

Power Consumption -Less than 40 watts

Alert mode: Visual and Alarm mode

Detection ...



Scan product



Ref: KT104014002FUBP_M

Full Body Protector Fire redardant with Advance padding M Size

Advanced padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, knife attacks, sharp projectiles or possible Threats in riot Situations.

Fire-retardant, antimicrobial, and chemical-resistant fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design

Custom...

No image



Scan product

Ref: KT104014002FUBF

Female Full Body Protector with Advance padding

Advance Padding material for maximum trauma and impact resistance.

poly & EVA foam pading for extra protection.

Gives solid potection against stone /brick pelting, Knife attacks, Sharp projectiles or possible threats in riot situatins.

Fire Retardant , Anti microbial and chemical resistance fabric.

velco + Buckle for comfortable fit.

Ergonomicllay designed using anthropomet...



Scan product



Ref: KT11200500RS250

250 W Motorised revolving LED Search Light with Speed Control



watt : 250 w
Up-Down Control & On-Off control of light through remote,
Input Voltage : 230 VAC
Power Factor : HPF 0.987
Operating Current of LED Bread : 1500 mA Cont. current
Driver
Led Chip Brand ; OSRAM OSLON3030
Certification : LM 80 /IS16106
Beam Angle : 5-9 degree
Mounting : 360 degree Rotational



Scan product

Ref: KT112002003MGHS

Door frame Metal Detector-18 Zone



Model No.: MT -VIC
Multi Zone -18
Construction Material :Wooden Laminated Frame
Dimension : OD : 2253 H X860 B X 570 D
ID : 2000 H X720 B X570 D

Power Supply -220V AC , 50 HZ
Power Consumption -Less than 40 watts
Alert mode: Visual and Alarm mode
Detection of material : Ferrous and non ferrous
Sensitivity calibration level - 0-255
Application :Indoor/Outdoor
Traffic ...



Scan product



Ref: KTI12002PT5000P

Breath Analyzer with Printer PT 5000P

Digital Alcohol Breath Analyzer, PT 5000P

Electrochemical/Fuel Cell sensor: The fuel cell is a porous disk with a thin layer of platinum black on both faces and any alcohol that comes in contact with the cell's surface is broken down chemically.

2. Printer: Inbuilt thermal printer, printing on spot with all information which entry.

3. Display: Color 3.2" TFT LCD with touch screen

4...



Scan product

Ref: KTI20001000TVDP_A4

VDP One touch Villa Model A4 PRO

Model No.: OT-ADP-A4 PRO

Analog VDP One touch Villa Model A4 PRO

Smartphone

Integration

- 7" Capacitive HD Touch screen
- 1024*600 Screen Resolution
- 2K FHD video resolution
- Designer Edge-Lit Display
- 2.4/5G Dual Band Wi-Fi
- SD Card Support (up to 512 gb)
- H.265 video compression
- ONVIF IP Camera Viewing & Recording

Visitor

Snapshot

Tamper

Alarm

* Resolution : 2M...



Scan product



Ref: KT1030060BSBWG3

Body Worn Camera SC BWG30



SC-BWG30-128 GB

Full Featured model with 128 GB SD Card

Key Feature:

- * Video Compression: H.264/H.265
- * Day and Night.
- * Long Life Battery Record
- * Supported SD Card
- * Support Two-way Radio
- * Record Audio and Video Same time.
- * Supported Playback
- * Fast charging

Product Specifications:

OS

Sensor 5 million pixels CMOS image sensor

OS Linux 4.9.110

Booting time < 6 Seconds (Fro...



Scan product

Ref: KT104008001CTFS

Controller For Siren



"KHERAJ" MAKE ADVANCED SIREN CONTROLLER,
MODEL - KEI-ASC-T
FOR THREE PHASE SIREN, 400/440 VOLTS, AC, 50 HZ,
(SIREN CONTROL PANEL COMPLETE WITH 1 NO. SIREN
STARTER PANEL)
WITH 1 NO. SIREN STARTER PANEL)



Scan product



Ref: KT104015001SCPR

Pocket Radar Smart Coach speed gun Radar

Accuracy: +/- 1 MPH (+/- 2 KPH)

- Speed Range: 25-130 MPH (40-209 KPH)
- Measurement Modes: Manual, Constant-On, or App Controlled
- Units of Measure: MPH, KPH
- Recall Memory: 25 internal to unlimited with App
- Memory Clear Function
- Works with Pocket Radar Smart Display
- Measurement Range: 120 feet on baseball or softball
- Power Options: 2 AAA batteries
- Battery Life in ...



[Watch video](#)



[Scan product](#)

Ref: KT10401500TRCM2

Laser Speed Camera LTI 2020 TruCAM II

Model -LTI 20/20 TruCAM II

Handheld Day & Night Photo

Lidar with Standard accessories (TruCAM

Shoulder Stock, Trucam LCD Stylus-2 nos, Turcam

Sun Shade - 1 No, 12V Charger- 1, High capacity SD

Reader-1, 32GB Card-1, Rechargeable Battery pack-

2 Nos, Pelican hard case with foam)



[Scan product](#)



Ref: KT1180040018J3D

Electrical Siren Jay Kay Make J3D 8 km

HORIZONTAL DOUBLE MOUNTING TYPE,
400/440 VOLTS THREE PHASE 2800 RPM
50 CYCLE A.C. 5 H.P.
AUDIBLE DIAMETRICALL SOUND,
8.00 KMS RANGE SIREN,
(HEAVY DUTY) (COPPER WINDING) (ISI MOTOR)
(MODEL NO:J3D-800)



Scan product

Ref: KT10400400211050

Nikon Binocular ACULON A211 10x 50

Brand Nikon
Age Range (Description) Adult
Special Feature Lightweight
Objective Lens Diameter 50
Magnification Maximum 8
Product Dimensions : 21.84 x 10.8 x 10.8 cm
Large objective lens diameter for a brighter and wider field of view
Multilayer-coated lenses for bright, sharp images, Eye relief (mm): 11.8
Aspherical eyepiece lenses for undistorted images across entire surfa...



Scan product



Ref: KT104008001GP10

Guard Tour Reader with Fingerprint GP Finger 101

Storage Capacity: 60, 000 pieces

Alarm Clock: 200 groups

Fingerprint Record: 200 groups

Battery: 3.7V lithium rechargeable battery

Bluetooth Card: Less than 10 meters.

Communication: USB 2.0, no need to drive

Operating Temperature : -400 to + 85 Degree C

Features :

Voice prompt

Biometric Fingerprint

Impact detect

Pedometer

Flashlight

200 groups of alarm clock

Magnetic connecti...



Scan product

Ref: KT104008002CTFS

Customised Controller For Siren

KHERAJ" MAKE SIREN CONTROLLER TONES

MODEL KEI-ASC-8Z T

Having Selectable 8 Zones output Multi Programmed mode

(Tone) Operations with Single Starter panel working on

THree Phase 400/440V AC & 50 HZ



Scan product



Ref: KT103006003H516

HD DVR HIKVISION 5MP 16CH

Support up to 4MP Cameras.
One SATA Interface (up to 4 TB Capacity Per HDD).
Simultaneous HDMI/VGA Output.
Audio Input : 1-ch, RCA.
Audio Output : 1-ch, RCA.
Power Supply 12 VDC.
16-CH BNC Interface.
Warranty:- 1 Year

No image



Scan product

Ref: KT103006000ANAVT

5MP Motorized Starlight IR Bullet Camera

AM-SM5060-MMR5
5MP Motorized Starlight IR Bullet Camera
Features :
Metal Housing
Motorized Lens 2.7-13.5mm
Up to 2880x1620@30fps, 1920x1080@60fps
S+265/H.265/H.264/M-JPEG
Min. illumination Color: 0.001Lux@F1.6
Support Face Capture Mode
Built-in Mic, Audio I/O 1/1, alarm I/O 2/1
Operating Conditions -35°C~65°C, 0~95% RH
POE, IP67
Support Human/Vehicle Classification
Smart IR, IR...



Scan product



Ref: KT104001021KIOS

Interactive TouchScreen Kiosk 21.5 Inch

Model -XN-WMKIOSK-22"
Display Size: 21.5"
LED Type: 10 POINT CAPACITIVE
Resolution: 1920 X 1080
Brightness: 250 NITS
Contrast Ratio (typical) : 4000: 1
Colour Support: 16.7 Million
Operation Hours: 24 * 7
Surface Finish: anti-reflective
Certification: IP 65 Front waterproof

CPU Model :
Make: XEXAGON
Processor: Intel i5-12th generation
Ram: 16 GB
SSD: 512 GB
IO PORTS: 2 USB PO...



Scan product

Ref: KT10401000PVC3DN

V Count People Head Count Sensor

Model : V-Count

Key Features:

- Accuracy of up to 99% and 95 % on average.
 - Plug-and-play installation.
 - Bi-directional counting.
 - An exceptional Mean Time Between Failure (MTBF) of over 20 years.
 - Accurate counting with video evidence.
 - Improved 3D counting accuracy through superior processing power.
 - WiFi connectivity.
 - An optional staff exclusion add-on feature
- Techni...



Scan product



Ref: KT112005009RERD

Revolving Light Blue

Revolving Light



Scan product

Ref: KT112005009REYE

Revolving Flasher Light Yellow

Revolving Light Yellow

For Car, Marine, Truck or Any Emergency

Power rating 220v/24v/12v (Different Options Available)



Scan product



Ref: KT112001005MAWPM

Mouthpiece For Alkokhoj 2018 with out Printer

Mouthpiece for Alkokhoj 2018 without Printer



Scan product

Ref: KT108003SENIS12

Sensinova PIR Motion Sensor IRIS S12

Model: IRIS S12

Power Source: 220 -240v/ac

Detection Range: 360c

Detection Distance: 12m Max

Hold Time: Min. 10 Sec +- 3 sec, 7 Min +-2 min

Rated Load: 1200W (Incandescent),300W (LED Load)

Installation Height : 2.2 -4 m



Scan product



Ref: KT104021001RANGV9

Ranger V9 vertel upto 6Km walkie talkie

Ranger V9 vertel upto 6Km walkie talkie

LICENSE-FREE WALKIE TALKIE

V9 BLUETOOTH WALKIE TALKIE IP67 WATER & DUST PROOF

GENERAL SPECS

Frequency range : 446-446.2 MHz

Channel capacity : 199 Channels

Channel spacing : 12.5KHz

Operation Voltage : DC 7.4V

Battery Capacity : 4500mAh (Li-ion)

4500mAh (Li-ion) : About 20 hours

Frequency Stability : ± 2.5 ppm

Operating Temperature : -20 t...

Specification

Ideal for hotels, events, schools, hospitals, and large facilities requiring instant team communication.

Useful for coordinating operations, emergency response, maintenance, and fi...



Scan product

Ref: KT112005006P335

Pelican 3335R Z0

The Peli™ 3335RZ0 is a small & light rechargeable intrinsically safe torch certified for ATEX/UKEX Zone 0 applications.

246 Lumens

ATEX Safety Certified Zone 0 (Cat. 1)

Up to 246 Lumens

Up to 58 hours run time

IP67 Rating

3 modes High / Strobe / Low

Full Time Battery Level Indication

Right-Angle Accessory (#3317, sold separately) transforms the 3335R into hands free wearable fl...



Scan product



Ref: KTI01001002SKIS

Video Door Phone Hikvision DSKIS603PC Video Intercom Network Bundle

IP video intercom bundle for villa or house

One call button for easier calls

Convenient Hik-Connect APP Mobile Control

Including: DS-KV6113-WPE1(C) × 1, DS-KH6320-WTE1 × 1,
PSU × 2

Power adapter included in the package



Door Station

Operation system

Embedded Linux operation system

Flash

32 MB

RAM

256 MB



Scan product

Ref: KTI04014002FUBP_L

Full Body Protector Fire redardant with Advance padding L Size

Advance Padding material for Maximum trauma and impact
Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, Knife
Attacks Sharp projectiles or possible Threats in riot
Situations.

Fire redardant, Antimicrobial and chemical resistant Fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design

Customiss...

No image



Scan product



Ref: KT118010002FMTS

Flameproof Multi Tone Audio visual Alarm

Make : Baliga
FPHF 117 Flameproof Multi Tone Audio Visual Alarm
Product Code FPHF 117
Part no : FPHF117 Manufacturer : BALIGA
SIREN,112DB,POWER,1,24/230VDC/AC,TOP,CAS
SOUND LEVEL : 112 dB
DRIVEN BY : POWER
PHASE : 1
RATED VOLTAGE : 24/230 VDC/AC
MOUNTING : TOP
MATERIAL : CAST ALUMINIUM
DUTY : INTERMEDIATE
ENCLOSURE : IP65
CAPACITY(HEARING RANGE) : 1 KM
PROGRAMMABLE : YES
MOTOR...



Scan product



Ref: KT11200500TRPC15

Tripod Mounted Revolving LED search light 150Watt

150W and 300 Meter range
SALIENT FEATURS
PHOTOMETRICAL DATASHEET
Efficacy 150-165 lumens per watt
Luminous Flux 7500-66000Lumens
Light colour WHITE
CCT 5700-6000K
Led Chip Brand OSRAM/SAMSUNG
Certification LM 80 /IS16106
CRI 80 LED Life span 50,000
Optic Lenses material Polycarbonate Lenses Reflector NA



Scan product



Ref: KT108003SENMW12

Sensinova Motion Sensors Model no. Nano W12

Specification

Power Source 220-240V/AC

Power Frequency: 50/60Hz

HF System: 5.8GHz CW radar, ISM band

Transmission Power:



Scan product

Ref: KT104021001PK50

walkie talkie KENWEE Model K 50

walkie talkie KENWEE Model K 50

General:

Frequency Range: 446 MHz

Channels: 128

Working Voltage: 7.4 V DC

Working Temperature: -20°C to +60°C

Antenna: High-Gain Antenna

Antenna Impedance: 50 Ω

Mode of Operation: Simplex or Semi-Duplex

Weight: 248 g (with 5200 mAh battery)

Transmitter:

Frequency Range: 446.000 – 446.025 MHz

RF Power: 0.5 W

Modulation Type: FM

Spurious Radiation...

Specification

An IP65 Rating means the Radio has the highest level of dust protection, and is able to withstand low-pressure water jets from all directions. IP65 is not a waterproof Radio.



Scan product



Ref: KT104024001SFLW

Windsock with LED Light Steel Stand



Windsock Standpipe: -

Dia 32 MM, Made of SS304

Height: 10 Ft provided with a Pedestal

Flange at the bottom for easy installation.

Wind Indicator Cage/Ring: 2 Feet Diameter with support cage of 2 Feet Length made of SS304

E. LED Bulb Light:

Flameproof LED Bulb Light (16 Watt) is provided at the center of the cage to illuminate the cage during the night, stormy and gloomy en...



Scan product

Ref: KT112002WAT720P

Non Contact BreathAnalyser AT7200 with Printer

Description

Duel functions alcohol tester---pump suction and accurate test, AT7200 adopt fuel-cell sensor and semi-conductor as its core component that can inspect accurately concentration of the breath alcohol.

Both fuel cell and semiconductor sensor-accuracy and fast

Both accurate and rapid pump suction test method

3.7V/5000 mAh Lithium battery

Traffic baton with white an...

Specification

Our hand-held breath alcohol analyzer, Quick Test MS-10QC. to have a better experience on this product,

Quick Test MS-10QC. is a rapid breath alcohol analyzer for quick testing

Sen...



Scan product



Ref: KT112005009415I

Pelican 9415I Flashlight



9410L + Safety = 9415i
392 Lumens
Carrying Strap included
High/Low/Flashing Modes
Length: 22.2 cm
Battery Type: NiMH
Battery Quantity 4
Rechargeable yes
Charge Time: 15 hrs



Scan product

Ref: KT104021001POC1

Walkie talkie POC100 SIM Based



Wavex : POC-100 walkie talkie SIM Based
1.44 "color screen
Dual card single standby, automatic/manual switching
Polymer lithium battery
Extra long standby
Multi-member single call
Key lock
Battery display/low battery warning

TECHNICAL SPECIFICATIONS

Sim Required in client scope : Vi, Airtel, Jio
Model: POC-100
Device name: LET POC NETWORK RADIO
Working voltage: DC: 3.4V-4.2V
...

Specification

The simplest app for simulating traditional hardware. Users just tune into the same randomly generated channel number (line) to instantly speak, functioning like a public or privat...



Scan product



Ref: KT104021GP777HXS

Walkie talkie Hyundai GP 777 HXS

Digital Two-Way Transceiver Hyundai GP777HXS

- * License Free Transceiver
- * Ideal Range 5km
- * Next Generation Digital CPU 2W Digital Audio Output
- * Accoustic Noise Cancellation
- * Waterproof (IP67)
- * Intrinsically Safe Equipment
- * 32 CH, Tier 2 Communication
- * 48 Hr Talk Time
- * 60 Hr Standby Battery
- * Auto Battery Save Function
- * Low Power Voice Alert
- * High Gain Antenna

Specification

The Hyundai GP-777 HXS Walkie Talkie is a compact and reliable two-way communication device designed for clear and convenient communication.

It is suitable for security teams, offi...



Scan product

Ref: KT116003001UVSC

Under Vehicle Search Trolley Mirror with camera

Technical Specification:

NetWeight(mainunit) : 4.15 Kg

Dimension(mainunit): 440 mm(L)x340mm (W) x 172 mm(H)

Telescopic rod (compressed) : 560 mm(1.8feet)

Telescopic rod (extended) : 1730 mm(5.6 feet)

Camera : Camera with DVR

Recording : 7-10 days recording LED for Night vision

Mirror: 12 inch (30.48 cm) convex mirror.



Scan product



Ref: KTI12001002H18G

Door Frame Metal Detector 18 Zone 700318G



Door frame metal detector scorpion 700318g

- stable performance, 18 zones.
- based on auto-set microcontroller.
- detects all types of ferrous and non-ferrous
- security level up to 100 levels.
- sensitivity of each zone from 0 to 200.
- self-calibration starts once powered on.
- 2 light bars with human body localization
- counter: record the pass and alarm numbers.
- operation...



Scan product

Ref: KTI180100DMJFD5

Double Mounting Flame Proof Siren 5 KM Make Jaykay



Horizontal Double Mounting Type, 400/440 Volts
Three Phase 2800 , RPM 50 Cycle A.C 3 H.P
Audible Diametricall Sound, 5 KM Range Flamp Proof Siren.
(HEAVY DUTY)
(MODEL NO:JFD-500)



Scan product



Ref: KT104014002ARLH

Anti Riot Safety Helmet Light Weight

Helmet
with Grill Protection
Adjustable, Protective and Comfortable to wear
Snap fit and quick release chin strap. Quick Release buckle.
Proper Ventilation.



Scan product

Ref: KT1040240016FLL

6 Feet Windsock with SS Stand and Flameproof PESO Certified Light

LED Illuminated Windsock Stand With Cage & light, Stand made of good quality Stainless Steel 304 Structure with SS 304 pipe Stand

A. Windsock Cloth: The Windsock cloth is made up of Parachute Polyester Double Layer fabric. Brass eyelets give anticorrosion properties.

Size - 24 x 72 Inches comes in Red & White/Orange & Green Color combination along with Reflective Tape wi...

Specification

6 Feet Windsock Cloth: The Windsock cloth is made up of Parachute Polyester Double Layer fabric. Brass eyelets give anticorrosion properties. Size - 24 x 72 Inches comes in Red & W...



Scan product



Ref: KT118004001J3D1

Double mounting Electrical Three Phase Jay Kay Make 11 km

Model : J3D1150

Horizontal or Vertical Single Mounting SIREN Three Phase,
400/440 Volts, 2880 RPM, 50 Cycle, A.C

HP :7.5 , KM : 1150



Scan product

Ref: KT10401200108X8

KTI Porta Cabin 8X6X8 Feet

Porta Cabin

Size : 8 X 6 X 8.6 ft (L X W X H)
(OUT TO OUT)

MAIN MS DOOR : 6 .6 X 3 FT -1 NO ,
AL SLIDING WINDOW 3X3 FT - 2 NO CABIN FAN : 1NO , LED
LIGHT , (15 W) -2 No

Inside : 1 No - Circular fan , 1 No - led lights , , 5 amp power
socket

No image



Scan product



Ref: KT104021001RANGV7

Ranger V7 Vertel Walkie talkie 4 KM

Ranger V7 Vertel Walkie talkie 4 KM

TECHNICAL SPECIFICATIONS

Frequency range : 446-446.2 MHz

Channel capacity : 99 Channels

Operation Voltage : DC 7.4V

Antenna Impedence : 50Ω

Channel spacing : 12.5KHz

Operating Temperature : -20°C to +60°C

Frequency Stability : ±2.5 PPM

Dimension : 149*64*37mm

Weight : 292g

Battery Capacity : 4200mAh

LICENSE-FREE WALKIE TALKIE IP67 Waterproof ...

Specification

Ideal for hotels, events, schools, hospitals, and large facilities requiring instant team communication.

Useful for coordinating operations, emergency response, maintenance, and fi...



Scan product

Ref: KT11200500P92GX

Night Stick Intrinsically Safe Scene Light XPR5592GX

Model :XPR-5592GX

Item Number - XPR-5592GX - 017398807005

CASE MATERIAL

- Glass-filled nylon polymer
- Serialized for personal identification

LUMENS/RUNTIME

- HIGH: 1200L, 6 hrs. runtime
- LOW: 650L, 12 hrs. runtime

WATER RATING

- IP-67 (dust-proof, waterproof)

DROP RATING

- 2 meters

DIMENSIONS

- LENGTH: 13.5 in (343mm)
- WIDTH: 9.25 (235mm)
- DEPTH: 3.5 in (89mm)
- WEIGHT: 4 l...



Scan product



Ref: KT11200500YK7301

LED Rechargeable Search Light YK 730 15000 mAh

Description

High Brightness Upto 2000 Lumens.

Swivel Stand. Long Working Time.

Lithium Polymer battery. Rugged Body

Bigger Reflector. Dual Charger. Light Weight. Optionally

Available with Solar Charging

Weight 1480 g

Dimensions 26.9 × 22.2 × 22.2 cm

Lighting Type:LED

Body Material :ABS

Battery Type ;li-ion

Voltage: 7.4v

Rechargeable : YES WITH EXTERNAL CHARGER.

Battery Included...



Scan product

Ref: KT118010002PS01

Horizontal Single Mounting Pure AC Siren 1 KM

Horizontal Or Vertical Single Mounting Siren

Single Phase 220V/250V

2800 RPM

50C/s AC/DC

Horizontal Single Mounting

Siren PS-100




Scan product



Ref: KTI12001001A80T

Alcohol Detector A8080T Breath Analyser with camera



A8080T Breath Analyser with camera

Measuring mode - Active Mode, Passive Mode

Measuring Range : 0-550 mg/100 ml (BAC)

Measuring Resolution -1 mg/100 ml (BAC)

Sensor Type -Dart 16 mm , Electromechanical Measuring sensor

Display -3.5 inch LCD 480*320 65K Color with touch panel

GPS -Supports GPS Function

Camera -5 MP with wide range >130 Degree (Optional)



Scan product

Ref: KTI180100S3MFLP

Single Mounting Flame Proof Siren 3.25 KM Make Kheraj



Model : FS-325

Horizontal Single Mounting Siren Three Phase 400/440V

2800 RPM 50 HZ, AC



Scan product



Ref: KT104004002KDMS

RFID KTI Digital Key Management System



RFID-Based Electronic Key Management System. Holds keys Securely and Provides Keys to Authorized Personnel Only. The key fob has an RFID tag inside, which Communicates with the cabinet wirelessly. It is Tamper, wear & tear Proof. Each key is attached to a Keyfob enabling the key to have a unique Identity.

Woven Around State of Art RFID Technology
Holds key Securely
Identifi...



Scan product

Ref: KT118004001JAS5


Carbon Brushless Single mounting Electrical Siren Jay Kay Make 5 km



Horizontal or Vertical Single Mounting SIREN Single Phase, 220/250 Volts, 2880 RPM, 50 Cycle, A.C (CARBON BRUSHLESS)



Scan product



Ref: KT118005001KI55

KIOSK 55 inch

STANDEE MODEL

Model No: DS-SD55P-KSO-A11-BL

Brand & Make: Kiosk India

Standee Type: Floor Standing

Dimensions: 6' Height x 2.5' Width x 2' Base Depth

Weight : 70 KGs

Easily Portable on wheels

Android 11.0 (Red Velvet Cake

Amlogic S905X3 Quad Core,

Very Fast Processor with support for upto 4K content

RAM: 4GB

Flash memory : 32GB

Penta-Core Mali G31

Ethernet

DualBand Wireless 2....



Scan product

Ref: KT11800500JAS10

Industrial Siren Electrical Jay Kay Make JAS100

Industrial Siren (Electrical)

MODEL NO:- JAS : 100

Horizontal or Vertical Single Mounting SIREN Single Phase,
220/250 Volts, 2880 RPM, 50 Cycle, A.C (CARBON
BRUSHLESS)



Scan product



Ref: KTI0401200161PC

Porta Cabin 6ft X6ft X9 Ft 6 Inch



G.I.PORABLE CABIN -6'x6'x9'-6"

Extra Window

Work Station -3'x2'x2'-6"

Over Head Cabinet -3'x13"x1'-6"

Revolving Chair

Top frame -50 mm x 50 mm m.S square pipe

Bottom frame -100 mm x 50mm I beam

Stiffener top -40 mm x 20 mm MS pipe

Stiffener bottom -50mm x 50 mm MS pipe

Side post -60mm x 60 mm MS square pipe

Side wall stiffener -specially fabricated corrugated sheet

1.00 mm/ ...



Scan product

Ref: KTI20001000T10

Onetouch 10inches Screen Smart Video Door Phone with NVR redefines residential security standards



Key features includes :

- Crisp HD video quality,
- Dual band wireless 2.4/5 Ghz
- Continuous recording 4CH & 8CH live view with H.265 compression
- Motion detection and real-time alerts on mobile app.
- IP66 zinc alloy doorbell with 2 relay ports
- color black and white



Scan product



Watch video



Ref: KT1040120011GPC

Porta Cabin 10ft X10ft X9 Ft 6 Inch



G.I.Portable cabin size-10'x10'x9'-6"

Cabin fan 01nos

Main board -01nos

LED light -02nos

6amp switch socket -01nos

16amp AC provision -01nos

Mcb -1 nos

Carpet -polyvinyl

Window with grill 3x3 -03 mps

Bulkhead -01nos

Extra window

Work station

Overhead cabinet

Revolving chair

Top frame -50 mm x 50 mm m.S square pipe

Bottom frame -100 mm x 50mm I beam

Stiffener top -40 mm x 20 mm...



Scan product

Ref: KT104014002FUBP_2XL

Full Body Protector Fire redardant with Advance padding 2XL Size

Advanced padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, knife attacks, sharp projectiles or possible Threats in riot Situations.

Fire-retardant, antimicrobial, and chemical-resistant fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design

Custom...

No image



Scan product



Ref: KT108003SENIS10

Sensinova PIR Motion Sensor IRIS S10

Model: IRIS S10

Power Source: 220 -240v/ac

Detection Range: 360c

Detection Distance: 10m Max



Scan product

Ref: KT112005006P706

Pelican 7060 Flashlight

The Pelican 7060 LED light employs a revolutionary dual switch technology that allows the light to be activated by either a body-mounted patrol switch or a tail-mounted tactical switch. The dual switches, which include a momentary mode and high/strobe/medium/low beams, allows the user to grip the light in several positions and still control activation. In addition, the 7060 is ...



Scan product



Ref: KT1120050P09470

Pelican 9470 Remote Area Light



High Flux LED: 50 0 0 0 hrs.
Tested Lumen Value: 120 0 0 (High) ,10 0 0 (Low)
Number of LEDs: 6 LEDs per head
Battery Burn Time: 7 hrs. (High) 40 hrs. (Low)
Battery Charging Time: 12v Re chargeable
Voltage: 12v



Scan product

Ref: KT104023TSH53B

X Ray Baggage Scanner Handy 53B



Single Generator and Single View
Series - Handy 53B
Dimension(LXWXH) - 1664X766X1207
Tunnel Size - 515X 312 MM
Anode Voltage -160 KV
Tube current - 1.2 mA
Wire Resolution -38 AWG
Speed -0.2 Meter per second
Load -165 Kgs
Height from ground 675 mm
Power Requirement 220($\pm$ 10%), 50 $\pm$ 3Hz



Scan product



Ref: KT108003SENNO4T

Sensinova MW Motion Sensors Model no NOVA 4T

The product is a new saving-energy product; it adopts microwave sensor mould with high-frequency electromagnetic wave (5.8GHz) and integrated circuit. It gathers automatism, convenience, safety, saving-energy and practical functions. The wide detection field depends on detectors. It works by receiving human motion. When one enters the detection field, it can start the load at ...



Scan product

Ref: KT10040020A2735

Nikon Binocular Aculon A211 7x35

Magnification: 7x
Objective Lens Diameter: 35 mm
Prism Type: BaK-4 Porro Prism system
Lens Coating: Anti-reflection multilayer-coated Eco-Glass™ (lead and arsenic-free)
Eyepiece Design: Aspherical lens elements to eliminate image distortion
Angular Field of View (Apparent): 59.3°
Linear Field of View: 163 meters at 1,000 meters (488 feet at 1,000 yards)
Exit Pupil: 5.0 mm
Eye ...



Scan product



Ref: KTI04012001105P

KTI Porta Cabin 5LX5WX8H Feet

Size : 5'X5'X8'-6"

MS New Portable Office Container

Size: 10Lx10Wx8.5H feet

(Accessories)

Door-1 No.

Window -2 No.

Fan-01 No.

Power point-04 No.

Light-04 No.

Ac provision-01 No.

5X2.5 Size Table for Four People work -01 No

No image



Scan product

Ref: KTI18003002H96P

Hooters PLMT 96X96 Kheraj

MODEL PEIZO With LED (Multi tone)

Make : Kheraj

SIZE : 96 MM X96MM, 50 MTR,RANGE

(DIAMETRICAL)90DB @1MTR, 220 VOLTS

AC/DC(EITHER), PROTECTION IP55, INDOOR DUTY,

Hooters Working On Single Phase AC 220/250 V



Scan product



Ref: KT1180040012J35

Electrical Siren Jay Kay Make J3D 350

Model No.: J3D:350

3 KM Range

Horizontal or Vertical Single Mounting SIREN Three Phase

400/440 Volts, 2880 RPM,

50 Cycle, A.C

No image



Scan product

Ref: KT1030060BSBHCP

Body Warn Camera CPDBPH20

CMOS Image Sensor

- 1080P Color Video Recording
- 1.8m drop test
- Easy one-touch recording
- 2" LCD screen with instant playback of video, photos or audio
- Built-in high-quality microphone and speaker
- 16GB/32GB/64GB/128GB Internal storage
- IP65

Feature Specification

Image Sensor CMOS

Screen 2 inch Full HD LCD

Angle of lens F2.0 iris diaphragm , 110° wide angle

Digital Zoom...



Scan product



Ref: KT1040012BF1050

Bushnell binocular Falcon 10x50 133450



Bushnell binocular Falcon 10x50 (133450)

Multi-coated optics for superior light transmission

Insta Focus® systems for fast focus on moving targets

Poly carbonate

Non-slip rubber grip pads for secure grip in all details that you would expect in weather conditions, including weather resistance

Magnification X Obj Lens 10x50

Close Focus (m) 7 meters

Prism System Porro prism

Fo...

Specification

Accessories: Soft carrying case, Neck strap, cleaning cloth, brush, silica gel, eyecup and objective lens cover.

□ Multi coated optics for superior light transmission

□ InstaFocus®...



Scan product

Ref: KT1040064MPXPP

4MP Explosion Proof PTZ Camera

Model: SS-EX202-I-H

Resolution: 4 MP

Video Compression: H.265/ H.264/MJPEG

IR Range: up to 250mtr

Digital Zoom:16X

Smart Defogger

316L stainless steel construction, IP68 rating

Strong corrosion-resistant capabilities

Use in flammable and explosive hazardous areas

Cyber Security Certified by STQC as per IoTSCS and meet the essential requirement issued by MeitY

Image Sensor 1/2.8...



Scan product



Ref: KT10401200110PC

KTI Porta Cabin 10Lx10Wx8.5H feet

MS New Portable Office Container

Size: 10Lx10Wx8.5H feet

(Accessories)

Door-1 No.

Window -2 No.

Fan-01 No.

Power point-04 No.

Light-04 No.

Ac provision-01 No.

5X2.5 Size Table for Four People work -01 No



Scan product

Ref: KT104023002604A

X Ray Baggage Scanner 6040 Single Energy Zkteco

Make:Zkteco

Model No:6040A

unnel Dimensions (W*H) 600*400 (mm)

Conveyor Speed 0.3m/sec

Load on Conveyer 180kg (evenly distributed)

Conveyor Height 680 mm

Horizontal Φ 1.0mm

Vertical Φ 2.0mm

Steel Penetration 8mm

Wire Resolution 34AWG

Single-energy Yes



Scan product



Ref: KT118004001J3D5

Double mounting Electrical Three Phase Jay Kay Make 5 km

Model : J3D 500

Horizontal or Vertical Double Mounting SIREN Three Phase
400/440

HP : 3 , KM : 5 km

400/440 Volts, 2880 RPM, 50 Cycle, A.C



Scan product

Ref: KT118005002010M

Industrial Double mounted Siren Electrical Jay Kay Make 100M J1D10

Horizontal or Vertical Double Mounting SIREN Single Phase,
Model No.: J1D:10

H.P-1/10

6000 RPM

50 Cycle, A.C

Range: 100 m Double Mounting

Horizontal or Vertical Double Mounting SIREN Single Phase,
24, 30, 48, 110 & 220/250 Volts, 6000 RPM, 50 Cycle, A.C



Scan product



Ref: KT1180100DD3FLP

Double Mounting Flame Proof Siren 3.25 KM Make Kheraj

Model : FD 325
HORIZONTAL DOUBLE MOUNTING FLAME PROOF SIREN
Horizontal
Double Mounting Siren
Three Phase
400/440V
2800 RPM
50 HZ AC

No image



Scan product

Ref: KT100000KT08300

Breath Analyzer WithOUT Bluetooth Printer KT8300



KT-8300P Breath Alcohol Tester With Bluetooth Printer With Electro chemical fuel cell based and designed for professional use

KT- 8300 is a handheld.

Dimension (L*W*H) - 170x 75x 35 Centimeter (cm)

Temperature Range: -10 to 50 Celsius (oC)

Special Features: Wireless Communication: Bluetooth

Power Supply: Built-in Li-ion battery realizes reliable and long-time testing action.

M...



Scan product



Ref: KT101001002DSKH

video door phone KH6 Series IPBased Indoor Station

Key Feature

- New UI V2.0: User friendly design
- 7-inch colorful touch screen with resolution 1024 × 600
- Standard PoE
- Stores messages and capture pictures in the TF card
- Remote unlocking via the client software or the mobile client
- Views live videos of door stations and linked cameras



Specification

System Parameters

Operating System

Embedded Linux operat...



Scan product

Ref: KT10100200CVM55

Video Wall Samsung VM55BU 2 x 3

Video Wall Samsung VM55BU 2 x 3

- * Screen Size: 55-inch
- * Panel Type: IPS, Direct LED Backlight
- * Resolution: 1920 × 1080 (Full HD)
- * Brightness: 500 nits (typical)
- * Contrast Ratio: 1,200:1 (typical)
- * Bezel Width : Ultra-narrow bezel for video wall applications
- * Viewing Angle: 178° / 178°
- * Operating Time: 24/7 continuous operation
- * Connectivity: HDMI, DisplayPort, DVI-D, ...

Specification

Features a 3.5 mm bezel-to-bezel design for a nearly seamless visual experience.

Slim cabinet construction enables flexible video wall configurations to suit various installations....



Scan product



Ref: KT1040020AUVS3D

NUVO SCAN 3D Automated Under Vehicle Scanning System

NUVO SCAN 3D Automated Under Vehicle Scanning System NuvoScan™ (3D) - complete underground installable UVSS unit, generally as per the catalog attached, and compliance furnished, majorly comprising :-



- >> Color AreaScan camera
- >> Automated Number plate reader system for entry lane only.
- >> Driver Image module for Entry lane only.
- >> Dual Area Scan Camera.
- >> Computer system with...

Specification

Technical Specifications

Main Camera
Imager : CMOS AreaScan Sensor
Resolution : 1920x1200 pixels
Video Format: GigE
Certifications: CE compliant
Power: 12 V to 24 V DC



Scan product

License Pl...

Ref: KT104010001MHCND

Manual Head Count system wiith Net

Model No: KTIMHC3

- Make: KTI
- Display : Date, Time, Net, In And Out
- 2 Button for In andOut
- Display Color : Red
- Must Have Single Entry and Exit
- Manual Operation



Display:-

- 1) NET Display = character height 1.5inch, colour RED, No of digit 4.
- 2) IN Display = character height 1.5 inch, colour RED, No of digit 4.
- 3) OUT Display = character height 1.5 inch, colour RED, No...



Scan product



Ref: KT10401000HP5LM

LED Display for Head Count System

P5 LED Module

Size: 1 x 0.5 feet

Power supply 230V

Aluminum Body

Sensor support SO415 Backlite connector (for in/out and rest)

Display Show: Date + Time + Net + In + Out



Scan product

Ref: KT104023TS6650

X Ray Baggage Scanner 6650 Magtech

Dimensions (in mm) -2020 L X 915 W X 1406 H

Gross Weight -590 KGS

Tunnel Size (in mm) -665(W) x 508(H)

Anode Voltage -160 KV

Tube Current -1.2 mA

Steel Penetration -35 mm

Wire Resolution -38 AWG

Speed -0.2 meter per second

Recognition Types -Recognizes 35 types of objects: gun, explosive fireworks, container spray, knife, impenetrable materials, axe, scissors, ignition oil, n...



Scan product



Ref: KT112001001ABWP

Alcohol Detector Alkokhoj 2018 with Printer



Model : Alkokhoj 2018 With Printer
ACTIVE MODE- EXAMINER ID ENTER FACILITY With Printer
PASSIVE MODE - ALPHANUMERIC CREW ID ENTER FACILITY With Printer
QUICK MODE - CREW NAME ENTER FACILITY With Printer
BLOW FAILURE INDICATION - TRAIN NO. ENTER FACILITY With Printer
LOW BATTERY INDICATION - PC DATA DOWNLOADING With Printer
CALIBRATION REMINDER INBUILT LITHIUM- ION BATTERY EASY ...



Scan product

Ref: KT112001002PTMD

Pole type detector CEIA MSD



Detection of magnets and ferromagnetic metals
Detection of all cell phones and other ferrous contraband concealed on the person or in body cavities (including keyfob cell phones, smart phones, radio transceivers, etc.)
Constant Sensitivity across the detection area in pass-through operations
Multi-Zone targeting indication identifies the location of contraband on the body
Cover...



Scan product



Ref: KT11200100HPOLZ

Pole Type Metal Detector MDS100

Model MDS100

Maximum Detection Distance: 120 cm

Detection Radius: Up to 80cm

Throughput Rate 50 people/minute

Sensitivity Level 100

Alarm Zone 2 Zones (Standard), 3 Zones (Optional)

Touch Screen Size 3.5inches

Alarm Volume 1 to 10 Levels

Alarm Ring 6 Types(selectable)

Input Voltage 15V

Embedded Rechargeable Battery 8Hrs to be fully charged ;

Supports 26 Hrs of operation

Battery...

Specification

- Detect smartphone (switch ON/OFF mode), smartwatch and ferrous contraband
- Strong anti-Interference ability
- Cutting-Edge Single-Axis Magnetic Field Sensor Supporting a High ...



Scan product

Ref: KT11200100PMD33Z

Door Frame Metal Detector 33 Zone 800333W

Door Frame Metal Detector 33 Zone 800333W

Characteristic & Function :

- 11/22/33 zones to precisely identify locations vertically from head to toe.
- LED Display for visualization.
- Operating Frequency can be adjusted manually or automatically
- Working frequency (0~99), with adaptive function according to the working environment.
- Multi-alarm sounds to choose. (Different sou...

Specification

Used at airports, railway stations, courts, and other high-security checkpoints for screening people for concealed metal objects. Provides fast, non-intrusive security checks with h...



Scan product



Ref: KTI12002001D918

Door Frame Metal Detector 18 Zone ESSL

D9018 WALK THROUGH METAL DETECTOR - 18 ZONE DIGITAL

Vertical dimension: 2230 x 920 x 440 mm,

Vertical aisle dimension: 2000 x 715 mm,

Net weight: 40 Kg ,

Gross weight: 45 Kg,

Operating voltage: AC90V ~ 240V 50/60Hz.

Pow erconsum pØ on :20W

Regionald etectm etalprecision range:

M axim um sensiØ vity ≥10gm etal



Scan product

Ref: KTI12005008TS27

LED Rechargeable Search Light TS 27STD

Type of Lamp / watt : 30 w

Dia of search light : 152mm

Dimensions : 290 L X 152 Dia x 152h mm

Color Temperature : 6500 k

Battery (Rechargeable) : 4 x 18650- 8800Mah Lithium 3.7h

Range : UP 1 km approx.



Scan product



Ref: KT11200500MSCRE

Self Contained Remote Area Lighting

SELF CONTAINED RECHARGEABLE EMERGENCY
EIPL/ PE-BG /CON-2025

Ingress protection: IP 65

Housing: Molded Polypropylene

Input (V) : ~ 230 Volts, 50 Hz; $\pm 5\%$ for charger

LED; $2 \times 60W = 120W$

Luminous flux (LM) : > 15000 Lumens

Duration: 3 Hours back up; $\pm 10\%$.

Recharging Cycle: 16 to 24 hours recharging period



Scan product

Ref: KT11200500RS100

Motorized revolving LED Search Light with Speed Control 100 MTR

Motorized 100w with 180 deg left right

And up down

Auto left light

Certification CE/ BIS ON CONTROL GEAR

Input Voltage 110v to 300vac

Frequency 50/60 Hz



Scan product



Ref: KTI16022900T1RG

300 MM Dia Traffic Light 2 In 1 Red, Green 12V DC Operated

SIZE - 300MM

Color- Green +Red In Single Light

Arrow - Green upside

Cross - Red

BODY -Polycarbonate, Suitable for extreme conditions

LIGHT SOURCE- Ultra bright LEDS

LENS- UV Stabilized,Waterclear Polycarbonate

FRONT HOOD - made of HDPE

POWER SUPPLY - 12V DC



Scan product

Ref: KTI18004001J16

Double mounting Electrical Three Phase Jay Kay Make 16 km

MODEL NO:- J3D : 1600

HORIZONTAL DOUBLE MOUNTING TYPE,

THREE PHASE, 415/440 VOLTS,

10 H.P,

2880 RPM,

50 CYCLES,

AC, AUDIBLE DIAMETRICAL SOUND 16.00 K.MS RANGE

SIREN. (HEAVY-DUTY) (COPPER WINDING)



Scan product



Ref: KT118010002FP05

Single Phase Flameproof Siren 0.500KM Make Kheraj

Siren FSS-050 (500m)
Horizontal Single phase Flameproof Siren Electrically
operated Sirens HORIZONTAL
SINGLE MOUNTING SINGLE PHASE 220V/250V
2800 RPM
50 HZ AC



Scan product

Ref: KT1180100DMJFD3

Double Mounting Flame Proof Siren 3.50 KM Make Jaykay

Horizontal Double Mounting Type, 400/440 Volts
Three Phase 2800, RPM 50 Cycle A.C 3 H.P
Audible Diametrical Sound, 5 KM Range Flamp Proof Siren.
(HEAVY DUTY)
(MODEL NO:JFD-350)



Scan product



Ref: KT120001001KT01

VDP Analog Dahua DHI-KTA01

VDP Analog Dahua

- Screen dimension: 7 inch
- Indoor monitor function: Unlock, video call, volume adjustment, and doorway monitoring
- Quantity of outdoor station and indoor monitor: 2 outdoor station + 3 indoor monitor
- Applicable scenario: Villa



Technical Specification

DHI-VTO2010D

Button Type Mechanical keyboard keys

Camera 1/2.7" 2MP CMOS

Field of View H:70°, V:38°, ...

Specification

The Dahua DHI-KTA01 Video Door Phone system provides secure visitor communication and access control for residential and small commercial properties. It enables users to view, comm...



Scan product

Ref: KT1000000MRT700

Underground Cable and Pipe Locator Mrt 700

The MRT-700 device is an underground cable and pipe locator, which makes it possible to trace distribution networks quickly, easily and accurately. It can locate energised and de-energised cables, as well as low, medium, and high voltage lines, and both metallic and non-metallic pipelines. It also includes functionalities for contractors, maintenance departments, and civil work...



Specification

Receiver: [object Object]

Transmitter: [object Object]



Scan product



Ref: KT1018011002MTS

Siren Kheraj Make Multi Tone 3.25 KM Range 5 Tone



3 TONE SIREN
MODEL - ESTT-350

220 VOTLS, AC,
3.50 KM RANGE

Also We Have Double Tone, Triple Tone up-to 3.50 Km
Ranges Siren Available

Warranty: 1 Year



Scan product

Ref: KT1030060024644

NVR HIKVISION 4MP 64CH Sata4

Support up to 4MP Cameras.

4 SATA Interfaces Connectable for Recording and Backup.

Up to 10TB Capacity for Each Disk.

32 IP Cameras can be Connected.

HDMI/VGA Outputs Provided.

Warranty:- 1 Year

No image



Scan product



Ref: KT103006DRON3S

Drone Camera DJI Air 3S

Dimension - Folded (without propellers):

214.19×100.63×89.17 mm (L×W×H)

Max Ascent Speed -10 m/s

Flight Time & Range: It supports a maximum flight time of 45 minutes (tested at a constant 32.4 kph) , a maximum hover time of 41 minutes, and a total flight distance of up to 32 km.

Operational Limits: It operates in temperatures ranging from -10° to 40°C , resists wind speeds up t...



Scan product

Ref: KT104001001TMVS

Trailer Mounted Variable Message sign

Size : Offered Display Size: 1280x960mm

Model: AP- DT10-1R1G1B

LED Type -SMD

Estimated LED lifespan (Hours) -100000 Hrs

Pixel Pitch (mm) -10

Pixel -1RGB

Module Resolution (W x H) -32 x 16 pixels (320 X 160 mm)

Module pixels -512 dots

Module quantity -4 x 6 = 24 nos.

Size (W x H) mm -1380 x 1060 mm

Material -M.S CRCA Sheet of suitable thickness

VMS screen size (W x H) mm -1280 ...



Scan product



Ref: KT104004002DM50

Digital Key Management System for Marshal 50 Keys

Face, Fingerprint & Card Device with windows based License software Feature List Only authorized user can take Key report printable at any time. Release key accessible 24/7 without supervisor on site.

Specification- Key Slot -50KEYS,
i-keybox-L,

AccessWay-Face+Finger+Card+Password- Finger recog time= $\approx 0.6s(1:1)$ Weight=49~55KG

Feature List-

1.Only Authorised used can take key.

...



Scan product

Ref: KT104004003KDWG

RFID Digital Key Management System with Genetec Integration

RFID-Based Electronic Key Management System with 7" Screen Size

Secure, Traceable, and Intelligent Key Management System

Automatic Sync of Card User and System User Data to KMS

Access through exit readers is automatically restricted when sensitive keys are withdrawn from the KMS, ensuring enhanced security control.

Automatically grant or restrict access to specific facility zon...



Scan product



Ref: KT104007001DFDC

AI Dashcam for Driver Fatigue Monitoring system

AI Dashcam : 2ch, ADAS + DFMS, 4g, Wifi, GPS



1. Supports two-channel recording (Front 1080P + In-Cabin 720P) for full vehicle monitoring and driver behavior analysis
2. Built-in ADAS (Advanced Driver Assistance System) for lane deviation and collision warnings
3. Built-in DSM (Driver Status Monitoring) to detect fatigue, distraction, and unsafe driving behavior
4. Real-time GP...




Scan product

Ref: KT10401000FP221

TOF People Counter FP221

Using TOF technology, it does not rely on visible light images, and directly obtains the depth map and grayscale map of the object instead of the RGB image, which can 100% protect the privacy of personnel; 2. Through specific tags, employees can be accurately filtered, support custom height cutoff points, distinguish between adults and children, and count them separately (HSN N...



Scan product



Ref: KT104011001LFC3

Ladies Frisking Cabin with roof

Ladies Frisking Cabin(Sides With Cloth)

Product Specification-

ACP Sheet at 2 side with Roof

1. Pipes: Mild Steel With Powder Coating.
2. Gauge of the Pipe:16 Gauge
3. Dimension of the Pipe:1.25" Dia
4. Booth Dimension-(4ft L X 4ft W X 6.5 ft H)
5. Cloth Would Be Used in Sides.
6. Curtain in Front.

Special Features-

1. One Can Easily Install and as Well as Dismantle It.
2. Ea...

No image



Scan product

Ref: KT10401200202PC

Porta Cabin 33 X 20 Ft

G.I portable cabin size 33'x20'x8'.6" (MDF) including 01 main door, 08LED Light, 04 fan, 04 window 03'x03', electrical points, switch socket, vinyl flooring, bulcket light above the door.

Size : 33'x20'x8'.6"

Base : M.S square-pipe Of 125 X 65 MM with 4mm thickness.

Along With square-pipe Of 75 X 40 Mm.(Welded With M.S Square pipe From Length To Length)Square Pipe Of 50 X 5...

No image



Scan product



Ref: KT104014002FUBP_XL

Full Body Protector Fire redardant with Advance padding XL Size

Advanced padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, knife attacks, sharp projectiles or possible Threats in riot Situations.

Fire-retardant, antimicrobial, and chemical-resistant fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design

Custom...

No image



Scan product

Ref: KT104021001PA33

Walkie Talkie Airlink A33 15 to 2 KM

Walkie Talkie Airlink A33 15 to 2 KM

General:

Channel: 16

Working Voltage: 3.7V DC

Working Temperature: -20°C ~ +50°C

Weight: 180g (including Antenna and Battery)

Dimensions: 114 x 59 x 33mm

Transmitter:

Frequency Range: 446 - 446.200 MHz

RF Power: 0.5W

Modulation Type: FM

Spurious Radiation: $\leq 7.5\mu\text{W}$

Modulation Noise:

Specification

TOT • Scan • English Voice Prompt

• Battery Saver Function • Low Battery Prompt

• Narrow/Wide Bandwidth Selection • VOX

• Scrambler • Busy Channel Lock • Squelch Level

• Programmin...



Scan product



Ref: KT104021001RANGV2

Ranger V2 Vertel Walkie talkie upto 2 KM

Ranger V2 Vertel Walkie talkie upto 2 KM

TECHNICAL SPECIFICATIONS

Walkie Talkie upto 2.5 KM Make Vertel

Frequency range : 446-446.2 MHz

Channel capacity : 16 Channels

16 Channels : DC 3.7V

Battery Capacity : 3000mAh

(Li-ion)

Battery Life : About 15 hours

Frequency Stability : ± 2.5 ppm

Operating Temperature : -200C to +600C

Antenna Impedance : 50 Ω

Dimension (HxWxD) With Antenna...

Specification

RECEIVER SPECIFICATIONS

Receiving Sensitivity : 0.20 μ V@12dB SINAD

Adjacent Channel Selectivity : >70dB

Audio Output Power : >500mW

Audio Distortion :



Scan product



Ref: KT104021001RANGV5

Ranger V5 Vertel Walkie talkie upto 3 KM

Ranger V5 Vertel Walkie talkie upto 3 KM

TECHNICAL SPECIFICATIONS

Walkie Talkie upto 3.5 KM Make Vertel

Frequency range : 446-446.2 MHz

Channel capacity : 199 Channels

Channel spacing : 12.5KHz

Operation Voltage : DC 7.4V

Antenna Impedance : 50 Ω

Operating Temperature : -20 to +600C

Frequency Stability : ± 2.5 ppm

Dimension : 130*57*34mm

Weight : 240g

Battery Capacity : 3800mAh (...)

Specification

Ideal for hotels, events, schools, hospitals, and large facilities requiring instant team communication.

Useful for coordinating operations, emergency response, maintenance, and fi...



Scan product



Ref: KT10402100BPK50

Spare Battery with Belt clip for KANWEE K50 Radio



"Spare Battery with Belt clip for KANWEE K50 Radio"

Brand: Kanwee

Model: BT-K50

Battery Type: Lithium Battery Pack

Rated Voltage: 3.7 V DC

Battery Capacity: 5200 mAh

Energy Rating: 19.24 Wh

Safety Information:

Do not disassemble.

Do not dispose of in fire.

Do not change or charge the battery in hazardous locations.

Do not short-circuit the terminals.

Specification

An IP65 Rating means the Radio has the highest level of dust protection,

and is able to withstand low-pressure water jets from all directions.

IP65 is not a waterproof Radio.



Scan product

Ref: KT104023T6550A

X Ray Baggage Scanner 6550A Dual Energy Zkteco



X Ray Baggage Scanner 6550A Dual Energy Zkteco

Specification:

Tunnel Size W660mm × H510mm

Speed 0.20 m/s

Height of Transmission Belt 1300 mm

Maximum Load ≤180 kg (Adequate distribution)

Wire Resolution 40 AWG (0.0787mm metal wire)

Space Definition Horizontal Φ1.0mm \ Vertical Φ2.0mm

Penetrate Definition 34 AWG

Penetration 38mm Steel board

Monitor 22 inch LED

System Function

...

Specification

ZKX6550 uses reliable high quality dual energy X-ray generator. With the superb image algorithm, ZKX6550 could offer clear scanning image, which allows operators to identify pot...



Scan product



Ref: KT104023TSH100

X Ray Baggage Scanner 100100 Zkteco Dual Energy



X Ray Baggage Scanner 100100 Zkteco Dual Energy
Specification:

Tunnel Size(W*H) 1000*1000(mm)

Speed 0.2-0.4m/s (adjustable)

Height of Transmission Belt 387 mm

Maximum Load 200 kg (Adequate distribution)

Wire Resolution 38 AWG

Space Definition Horizontal $\Phi 1.0\text{mm}$ \ Vertical $\Phi 2.0\text{mm}$

Penetrate Definition 32 AWG

Penetration 30 mm steel board

Monitor 21.5 inch LED * 2

System Function

H...

Specification

ZKX100100 X-ray inspection system increases the operator's ability to identify potential threats; the device is designed to scan the objects up to a size of 100 × 100cm.



Scan product

Ref: KT104024001WDTW

6 Feet Windsack with 10 Feet Long Double Bearing stand



Wind sock Stand Heavy Duty G.I Pipe of 1 Inch Dia and 10 Feet Long, Fitted with MS Dam Ring of 2 Feet Dia, which is fixed with 2 Nos weather-proof Ball bearing mounted on GI Pipe Stand

Wind sock cloth made of 100% Fluroscent Polyster (waterproof cloth) having alternate orange and lime-green colour strips with Inner Lining, 2 feet x 6 feet x 1 Feet

8 No. Brass Eyelets at equ...



Scan product



Ref: KT108001001HAMS

Varni Home Automation System

Varni Home Automation System
Customized Home automation units

Specification

Customized Home automation units



Scan product

Ref: KT108001018DCMA

18 Device Control Module Appliance Home Automation System

18 Device Control Module Appliance - Home Automation
System



Scan product



Ref: KT10800200B8IN

Wireless Button 8IN

Wireless Panic Button / Smart Button

- False Alarm Prevention: Yes (In the Panic mode)
- Adjustable Alarm types: Intrusion, Fire, Medical Help, Panic button, Gas leak
- Protection class: IP55




Scan product

Ref: KT10800200HKPD

Wireless Keypad 8IN

Wireless touch keypad to arm/disarm an Ajax system

- Installation method: Indoors
- Protection against password attack & passcode guessing
- Arming/disarming indication: Yes



Scan product



Ref: KT10800200MCOD

Motioncam Outdoor 8IN

Wireless outdoor IR Motion detector with a photo camera to verify alarms

- Sensing element: Two PIR sensor
- Motion detection distance: Adjustable, up to 3-15 m
- Motion Detection angles: Horizontal - 90° & Vertical - 80°
- Protection class: IP55 (Hood comes along with sensor)



Scan product

Ref: KT10800200MMPO

Motion Protect Outdoor 8IN

Wireless IR motion detector for outdoor & indoor use

- Sensing element: Two PIR sensor
- Motion detection distance: Adjustable, up to 3-15 m
- Detection angles: Horizontal - 90°
- Protection class: IP55



Scan product



Ref: KT10800200WODC

Dual Curtain Outdoor 8IN

Wireless outdoor bidirectional curtain IR Motion detector
- Motion detection distance: 4 to 15 m (depending on setting)

- Protection class: IP54

- Compatible with Hub2, Hub2 (4G), Hub2 Plus & ReX/ReX2
DualCurtain Outdoor is a wireless bidirectional curtain-type motion detector. With two PIR sensors on each side, the DualCurtain Outdoor detection zone reaches 30 meters, effective...



Scan product

Ref: KT108003001MW76

Sensinova PIR Motion Sensor SNMW765

Model No. : SN-MW765 IP65 Wall Mounted Microwave Motion Sensor

Rated Load : 1200W (Incandescent) 300 W (LED Load)

Time Delay : 10 sec - 12 min Adjustable

Micro Wave motion sensor

IP Rating : IP 65

Detection Angle : 360



Scan product



Ref: KT108003002VSCC

Central Control Unit

Ryzen5, 16 GB RAM, 1 TB HDD, Windows OS.
CPU- AMD Ryzen5 4500U, 6C 6T upto 4.0 GHZ
CPU AMD Ryzen 5 4500U, 6C 6T upto 4.0GHz
GPU AMD Radeon Graphics (up to 1500MHz)
WIFI + BT RTL8852, BT5.3, Wi-Fi 6E 802.11ac/a/b/g/n
STORAGE M.2 *2 (1x 2242, 1x2280), SATA + NVME
MEMORY DDR4, SO-DIMM*2, Maximum 64gb
ADAPTER DC IN, 19V/5A
ETHERNET RTL8111G, RJ45 port
DIMENSIONS 114 x 106 x 42.5 mm ...



Scan product

Ref: KT108003002VSPB

Panic Button

Dimensions : 10cm (width) x 18cm (length) x 8 cm (height)
Dual Core 240 MHz Processor
Built in Wi-Fi (2.4GHz)
Built in re-chargeable battery (3.7V, 4400 mAh)
IP 67 Housing
Large Externally Projected button
Built in browser based application to configure the device
when connected to a power supply (12V DC 1 Amp)
Provision to add RTC (Real Time Clock)



Scan product



Ref: KT108003002VSZC

Zonal Control Unit

1.2 GHz Quad Core Processor
Built in Wi-Fi and Ethernet
Built in HDMI (to connect a monitor / display)
Built in USB (to connect Keyboard & Mouse)
1 GB RAM & 32 GB Memory
Works on 5V DC 4 Amp
Built in Linux Distro & MariaDB
Built-in Browser-Based Application



Scan product

Ref: KT108003004CWCS

Atigo Common wireless Curtain Sensor

Model : PI201A
Sensor : Double frequency (original import) and low voice instruction.
when an unauthorized person intrudes , it will be triggered.
can be installed upon windows, balcony, upper side of doors
and so on



Scan product



Ref: KT108003006WIS2

Atigo Wireless Indoor Flash Siren Model No SIW02



Waterproof, Weatherproof.
Sound Volume: 120dB.
Fixed 1 tone or circled 6 tone alarm indication.
Arm/Disarm: Can be set as ON/OFF
Flash: Different flashlights for choice
Wireless Sensors: Up to 100
Power Supply: AC 100 V / 220 V



Scan product

Ref: KT10800300MWS01

Atigo Mini Wired Siren Model No MWS01



Mini Wired Siren
Mini Buzzer for WiFi Security System
Warranty:- 1 Year



Scan product



Ref: KT108003010B200

Beam Detector 200 Ft

BATTERY OPERATED PHOTOELECTRIC DETECTOR

Model -AX-200TFR

Range -60m(200ft.)

Beam frequency selection -4 Channel

Interruption period -Variable between 50, 100, 250, 500msec
(4 steps)



Scan product


Ref: KT108003010BA20

Atigo Beam Detector 20 Meter

hotoelectric infrared beam sensor works
with alarm system. Power Supply: 12V DC
Adapter.

Covering Distance: 20m

Anti-interference of light arrives at IP85.



Scan product



Ref: KT108020H24G8IN

Wireless Fire Alarm Control Panel Hub2 4G 8IN

Hub2 4G (8IN)

Control Panel supporting Jeweller & Wings protocols with 4G

- Communication: Ethernet, Dual SIM (2G/3G/LTE)

- Supported Notification types: Push, SMS, Calls

No image



Scan product

Ref: KT11200021PD240

Hand Held Metal Detector CEIA PD240

Model No. -PD240

□ Dimensions (WxDxH):

450 mm x 325 mm x 115 mm

□ Weight: 2.2 kg

1 PD240 Hand Held Metal Detector

2 HHDS Docking station

3 Coupling pins for side-by-side
docking station placement

4 NIJ compliant Calibration Test Piece

5 Universal AC adapter

(100-240 Vac, 50-60Hz, 6W)

6 US, EU, UK, JP plugs adapter

7 Wrist strap

8 Instruction manual

9 Quick Reference Guide

POWE...



Scan product



Ref: KTI12001001AT05

AT05 Alcohol Tester Breath Analyzers

AT05 Alcohol Tester Breath Analyzers

Details: For quick testing, automatic sampling

Test Mode: For quick testing, automatic sampling

Principle of Measurement: High precision alcohol sensor

Measurement Range: 0~400 mg/100 ml BAC (Blood Alcohol Level)

Way of Breath Sample Extraction: Motor continuous air extraction, speed no less than 0.8L

Temperature Range (Operation): -5°C ~ 45...

Specification

Non Contact Alcohol Tester, AT-05 breathalyzer is suitable for traffic police/commercial usage to quickly detect drunk driving. It can also be used to check dangerous jobs in gover...



Scan product

Ref: KTI12001001EL80

E 80 Alcohol Tester Breathalyser

Sensor Type High-Sensitivity Semiconductor Sensor

Accuracy ± 0.005 -0.01% BAC

Preheat Time 15 seconds

Response Time < 5 seconds

Use Frequency Suitable for frequent testing, field deployment

Automatic Shutdown 30 seconds after result display

Body Material Durable ABS Plastic

Certification NABL Accredited Calibration Certificate, ISO:9001

ESPRON

HIGH ACCURACY
PRO-GRADE
BREATHALYZER



Scan product



Ref: KT112001001IBPS

Pressure Sensor For Alcohol Detector IBlow 10

Replaceable Pressure Sensor for IBlow 10 Alcohol Detector.
Note - No calibration certificate required.



Scan product

Ref: KT112001001IBSM

Sensor Module Alcohol Detector IBlow 10

Replaceable Sensor Module for IBlow 10 Alcohol Detector.
Note - No calibration certificate required.



Scan product



Ref: KT112001001IBSP

Solenoid Pump For Alcohol Detector IBlow 10



Replaceable Solenoid Pump for IBlow 10 Alcohol Detector.
Note - No calibration certificate required.



Scan product

Ref: KT112001002PMD18

Door Frame Metal Detector 18 Zone 828518W



Door Frame Metal Detector 18 Zone 828518W

Characteristic & Function:

- 18 zones to precisely identify locations horizontally and vertically from head to toe.
- LED Display for visualization.
- Operating Frequency can be adjusted manually or automatically
- Working frequency (0~99), with adaptive function according to the working environment.
- Multi-alarm sounds to choose. (Di...

Specification

Used at airports, railway stations, courts, and other high-security checkpoints for screening people for concealed metal objects. Provides fast, non-intrusive security checks with h...



Scan product



Ref: KTI12001002PMD33

Door Frame Metal Detector 33 Zone 828533W



Door Frame Metal Detector 33 Zone 828533W

Characteristic & Function :

- 33 zones to precisely identify locations horizontally and vertically from head to toe.
- LED display for visualization.
- Operating Frequency can be adjusted manually or automatically
- Working frequency (0~99), with adaptive function according to the working environment.
- Multi-alarm sounds to choose. (Di...

Specification

Used at airports, railway stations, courts, and other high-security checkpoints for screening people for concealed metal objects. Provides fast, non-intrusive security checks with h...



Scan product

Ref: KTI1200100ESPO6

Pole Type Metal Detector 6 Zone D468



6 Zone Single Door Panel Walk-through Metal Detector
Model -D468 -6

Working principle: Electromagnetic

Materials: ABS (Acrylonitrile Butadiene styrene) raw materials

Frequencies : 0-99.

External size : 2203x580x117mm

Distance between person and door

Specification


Working principle : Electromagnetic ,

Materials : ABS (Acrylonitrile Butadiene styrene) raw materials,

Frequencies : 0-99,

External size : 2203x580x117mm ,

Weight : net weight 19 K...



Scan product



Ref: KT1120010TSSPOL5

Wall Type Metal Detector Trust Safety TSSPOL 5 Zone

Wall Type Metal Detector Trust Safety TSS-POL 5 Zone
Detection objects : Prohibited goods such as mobile phone and metal

Modular product

Easy maintenance

Special material High-intensity & lightweight

Production line assembling Ultra high precision

Detection ability: more than 100 people in 1 minute

3.7-inch LCD display

Integrated four-button panel operation mode

Pass people sta...



Scan product

Ref: KT112002001GO11

Deep Search Metal Detector Model Go Find 22

Deep Search Metal Detector Model Go Find 22

The GO-FIND® 11 is a compact, no-fuss metal detector that's easy to learn and even easier to master. With intuitive controls and a simple setup, you'll be out detecting in minutes. Lightweight and collapsible, it's designed to move with you. From parks and fields to beaches and backyards, the GO-FIND 11 packs down small and is comfort...



Specification

Operating Frequency 8 kHz

Sensitivity 3 Levels

Noise Cancel No

PORTABILITY

Collapsible

FIND MODES

2

SEARCH COVERAGE

Regular (8-inch coil)

TREASURE VIEW LEDS

NO

TARGET DEPTH IN...



Scan product



Ref: KT112002001MGHS

Ultra High Sensitive DFMD 8 Zone

Model No. : MT-IIIC

Zone -Multi Zone 8 Zone

Size : 2240HX820WX700L

Power supply -230V AC 50 HZ

- Bi-directional Detection and Counter
- High Discrimination and Throughput
- Unmatched Anti-interference Performance
- Real-time Monitoring for Environmental Interface
- Full-module Design for Easy and Rapid Assembly
- LED on the Front side of door Frames (Entry)
- Ultra high-sen...



Watch video



Scan product

Ref: KT112002001V340

Deep Search Metal Detector Model Vanquish 340

Deep Search Metal Detector Model Vanquish 340

The VANQUISH 340 is the ideal metal detector for beginners, offering the essential features needed to start your treasure-hunting journey. With its Multi-IQ technology, waterproof V10 coil, and straightforward audio control, the VANQUISH 340 is as simple as it is powerful. Its compact and lightweight design ensures excellent perform...

Specification

Three Find Modes: Choose from Coin, Jewelry, or All Metal modes, each pre-programmed and optimized to deliver excellent performance in any environment, be it a park, field, or beach...



Scan product



Ref: KT112002001V440

Deep Search Metal Detector Model Vanquish 440

Deep Search Metal Detector Model Vanquish 440
The VANQUISH 440 is designed for detectorists ready to elevate their treasure hunting experience. Equipped with Minelab's revolutionary Multi-IQ technology, a waterproof V10 coil, and advanced audio controls, the VANQUISH 440 ensures precision with its pinpoint mode, making it ideal for those who require accuracy in their search. Wi...

Specification

Four Find Modes: Choose from Coin, Relic, Jewelry, or Custom modes, each pre-programmed and optimized to deliver the best performance across various environments like parks, fields...



Scan product

Ref: KT112002001V540

Deep Search Metal Detector Model Vanquish 540

Deep Search Metal Detector Model Vanquish 540
The VANQUISH 540 is designed for the serious detectorist who demands top-notch performance. Featuring Minelab's revolutionary Multi-IQ technology, advanced audio controls, and pinpoint precision, the VANQUISH 540 offers everything you need for a successful hunt. It includes adjustable Iron Bias Control, a red LED backlight for low-l...

Specification

Four Find Modes: Choose from Coin, Relic, Jewelry, or Custom modes, each pre-programmed and optimized for different targets and environments. You can also save your preferred setti...



Scan product



Ref: KT112002001X700

Deep Search Metal Detector Model Equinox 700

Deep Search Metal Detector Model Equinox 700
High-Resolution Target Identification: 119 target ID numbers (99 for non-ferrous metals and 20 for iron).
Superior Target Separation: Features iron bias adjustment and target recovery speed settings, helping to differentiate valuable finds from trash.
Outstanding Performance on Any Terrain: Search modes include "Park," "Field," "Beac...



Specification

Search Modes: "Park," "Field," "Beach."
All-Metals Mode Quick Access Button: Yes.
Customizable Search Profiles: 6.
User Profile Button: No.
Operating Frequencies (kHz): Multi, 4, 5...



Scan product

Ref: KT112002001X800

Deep Search Metal Detector Model EQUINOX 800

Deep Search Metal Detector Model EQUINOX 800
Equinox 800 is a cutting-edge, multi-frequency metal detector designed for serious treasure hunters. Featuring revolutionary Multi-IQ technology that simultaneously operates five frequencies, it excels in all soil types and metal targets. Fully waterproof up to 10 feet, it's perfect for underwater exploration. With four customizable ...



Specification

CUSTOM MODE MASTERY - Four specialized detect modes with customizable profiles to tailor your search like a pro.
MULTI IQ POWERHOUSE - Simultaneously runs 5 frequencies for unmatched...



Scan product



Ref: KT112002001X900

Deep Search Metal Detector Model EQUINOX 900

Deep Search Metal Detector Model EQUINOX 900
The EQUINOX 900, driven by Minelab's proven ground-breaking Multi-IQ technology, boasts an impressive 119 High Resolution Target ID system, superior target separation, and is fully waterproof to 5 m (16 ft) with IP68 rating. With upgrades like its 3-piece carbon-fibre collapsible shaft system and advanced audio controls, plus fully-l...



Specification

SEARCH MODES-Whether you're swinging in the goldfields or snorkelling at the beach, EQUINOX 900 has no limits and dominates all targets and all terrains.

WATERPROOF-With IP68 wate...



Scan product

Ref: KT112002001XTER

Deep Search Metal Detector Model XTERRA Elite

Deep Search Metal Detector Model X-TERRA Elite
Discover the all-new Minelab X-TERRA ELITE series powered by Multi-IQ — a breakthrough in treasure detection combining cutting-edge technology and affordability. Designed for the savvy hunter in search of a fully waterproof, feature-rich machine with proven Multi-IQ technology, the X-TERRA ELITE stands unbeatable.

Specification

RICH AUDIO- With multiple tone audio, the sound of treasure is clear. X-TERRA ELITE's all-tone audio means you'll not only 'hear' if a target is trash or treasure but you'll also b...



Scan product



Ref: KTI12002001XTHT

Deep Search Metal Detector Model XTREM HUNTER

Model No. :XTREM HUNTER with Remote Control
ACCURATE TARGET AT DEPTH
OF UP TO 5 METERS (17 FEET)
FMF® FAST MULTI FREQUENCY
WIRELESS CONVENIENCE
SEAMLESS COMPATIBILITY WITH THE DEUS II
WIRELESS ECOSYSTEM
EASY TO USE
EASY TO TRANSPORT
WATERPROOF CONSTRUCTION
BUILT TO LAST



Sensitivity 99 levels
Discrimination IAR on 5 levels
Threshold 20 levels
Reactivity 3 levels
Auto Tune 3 lev...



Scan product

Ref: KTI12002001XTPR

Deep Search Metal Detector Model XTERRA Pro

Deep Search Metal Detector Model X-TERRA Pro
Elevate your treasure hunting experience with the brand-new X-TERRA PRO detector by Minelab. With its easy-to-use design, simply select the appropriate search mode—Park, Field, or Beach—to match your terrain, and let the detector do the rest, helping you discover hidden treasures with ease. As you become more experienced, the X-TERR...

Specification

Search Modes: Park, Field, and Beach
Fully Waterproof: Rated to IP68, waterproof up to 5 meters (16 feet)
Optimized for Beach: Capable of detecting in saltwater
Lightweight and Comp...



Scan product