



Product Catalogue

Wireless Panic Emergency Response System

Security > Corporate Solutions > Wireless Panic Emergency Response System

KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara

Ref: KT108003002VSCC

Central Control Unit

Ryzen5, 16 GB RAM, 1 TB HDD, Windows OS.
CPU- AMD Ryzen5 4500U, 6C 6T upto 4.0 GHZ
CPU AMD Ryzen 5 4500U, 6C 6T upto 4.0GHz
GPU AMD Radeon Graphics (up to 1500MHz)
WIFI + BT RTL8852, BT5.3, Wi-Fi 6E 802.11ac/a/b/g/n
STORAGE M.2 *2 (1x 2242, 1x2280), SATA + NVME
MEMORY DDR4, SO-DIMM*2, Maximum 64gb
ADAPTER DC IN, 19V/5A
ETHERNET RTL8111G, RJ45 port
DIMENSIONS 114 x 106 x 42.5 mm ...



Scan product

Ref: KT108003002VSPB

Panic Button

Dimensions : 10cm (width) x 18cm (length) x 8 cm (height)
Dual Core 240 MHz Processor
Built in Wi-Fi (2.4GHz)
Built in re-chargeable battery (3.7V, 4400 mAH)
IP 67 Housing
Large Externally Projected button
Built in browser based application to configure the device
when connected to a power supply (12V DC 1 Amp)
Provision to add RTC (Real Time Clock)



Scan product

Ref: KT108003002VSZC

Zonal Control Unit

1.2 GHz Quad Core Processor
Built in Wi-Fi and Ethernet
Built in HDMI (to connect a monitor / display)
Built in USB (to connect Keyboard & Mouse)
1 GB RAM & 32 GB Memory
Works on 5V DC 4 Amp
Built in Linux Distro & MariaDB
Built-in Browser-Based Application



Scan product