



Product Catalogue

Access Control With Memory

Automation > Access Control, Attendance System > Access Control > Access Control With Memory



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT101002003NF22

Face,Finger, Card, Password Based Reader NF22

Visible Light Indoor Facial Recognition

Face Capacity 1500

Palm Capacity : 500

Finger Capacity : 5000

Mifare Card Capacity : 1500

Max. User : 1500

Log Capacity : 200000

Communication Interface : Wi-Fi, TCP/IP, US

RF card options

Access control :

Exit Reader : N-FR12, Wiegand Reader, Push Button, No Touch , Bell

Dimension : 185 x 72 x 25 mm



Scan product

Ref: KT101002003K90P

Finger, Card, Password Based Reader K90 Pro

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product



Ref: KT101001001NBM3

Finger Card Password Based Attendance Machine N E90 PRO With Wifi and Battery backup



Fingerprints Templates - 2000
Card Capacity - 2000
Battery - YES
Transaction Storage - 1,50,000
Push Data - Yes (Optional)
Communication - WiFi, TCP/IP, USB Host
Display - 2.4" TFT color screen 320x240 pixel
Standard Functions - Inbuilt Battery Backup,
Power Supply - 12VDC , 2A
Temperature - 0 °C 50 °C
Dimensions - 160 x 150 x 65mm



Scan product

Ref: KT101002006NUFA

Face, Finger, Card, Password Based Reader N UFACE 602



Face Capacity - 3000
Finger Capacity - 10,000
Card Capacity - 3000
Max. User - 3000
Log Capacity - 2,00,000
Cpu - 1ghz
Communication - Wifi, TCP/IP, RS232/485, USB
Push Data - Yes
Access Control - Wiegand Input/output : Yes
Identification Mode - Face, Fingerprint, Card, Pin
Battery - Yes
Operating Temperature - 0°C ~ 50°C
Power - 12V DV / 2A
Dimension - 175 X 145 X 79.5mm



Scan product



Ref: KT101002003MB50

Face,Finger, Card, Password Based Reader Multibio - 500



Multibio - 500
Face Capacity 1,500
Finger Capacity 5,000
Palm Capacity -500'
Card Capacity -2000
Log Capacity -2,00,000
Max User- 2000
Speedy recognition to avoid long queue
Large display with easy handling features
Dual camera for live body sensing & observation
Camera support low light and normal light
Auto ON/OFF Energy saving light
Visible Light Indoor Facial Recognition
Vi...



Scan product

Ref: KT101002003K30

Finger, Card, Password Based Reader K30



Storage Capacity
Fingerprint Templates 1000
Card Storage 1000
Transaction Storage 1,00,000
Card Reader Yes
Biometric
Fingerprint Sensor 500 DPI Optical Sensor
FAR



Scan product



Ref: KT10100200NK30

Finger, Card, Password Based Reader NK30 Pro Without Battery



Storage capacity
Finger Capacity : 2000
Card Capacity: 2000
Max. User : 2000
Log Capacity : 1,50,000
Password Capacity : 2000
OS : Linux
Biometric
FAR : 0.00001%
FRR : 0.001%
Sensor type : 500 DPI
Identification Mode : Fingerprint, Card, PIN
Communication
TCP/IP, USB
Push Data :Yes
Audio/Visual
LCD : 2.4" TFT color screen 320x240 pixel
Voice instruction : 16-bit Hi-Fi voice & s...



Scan product

Ref: KT101001001NBM2

Finger, Card, Password N BM20



Finger Capacity -1000
Card Capacity - 1000
Max User - 1000
Log Capacity -150000
High-Speed and Accurate Fingerprint Identification
Fingerprint, Card, Password authentication
Good adaptation for dry, moist and rough fingerprints.
Supremely low Electric energy consumption.
Highly reliable and durable.
Comprehensive software development kit(SDK) is available
for development and in...



Scan product



Ref: KT1010020030F22

Finger, Card, Password Based Reader F22



Fingerprint Capacity - 3000
Card Capacity - 5000
Transaction Capacity - 30,000
Display - 2.4-inch TFT LCD Color Screen
Sensor - SilkID Sensor
Communication - RS232/485,TCP/IP,USB-host,Wi-Fi
Access Control Interface - 3rd Party Electric Lock, Door
Sensor, Exit Button, Alarm
Wiegand Signal - Input, Output
Functions - DST, Automatic Status Switch, Record query, T9
input, 14 digit ...



Scan product

Ref: KT10100100SF100

Card, Finger Print Based Reader SF100



Fingerprint Capacity : 1500 ,
Card Capacity : 5000 ,
Transactions : 80000 Logs,
Fingerprint Sensor : 500 DPI Optical sensor,



Scan product



Ref: KT101002003UFAC

Face, Finger, Card, Password Based U Face302



Face Capacity - 3000(1:n), 3000(1:1)
Fingerprints Templates - 4000
Id Card Storage - 10,000
Transaction Storage - 1,00,000
Push Data - Yes
Communication - Tcp/ip, Rs232/485, Usb Host,
Display - 4.3-inch Touch Screen
Standard Functions - Automatic Status Switch, Photo Id
Access Control Interfaces for: 3rd Party
Electric Lock, Door Sensor, Exit Button, Alarm , Wiegand Si...



Scan product

Ref: KT101002003COFA

Face, PIN, Card COSEC ARGO FACEE Reader



Human Face -Yes
PIN -Yes
Card -EM Prox
User Profiles -50,000
Face Templates -200,000
Max. Templates Per User -30
Event Logs -500,000

Dimensions (HxWxD) 186mm x 74 mm x 50mm (Wall Mount)
Display -3.5" IPS LCD (Touch Screen)
Display Resolution -480 x 320 Pixel
Gorilla Glass -Yes (Gorilla Glass 3)

CPU Quad Core ARM Cortex-A7 @ 1.5 GHz -GPU
Built-in 2 TOPS Neural Network Computin...



Scan product



Ref: KT101002003MB16

Face, Finger, Card, Password Based Reader MB160 With Battery



Face Capacity - 1000
Fingerprint Capacity - 500
Card Capacity - 1000
Battery Backup : Yes
Transaction Storage - 80,000
Display - 2.8-inch Tft Screen
Communication - TCP/IP, USB-host
Verification Speed - ≤ 1 Sec
Standard Functions - Sms, Dlst, Schedule-bell, Self-service
Query, Automatic Status Switch, T9 Input, Photo Id, -
Camera, Multi-verification
Access Control - Interface ...



Scan product

Ref: KT101002003X990

Finger, Card, Password Based Reader X990



Fingerprints Templates - 10,000
Id Card Storage - 10,000
Transaction Storage - 1,00,000
Push Data - Yes
Communication - TCP/IP, USB, (Optional : Wifi, GPRS,
GPRS+ GPS)
Display - 3" Color TFT
Standard Functions - work code, SMS, DLST, Self service
query, Status Switch
Wiegand - In & Out both 26 or 34 bit (With or without site
code)
Optional Functions - Mifare/HID Prox/HID...



Scan product



Ref: KT101002003VF06

Face, Card, Password Based Reader VF06

Model no.: VF06

Face Capacity : 5000

Card Capacity : 5000

Password Capacity : 5000

log Capacity :500,000

Communication Method: TCP IP , Wifi, Download Data

Display : 4.3 Inch Capacitive LCD touch screen

OS : Linux

CPU:4 Cores, 1.2G

Warranty :1 Year



Scan product

Ref: KT101002003VF06

Face, Card, Password Based Reader VF06

Model no.: VF06

Face Capacity : 5000

Card Capacity : 5000

Password Capacity : 5000

log Capacity :500,000

Communication Method: TCP IP , Wifi, Download Data

Display : 4.3 Inch Capacitive LCD touch screen

OS : Linux

CPU:4 Cores, 1.2G

Warranty :1 Year



Scan product



Ref: KT1010020RTC101

Finger, Card, Password Based Reader C101



Fingerprint Users 1,000
Password Users 1000
Attendance Records 70,000
Fingerprint Verification Mode 1:1, 1:N
Working Mode Offline
Verification Fingerprint, ID Card, Password
Screen 2.4" Color Display
Language Multi Language Support(Open for language change)
Communication USB Disk
Power Supply 5V DC
Idle Current 400mA
Working Current 500mA
Sound Indicator Buzzer, Voice



Scan product

Ref: KT101002003MB20

Face, Finger, Card, Password Based MB20 Without Battery



User Capacity - 1,000
Finger Capacity - 500
Face Capacity - 200
Transaction Capacity - 50,000
Communication: - TCP/IP, USB 2.0 (Host) TCP/IP, USB-Host
Push Data - Yes ≤ 1 Sec
Standard Functions - Automatic Status Switch, Self-Service Query, DST, T9 Input, 9Digit User ID, Scheduled Bell, Photo ID, Lock, Sensor, Exit Button
Display - 2.8" Color LCD
Operating Temp - 0 °C- 45 °C
Op...



Scan product



Ref: KTI01001002Z3AC

Fingerprint Attendance Cum Professional Access Control System Z300ac

Model : Z300ac
Card Type :125 KHz Proximity(Default),13.56MHz M1(Optional)
Communication: USB Disk, TCP/IP
Fingerprint Sensor :600 DPI Optical Sensor
Fingerprint Capacity : 3000
Card Capacity : 3000
Transaction Capacity : 160000
Password Capacity : 3000
Wiegand Input : Yes
Wiegand Output : Yes



Scan product



Ref: KTI01002003NUFA

Face, Finger, Card, Password Based Reader N UFACE 302

Face Capacity - 3000
Finger Capacity - 10,000
Card Capacity - 3000
Max. User - 3000
Log Capacity - 2,00,000
Cpu - 1ghz
Communication - Wifi, TCP/IP, RS232/485, USB
Push Data - Yes
Access Control - Wiegand Input/output : Yes
Identification Mode - Face, Fingerprint, Card, Pin
Battery - Yes
Operating Temperature - 0°C ~ 50°C
Power - 12V DV / 2A
Dimension - 175 X 145 X 79.5mm



Scan product



Ref: KTIO1001001BIO1

Finger, Card N Bio 1 with battery Time Watch

Make : Time watch

3,000 Fingerprint and 3,000 card & password templates

High verification speed , Cloud / multi location : optional for device world wide using or multi location connecting .

User Capacity : 3,000 [FP/Card(EM Card, Mi-Fare - Optional)/Password

Log Capacity : 1,60,000

Communication Interface : TCP/IP,(Host & Slave)

FRR : 0.001% , FAR : 0.00001%

LCD : 2.8" TFT Color...



Scan product

Ref: KTIO1001001FR12

Card, Password Based Reader FR 12 ESSL

FR12- ESSL

Sensor : Optical Sensor

Communication : RS485

Optional : Mifare/Prox/HID

Working Voltage : 12V DC

Operating Temperature : 0°C to 45°C

Operating Humidity : 20% - 80%

Dimension : 48mm X 100mm X 37mm



Scan product



Ref: KT101001002FLG2

Standalone Access Control Device Frameless Glass Door Lock FLG22

Model Name:

Storage Capacity

Finger Capacity : 100

Card Capacity: 100

Max User 100

Log Capacity: 160

Features

High-Speed and Accurate Identification

Good adaptation for dry, moist and rough fingerprints

Fingerprint, Mifare Card, Password authentication

Supremely low Electric energy consumption

Metal body for durability

TN Color Display for Convenience

Biometri...



Scan product

Ref: KT101002003NUFS

N Ultra Face Face, Card, Finger Based Reader Ultraface Strong light Out Door Without Battery

Model : Ultraface Strong Light (With Out Battery)

Multi -Bio Time Attendance system

Face Capacity : 3000

Finger Capacity : 30,000

Card Capacity : 3000

Max User : 3000

Log Capacity :2,00,000

4G GPRS : Optional

Communication : WIFI , TCP ,IP ,USB

LCD : 2.8" TFT Color Screen

Wiegand in & out :Yes

Support Exit Reader : Wigand Reader , Remote , push Button
, No Touch



Scan product



Ref: KTI01001002KR5M

Card Reader KR500 M

Model No.:KR500 M

Features

KR500M 13.56MHz Mifare card reader
Read Range KR500M - Up to 5CM
Reading Time (Card) $\leq 200\text{ms}$
Connection: Wiegand
Input Port : 2ea
Power/Current-DC 6-14V / Max.70mA
Operating Temperature- -20°C to 65°C (-10° to $+70^{\circ}\text{C}$)
Height:7.8cm
Depth:-1.6cm
Width:-4.4cm



Scan product

Ref: KTI0100200NX990

Face, Finger, Card, Password Based Reader N X990 With Battery

Storage Capacity

Finger Capacity : 10,000
Card Capacity: 10,000
Password Capacity : 10,000
User Capacity : 10,000
Log Capacity : 1,50,000
TCP/IP, Wi-Fi, RS232/485, USB Host & Client
Access Control - Yes
Power : 12V DC / 2A
Battery Backup : Yes



Scan product



Ref: KT101001002A221

Standalone Access Control Device With Card and Password SA221

Product Specification

Model Name/Number Biomax SA 221 Standalone Access Control

Display Type Touch Screen

Color Black

Language English

Operating Temperature -40 to +70 Degree Celcius

Reading Range 5 - 10 cm

Minimum Order Quantity 1

Product Description

Backlight Touch Keypad

Metal Case, anti-vandal

Wg26 Input/Output

2000 cards/codes in total

Utility: A smart lock is an electr...



Scan product

Ref: KT101001002KR50

Card Reader KR500 E

Model No.:KR500 E

Features

KR500E 125KHz Proximity card reader

Read Range KR500E - Up to 10CM ,

Reading Time (Card) $\leq 200\text{ms}$

Connection: Wiegand

Input Port : 2ea




Scan product



Ref: KT10100200365TM

Face Based Reader With Temperature and Mask Detection Speed Face 5TM



Model No.: Speed Face -5 TM
Facial attendance and Access Control
Storage Capacity
Face Id Capacity : 50,000
Card Capacity : 50,000
log Capacity : 10,00,000

Industrial Grade Design with Stable Performance and Smooth line

5-Inch IPS Display all Sight LCD Touch Screen
High end CPU Dual Core ARM Cortex -A7@900MHZ
Detect human Body Temperature Through Face
Recognition Speed 0....



Scan product

Ref: KT10100200602UF

Face, Finger, Card, Password Based Reader UFACE 602 ID



Face capacity : 1,200 (3000 Optional) 1:N
Fingerprints templates: 2000
Card Storage : 10,000 (optional)
Transaction storage : 1,00,000
Card reader : Yes
CPU: 1.0GHz
Fingerprint sensor : 500 DPI Optical sensor
relay: 12 V relay
for lock EM lock, Bolt Lock
or Strike lock
Battery: 7.4 V, 2000 mAh Backup Battery



Scan product



Ref: KT101001001S403

Card, Password Based Reader SC403



Card Capacity : - 30,000
Transaction Storage : - 50,000
Card Reader : - Yes
CPU : - 32 bit High End Microprocessor



Scan product

Ref: KT101001002BM22

Face, Card, Password Based Reader N BM22 Face Reader Wifi Base



Model :BM22 With out Battery
Face Capacity :1000
Finger Capacity :10,000
Card Capacity:10,000
Max User:10,000
Password :10,000
Log Capacity :2,00,000
Communication : WIFI, RS485, TCP/IP, USB
Sensor type:500 DPI
RF card options :125kHz EM (Standard) /13.56MHz Mifare (Optional)
Wiegand in & out :YES
Power :12V DC / 2A
Dimension :190 x 82 x30 Pixels



Scan product



Ref: KT101001002INF6

Visible Light Indoor Facial Recognition Indigo Face 6

Model Name: IndigoFace 6



Storage Capacity
Face Capacity : 2000
Finger Capacity : 10,000
Max. User: 2000
Log Capacity: 2,00,000
Card Capacity: 2000
Password Capacity: 2000

Features

Access control to secure your premises
Speedy recognition to avoid long queues
Good adaptation of dry, moist and rough fingerprint
Dual camera for live body sensing & observation
Strong metal build ...



Scan product

Ref: KT101001002IPZ6

Access Card reader Z6

Model : Z6
Water Proof Level : IP /68
Working Voltage : DC9-16V
Card Reader Distance : 3-8 cm
Dimension : 110 x52x22mm



Scan product



Ref: KT101001002IPZ6

Access Card reader Z6

Model : Z6

Water Proof Level : IP /68

Working Voltage : DC9-16V

Card Reader Distance : 3-8 cm

Dimension : 110 x52x22mm

the opening status
shows green light



The closing status
shows a red light



Scan product

Ref: KT101001002IPZ6

Access Card reader Z6

Model : Z6

Water Proof Level : IP /68

Working Voltage : DC9-16V

Card Reader Distance : 3-8 cm

Dimension : 110 x52x22mm

the opening status
shows green light



The closing status
shows a red light



Scan product



Ref: KT101001002KR60

Card Reader KR600 E, M



Model No.: KR600 E/M

Height:11.6cm

Depth:1.6cm

Width:7.5cm

Power/Current -DC 6-14V / Max.70mA

Warranty : 1 Year



Scan product

Ref: KT101001002NB1W

Multi Bio Attendance and Access Control Bio 101 W

Model Name: N-Bio101 W



Storage Capacity

Face Capacity: 2000

Finger Capacity: 5000

Card Capacity: 2000

Max User: 2000

Log Capacity: 1,50,000

Features

Good adaptation for dry, moist and rough fingerprints.

Output relay for door open.

Face, Fingerprint, Card, Password authentication

Supremely low Electric energy consumption.

Highly reliable and durable.

Comprehensive SDK is ava...



Scan product



Ref: KT101001002NBAS

Standalone Access Control Device With Card, Fingerprint and Password NBioAccess

Model Name : N-BioAccess

Storage Capacity
Finger Capacity: 10,000
Card Capacity: 10,000
Max Users: 10,000
Password: 10,000
Log Capacity: 2,00,000

Features:
High-Speed and Accurate Fingerprint Identification
Fingerprint, Card, Password authentication
Output relay for door open.
Supremely low Electric energy consumption.
Highly reliable and durable.
Comprehensive software devel...



Scan product



Ref: KT101001002NG4W

Multi Bio Attendance and Access Control NG4W

Model Name: NG4W

Storage Capacity
Face Capacity: 10,000
Finger Capacity: 30,000
Card Capacity: 10,000
Log Capacity: 2,00,000
Max User: 10,000

Features
World-class Face Identification Technology
High-Speed and Accurate Fingerprint Identification
Face, Fingerprint, Card authentication
2 output relay for door open.
Self-Service Inquiry
Good adaptation for dry, moist and rough f...



Scan product



Ref: KT101001002NUFC

Multi Bio Time Attendance and Access Control System N UltraFace

Model Name: N-Ultra Face Strong Light



Storage Capacity
Face Capacity: 3000
Finger Capacity: 30,000
Card Capacity: 3000
Max User: 3000
Log Capacity: 2,00,000

Features

World-class Face Identification Technology
High-Speed and Accurate Face Identification
Good adaptation for dry, moist and rough fingerprints.
Output relay for door open.
Face, Fingerprint, Card, Password authenti...



Scan product

Ref: KT101001002NX90

Standalone Access Control Device With Fingerprint and Password N-X90 GPRS

Model Name: NX90 + GPRS



Time Attendance and Access Control
Storage Capacity
Finger Capacity: 2000
Card Capacity: 2000
Max User: 2000
Password: 2000
Log Capacity: 1,50,000

Features

High-Speed and Accurate Fingerprint Identification
Fingerprint, Card, Password authentication
output relay for door open.
Good adaptation for dry, moist and rough fingerprints.
Supremely low Electr...



Scan product



Ref: KT101001002PRO1

Standalone Access Control Device With Finger Print And Password -N Access 10 Pro

Product Name: N-Access 10

Product Specification

Type Of System Fingerprint Recognition System

Sensor Type Optical Sensor

Type Of Attendance System finger+card

Brand Bio Max

Model Name/Number Access 10 Pro

Usage/Application fingerprint access control

Screen Size 2.4

Display Type Keypad

Language English

Installation Type Wall Mounted

Operating System Linux

FRR

Utility: A smar...



Scan product

Ref: KT101001002PRO3

Standalone Access Control Device With Face, Fingerprint And Password NBM300PRO

Model Name: N-BM300Pro

Storage Capacity:

Face Capacity : 500

Finger Capacity : 1,500

Card Capacity : 500

Max User : 500

Password : 500

Log Capacity : 1,00,000

Features:

high-Speed and accurate Face Identification

Good adaptation for dry, moist and rough fingerprints.

Face, Fingerprint, Card, Password & Authentication

Supremely Low Electric Energy Consumption

Highly Rel...



Scan product



Ref: KTI01001002SC40

Standalone Access Control Device With Card, Fingerprint and Password NSC403 Pro



Model Name: N-SC403 Pro

Storage Capacity
Card Capacity: 50,000
Max User: 50,000
Password: 50,000
Log Capacity: 2,00,000

Features

RFID & Password Identification
Accepting Card from 1 to 5 cm.
Less than 1 sec. card reading speed.
Supremely low Electric energy consumption.
Highly reliable and durable.
Comprehensive software development kit(SDK) is available for development and in...



Scan product

Ref: KTI01001002WL10

Standalone Access Control Device With Fingerprint and Password WL10



Model Name : N-WL10
Storage Capacity:
Fingerprint Capacity: 1000
Password : 1000
Max User: 1000
Log Capacity: 1,00,000

Feature:

High-Speed and Accurate Fingerprint Identification
Fingerprint, Password authentication.
"N-WL-10 Simple USB based Biometric Attendance System
Good adaptation for dry, moist and rough fingerprints.
Supremely low Electric energy consumption.
Highly relia...



Scan product



Ref: KT101001002WL20

Standalone Access Control Device With Fingerprint and Password NWL20

Model Name: N-WL20

Storage Capacity:

Fingerprint Capacity: 1000

Password : 1000

Max User: 1000

Log Capacity: 1,50,000

Feature:

High-Speed and Accurate Fingerprint Identification

Fingerprint, Password authentication.

"N-WL-10Simple USB based Biometric Attendance System

Good adaptation for dry, moist and rough fingerprints.

Supremely low Electric energy consumption.

Highly reliab...



Scan product

Ref: KT101001002X990

Time Attendance and Access Control System NX990

Model Name: N-X990

Storage Capacity

Finger Capacity: 10,000

Card Capacity: 10,000

Max User: 10,000

Password: 10,000

Log Capacity: 1,50,000

Features

High-Speed and Accurate Fingerprint Identification

Fingerprint, Card, Password authentication

output relay for door open.

Supremely low Electric energy consumption.

Highly reliable and durable.

Comprehensive software development ...



Scan product



Ref: KT10100100BFR12

Card, Password Based Reader FR 12 Biomax



Technical Details:

- Sensor : Optical Sensor
- Communication : RS485
- Optional : Mifare
- Card reader : Yes
- Speaker : Yes
- Working Voltage : 12V DC
- Operating Temperature : 0°C to 45°C
- Operating Humidity : 20% - 80%
- Dimension : 55 x 105 mm



Scan product

Ref: KT10100100NBIAS

Card, Password Based Reader N BioAccess with Wifi



Technical Details:

- Storage Capacity
- Finger Capacity -10,000
- Card Capacity -10,000
- Max User - 10,000
- Password -10,000
- Log Capacity -2,00,000
- High-Speed and Accurate Fingerprint Identification
- Fingerprint, Card, Password authentication
- Output relay for door open.
- Supremely low Electric energy consumption.
- Highly reliable and durable.
- Comprehensive software development kit(SDK) i...



Scan product



Ref: KT1010010Z301AC

Face Based Attendance Cum Access Control Z301AC

Model Name/Number -Z301AC

Usage/Application -Face Recognition Based Attendance Cum Access Control

Communication - TCP/IP

Transaction Storage - 200000

Type Of System - Face Access Control

Display Type - LCD

Interfaces -TCP/IP

Warranty :1 year



Scan product

Ref: KT1010020031400

Face, Card Based Reader Pro 1400

Model No.: Pro 1400

Make: Real time

Storage Capacity

Face Id Capacity : 1000

Card Capacity : 1000

log Capacity : 5,00,000

LED LED Double High Power Infrared Light

Display 4.5" Capacitive LCD touch screen

Communication TCP/IP, USB Disk, WiFi

Power Supply DC 12V, 2A

Operating Temperature -15°C~+60°C

Operating System Linux

Identification Dynamic Facial, PIN, Face & PIN Combinati...



Scan product



Ref: KT1010020031400

Face, Card Based Reader Pro 1400

Model No.: Pro 1400

Make: Real time

Storage Capacity

Face Id Capacity : 1000

Card Capacity : 1000

log Capacity : 5,00,000

LED LED Double High Power Infrared Light

Display 4.5" Capacitive LCD touch screen

Communication TCP/IP, USB Disk, WiFi

Power Supply DC 12V, 2A

Operating Temperature -15°C~+60°C

Operating System Linux

Identification Dynamic Facial, PIN, Face & PIN Combinati...



Scan product

Ref: KT101002003607P

Face, Finger Based Reader With Temperature and Mask Detection Algorithm DS K1T607P

Available Model • DS-K1T607PE • DS-K1T607PEF • DS-K1T607PMW • DS-K1T607PMFW Features • 7-inch LCD touch screen • 2 MP wide-angle dual-lens • Adjusts supplement light brightness manually • Face detection in dark environment • Face detection distance: 0.3 to 1.5 m • Suggested height for face detection between 1.4 m and 1.9 m • Deep learning algorithm • 10,000 face capacity, 5...



Scan product



Ref: KT101002003607P

Face, Finger Based Reader With Temperature and Mask Detection Algorithm DS K1T607P



Available Model • DS-K1T607PE • DS-K1T607PEF • DS-K1T607PMW • DS-K1T607PMFW Features • 7-inch LCD touch screen • 2 MP wide-angle dual-lens • Adjusts supplement light brightness manually • Face detection in dark environment • Face detection distance: 0.3 to 1.5 m • Suggested height for face detection between 1.4 m and 1.9 m • Deep learning algorithm • 10,000 face capacity, 5...



Scan product

Ref: KT10100200368TM

Face Detection with thermal imaging Speed Face 8 THRL



Model No.: Speed Face 8 THRL
Face Capacity : 1,00,000
Max User : 1,00,000
Logs Capacity : 10,00,000
Accuracy : 99.27%
Living body detection : Support
Stranger detection : Support
Recognition distance configuration : Support
UI interface configuration : Support
Remote update : Support
Deployment : Public network, LAN
Display screen : 8-inch IPS all-sight LCD touch screen
Resolut...



Scan product



Ref: KT101002003AIFA

Face AIFACE MARS ESSL

Features:

Visible Light Facial Recognition,
Anti-spoofing algorithm against print attack(laser, color and B/W photos),videos attack and 3D mask attack,
Multiple Verification: Face / Card / Password,
Multiple card modules:125KHz ID card(EM) / 13.56MHz IC card (MF),
3000 face templates capacity

Display : 5inch Touch Screen
Face Capacity 3000
Card Capacity 3000
Transactions 15000...



Scan product

Ref: KT101002003ATF3

Face, Finger, Card, Password Based ATF 305 WIFI

Face Recognition Time & Attendance Terminal
ATF-305 face recognition time & attendance terminal support up to 500 face templates,
5000 fingerprint 500 card/password with TimeWatch latest hardware platform and algorithm , it offers brand new and user-friendly operation interface to provide smooth user experience. With advanced face algorithm and multi-biometric verification techno...



Scan product



Ref: KT101002003FFCR

Face, Finger Card Based Reader DS K1T341AMF



4.3-inch touch screen
720p wide-angle dual-lens
Built-in omnidirectional microphone
Built-in loudspeaker
Card type = Mifare 1
Warranty:- 1 Year



Scan product

Ref: KT101002003FFCR

Face, Finger Card Based Reader DS K1T341AMF



4.3-inch touch screen
720p wide-angle dual-lens
Built-in omnidirectional microphone
Built-in loudspeaker
Card type = Mifare 1
Warranty:- 1 Year



Scan product



Ref: KT101002003FFFR

Fingerprint Card Reader DS K1201M

Mifare Card Reader

□ Multiple Authentication Modes (Card, Fingerprint, and Card + Fingerprint)

□ Stores 5000 Fingerprints

□ Tamper-Resistant

Processor 32-bit high-performance processor

FP Module Optional FP module

FP Capacity 5000

Reading Mode Mifare card

Communication Mode RS-485

Transmission Rate 19,200 bps-N-8-1

FAR $\leq 0.001\%$

FRR $\leq 0.01\%$

Comparison Mode 1:1/1:N

Comparison Time ...



Scan product

Ref: KT101002003FFFR

Fingerprint Card Reader DS K1201M

Mifare Card Reader

□ Multiple Authentication Modes (Card, Fingerprint, and Card + Fingerprint)

□ Stores 5000 Fingerprints

□ Tamper-Resistant

Processor 32-bit high-performance processor

FP Module Optional FP module

FP Capacity 5000

Reading Mode Mifare card

Communication Mode RS-485

Transmission Rate 19,200 bps-N-8-1

FAR $\leq 0.001\%$

FRR $\leq 0.01\%$

Comparison Mode 1:1/1:N

Comparison Time ...



Scan product



Ref: KT101002003K990

Finger, Card, Password Based Reader N X990



Fingerprints Templates - 10,000
Id Card Storage - 10,000
Password -10,000
Transaction Storage - 2,00,000
wi-fi base
Push Data - Yes
Communication - TCP/IP, USB, RS232/485
Display - 3" Color TFT
Standard Functions - work code,SMS,DLST, Self service query, Status Switch
Wiegand - In & Out both 26 or 34 bit (With or without site code)
Optional Functions - Mifare/HID Prox/HID Icla...



Scan product

Ref: KT101002003K990

Finger, Card, Password Based Reader N X990



Fingerprints Templates - 10,000
Id Card Storage - 10,000
Password -10,000
Transaction Storage - 2,00,000
wi-fi base
Push Data - Yes
Communication - TCP/IP, USB, RS232/485
Display - 3" Color TFT
Standard Functions - work code,SMS,DLST, Self service query, Status Switch
Wiegand - In & Out both 26 or 34 bit (With or without site code)
Optional Functions - Mifare/HID Prox/HID Icla...



Scan product



Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product



Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product



Ref: KT101002003SF10

Finger, Card Based Reader SF100

Fingerprint Capacity - 800

Card Capacity - 800

Transaction Storage - 80,000

Push Data - Yes

Card Reader - Yes

Fingerprint Sensor - 500DPI Optical Sensor

LED Indicator - Green /Red

Schedule Bell/Speaker - Mini Speaker

Communication - TCP/IP, USB-Host

Standard Features - Inbuilt Battery Backup, Self Service

Query, SSR Recorder, Automatic Status Switch, DST, T9 Input

Power Supply ...



Scan product

Ref: KT101002003TMDS

Face, Finger Based Reader With Temperature and Mask Detection Algorithm

Temperature & Mask Detection Solution With Face

Recongnisation With Access Control

Make: Hikvision

Model No.: DS-K1T607TEF

Visible 2MP, 2 MP Dual-Lens camera, WDR

Accuracy $\pm 0.5^{\circ}\text{C}$

Range $30-45^{\circ}\text{C}$ with Vanadium Oxide Uncooled Sensor

Working Temperature $0\sim 50^{\circ}\text{C}$

Range -0.3-2 mtr

IP65

...



Scan product



Ref: KT101002003TMDS

Face, Finger Based Reader With Temperature and Mask Detection Algorithm



Temperature & Mask Detection Solution With Face Recognition With Access Control

Make: Hikvision

Model No.: DS-K1T607TEF

Visible 2MP, 2 MP Dual-Lens camera, WDR

Accuracy $\pm 0.5^{\circ}\text{C}$

Range $30-45^{\circ}\text{C}$ with Vanadium Oxide Uncooled Sensor

Working Temperature $0\sim 50^{\circ}\text{C}$

Range -0.3-2 mtr

IP65

...



Scan product



Ref: KT101002003UF34

Face, Card, Finger Based Reader Ultraface 341FP

Model no.: Ultraface 341FP

Face Capacity : 1500

Card Capacity : 1500

Finger Capacity : 1,50,000

Card type : Mifare1

Card reading Distance : 0 to 3 cm

Operating system- Linux

Size: 4.3 Inch

Resolution : 800X480

WDR - Support

Lens X2

Video Standard : PAL (default) and NTSC

wired Network : 10M/100 M /1000 M Self Adaptive

Audio Input- Built in Omnidirectional Microphone

Audio Output...



Scan product



Ref: KT101002003UF34

Face, Card, Finger Based Reader Ultraface 341FP

Model no.: Ultraface 341FP
Face Capacity : 1500
Card Capacity : 1500
Finger Capacity : 1,50,000
Card type : Mifare1
Card reading Distance : 0 to 3 cm
Operating system- Linux
Size: 4.3 Inch
Resolution : 800X480
WDR - Support
LensX2
Video Standard : PAL (default) and NTSC
wired Network : 10M/100 M /1000 M Self Adaptive
Audio Input- Built in Omnidirectional Microphone
Audion Ou...



Scan product



Ref: KT101002003Z5V2

Face, Finger, Card Base Reader Model Z500V2 With memory

Face + Card + Finger print reader
Face Capacity : 1000 ,
Fingerprint Capacity : 5000
Card Capacity : 5000
Transaction Capacity : 3,00,000 Records
Display : 2.8" TFT Color Screen
Camera lens : Dual camera lens (color/infrared)
Working Mode : Day/Night
Battery Backup : Yes
Language : English
Communication : USB Memory Disk, TCP/IP, WI-FI(Optional)
Access Control : Yes(Basic)
Ide...



Scan product



Ref: KTIO100200MUA9

FACE MU AI 9 ESSL

FACE RECOGNITION ACCESS CONTROL SYSTEM

FACE - MU-AI-9

Face Capacity : 50,000 ,

Card Capacity : 50,000,

Transactions Capacity : 50,000

Face Capacity : 50,000

Card Capacity : 50,000

Transactions Capacity : 50,000

Operation System : Linux

Screen Size : 2.8 inch

Camera resolution : 2MP *2

Fill Light : IR

Network Interface :1*100M Ethernet Port

WiFi : Support 2.4ghz

Lock output : 1

...



Scan product



Ref: KTIO100200MUAIA

Face, Finger, Card, Aiface Arion ESSI

Display 5-Inch

Camera WDR Low Light Camera @ 2MP

Operation System Linux

Hardware CPU: 1.GHz Dual Core

RAM: 1GB

ROM: 8GB

Authentication Method Face , Fingerprint , Card , Password
(Virtual Keypad)

Fingerprint Template Capacity 6,000 (1:N)

Face Template Capacity 6,000 (1:N)

Card Capacity 10,000 (1:N)

Transaction Capacity 200,000 (1:N)

Biometric Verification Speed Fingerprint:...



Scan product



Ref: KT10100200RK40P

Finger, Card Reader Model no K40 pro

Model no.: K 40 pro
Display 2.8" TFT Screen
Fingerprint Capacity: 1000
Card Capacity : 1000
Transactions :1,00,000
With SSR Function
Warranty : 1 year



Scan product

Ref: KT10100200RT14T

Face, Finger Based Reader With Temperature and Mask Detection Pro 1400T

Model No.: Pro 1400T
Face / Card / PIN capacity: 5,000
Storage capacity: 200,000
Recognition way: Face, Card, Password
Language: English
Self-checking function : Yes
Face FAR/ FRR: 0.001/0.1(%)
Recognition Speed: 0.3s
Face intelligent update function : Yes
Recognition ways : 1:1, 1:N
CPU : Quad-core, 1.7G
OS : LINUX
Camera : Dual camera (High resolution infrared and color dual ...



Scan product



Ref: KTIO100200RT14T

Face, Finger Based Reader With Temperature and Mask Detection Pro 1400T



Model No.: Pro 1400T

Face / Card / PIN capacity: 5,000

Storage capacity: 200,000

Recognition way: Face, Card, Password

Language: English

Self-checking function : Yes

Face FAR/ FRR: 0.001/0.1(%)

Recognition Speed: 0.3s

Face intelligent update function : Yes

Recognition ways : 1:1, 1:N

CPU : Quad-core, 1.7G

OS : LINUX

Camera : Dual camera (High resolution infrared and color dual ...



Scan product