



Product Catalogue

Access Control Without Memory

Automation > Access Control, Attendance System > Access Control > Access Control Without Memory



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT10100100200Z12

Card, Password Based Access Control System Without Memory Z12

Authentication Method - CARD, PIN
User Capacity - 2000
Color - Black
Card Type - EM Card)
Keypad - 2 x 6 Touch Keypad With Bell Button
Operating Frequency - 125(KHZ)
Built-in Buzzer - Yes
Operating Voltage - 12/24v
Led - Yes



Scan product



Z 101

Ref: KT101001002Z101

Card, Finger Based Access Control System Without Memory Z101

Model Number-Z101
Brand-Time Office
Usage/Application- For Door access
Communication- Wiegand, USB Port
Type Of Device-Standalone
Type of System- Password Protected Access Control, Fingerprint Access Control
Display Type-Keypad
Installation Type- Wall Mounted
Language-English
Connectivity Type- Wired
User Capacity- 2000
Power Supply-12 V
Reading Range- 5 - 10 cm
Fingerprint Sen...



Scan product



Ref: KT101001002EA42

Standalone touch keypad Access Control Model No SA42



Model No.: SA42
Card type : proximity
working Voltage -12V
reading range -2-5 Cm ?
Operating Humidity - 10%-90%
Door Opening time - 0-99S
alarm output Load -



Scan product

Ref: KT101001002SA72

Standalone Keypad Access Control Model No SA72



Model : SA72
Access Ways : Card, Code, Card+Code
Digital backlight Keypaid
wg26 Input/Output
Capacity : 2000 Users
Access ways : card,Code,Card+Code
Card type : Proximity
Working Voltage : DC12V
Reading Range : 2-5CM
Door Opening time - 0-99S
Alarm Output Load -



Scan product



Ref: KT101001002EA32

Standalone Access Control Device With Contact less Smart Card SA32 EM



Model : SA32 -E/M

Access By Card , Pin , Or Card & Pin

Has 1 Relay output and 1 Push (Low) Output

Has 1 Door Button Port and 1 Doorbell Port

Operating Voltage : DC 12V+-10%

Card Storage : 1000 user

Card Type (Alternative) : EM(ID)card (IC Card For Options)

Card Reading Distance : 1-15CM



Scan product

Ref: KT101001002SA32

Card, Password Based Access Control System Without Memory Z8



Type of SystemRFID Access Control

Display Type-LCD

Color-Black

Installation Type-Wall Mounted

Language-English

Connectivity Type-Wired

Screen Size-2.8 inch

Operating Temperature-0 to +50 Degree Celcius

Authentication Method-Card, Pin

Type- Card Reader

Card Capacity- 500

Card Reading Range5 - 15 CM

Operating Voltage -Dc 12V



Scan product



Ref: KT101001002SS10

Standalone Access Control Device With Finger Print And Password - Access10

Product Specification

Model Name/Number ACCESS10

Brand BIOMAX

Usage/Application ACCESS CONTROL

Display Type LCD

Fingerprint Capacity 500

CARD CAPACITY 500

PASSWORD COUNT 2


Minimum Order Quantity 1

Product Description

Finger Capacity : 500

Card Capacity: 500 (non-standard)

Code count (Password) :2



Utility: A smart lock is an electromechanical lock that is designed to perform l...



Scan product

Ref: KT101001002USRI

Standalone Usb RFID Card Reader Z11 ID

Model : Z11 ID

Product Type: 125KHZ Smart USB Reader

Support Cards: 125Khz RFID EM4100 EM4102 TK4100

Card/Tag

Work Frequency: 125Khz

Identification Method Proximity Card



Scan product



Ref: KT101001002Z900

Touch less face attendance system (Face + Card + Finger)

Brand : Timeoffice

Model Number : Z900 TOUCH-LESS FACE ATTENDANCE
SYSTEM (FACCE+ FINGER+CARD)

Backup Options :PENDRIVE, LAN OR , TCP/IP

LCD :Yes

LCD Resolution :128X68

Scratch Proof :Yes

Identification Method :Face, Card, Fingerprint

Fingerprint Capacity :1000

Card Capacity :1000

Power Requirement : 12V,1.5A

Type : Access Control, Time & Attendance



Scan product