



Product Catalogue

Sliding Gate

Automation > Automatic Entry Solutions > Sliding Gate



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT102006010SLRK

Rack For Sliding Gate

Customize as per client requirment.
One Meter Each
Warranty:- Not Applicable



Scan product

Ref: KT102006002BK18

Sliding Gate Motor 1800 kg Came

Sliding Gate Motor
Make:Came
Weight:19.5 KG
Power Supply: 230 V AC
Power: 480 W
Max Speed: 10.5m / Minute
Protection Level: IP 44
Operation Temperature: -20 to +55
Max Capacity:1800 KG
Warranty:- 1 Year on-site



Scan product



Ref: KT102006010SLDG

Sliding Gate

Customize as per client requirment




Scan product

Ref: KT102006010SG20

Sliding Gate Motor 2000kg Bennica

GEARED MOTOR BULL20 HE
make - Bennica
Power supply 230 Vac (50Hz)
Motor supply 230 Vac
Max absorbed current 3 A
Maximum thrust 1100 N
Opening speed 10.5 m/min
Duty cycle 80%
Protection level IP44
Pinion for rack M4 Z18
Operating temperature -20°C /+50°C
Lubrication OIL
Maximum gate weight 2000 kg
Weight 21.4 kg
N. motors per pallet 20



Scan product



Ref: KT10400700DPMLS

Magnetic Limit Switch Ditec

Magnetic Limit Switch
Group6CS14FM



DITEC Magnetic sensor



Scan product

Ref: KT10400700DSSL

Sliding Shoe for Magnetic Limit Switch Ditec

Sliding Shoe for Magnetic Limit Switch
NC6CS230PFM



Scan product



Ref: KT102006002M18

Sliding Gate Motor MCVICK 1800 kg



Sliding Gate Motor
Make: MCVICK
Power Supply: 230 V AC
Power: 250 W
Torque :22.5nm
Travel speed :11m/min
Protection Level: IP 44
Operation Temperature: $\square$ 40°C ~ +55°C
Warranty:- 1 Year on-site



Scan product

Ref: KT1020060013500

Sliding Gate Motor Capacity 4500 Kg



Sliding Gate Motor
Make - Anglo Indian make in India
model no 001C4500 with 440V electrical control panel, base plate , flashing lamp. for sliding gates of up to 3500 Kg and max 15 mtr. with module 4 pinion Push Button



Scan product



Ref: KT10200600C3500

Sliding Gate Motor Capacity 3500 Kg CEC001

Model No. SLIDING GATE OPERATOR CEC-001

Limits to use

Max gate-leaf weight (Kg/lb) 3500/7,720

Max gate-leaf length (m/ft) 23/75.45

Pinion module (m) 6

Technical features

Type 001C4500

Protection rating IP IP54

Power supply (V - 50/60 Hz) 230 - 400 V AC TRIPHASE

Motor power supply (V - 50/60 Hz) 230 - 400 V AC TRIPHASE

Current draw (A) 2

Power (W) 1125

Manoeuvre speed (m/min - f...



Scan product

Ref: KT190006001CNTS

Controller For Sliding Gate

Controller For Sliding Gate



Scan product



Ref: KT10400700DPEBC

Electric Break Coil Ditec

Electric Break Coil 62656



Scan product

Ref: KT102006002844C

Sliding Gate Motor 1800 KG FAAC



Model 844 C Z16
Power supply 220 - 240 V ~ @50/60 Hz
Max power 230 W
Pinion Z16 Module 4
Max. thrust force 1300 N
Max leaf weight 1800 kg
Max. leaf speed 9.6 m/min
Max leaf width 40 m
Stopping space 30 mm
Intended use Industrial/Commercial/Residential
Use frequency High traffic
Protection rating IP44
Operating temperature -20°C to +65°C
Start-up capacitor 18 μ F
Thermal protecti...



Scan product



Ref: KT102006002M12

Sliding Gate Motor MCVICK 1200 Kg



Sliding Gate Motor
Make: MCVICK
Model No: MXMP101
Weight: 9.13kg
Power Supply: 230 V AC
Power: 250 W
Torque :22.5nm
Travel speed :11m/min
Protection Level: IP 44
Operation Temperature: $-40^{\circ}\text{C} \sim +55^{\circ}\text{C}$
Max. weight of gate : 1000 Kg



Scan product

Ref: KT10400700DPHSL

Ditec Safety Photosensor LIN2



Photocell Model LIN2
Outside photocell - card that can be oriented in three positions
Capacity -Configurable 10 m - 30 m max
POWER SUPPLY - 24 Vdc - 24 Vac
POWER INPUT - Max 50 mA
RELAY CAPACITY - 24 Vdc / 1 A max
Temperature $-20^{\circ}\text{C} \div +55^{\circ}\text{C}$
Protection rating -IP44



Scan product



Ref: KT102006002M60

Sliding Gate Motor 600 KG

Sliding Gate Motor -AZSL100B

1) Operator only 220V AC Operator AZSL100B- 1

No (including Operator+ control board +Base plate + Magnet limit + Fixing

Accessories)2)TRANSMITTER (AZT30A) - 1 Nos

Sliding Gate Motor -AZSL100B

Model -AZSL100B

Power supply -220V AC

Motor powe -370 W

Gate moving speed -11 - 13 m / min

Maximum weight -600 Kg

Transmi????er Distance -≤ 30 m

Limit switch ...



Scan product

Ref: KT10400700DPBCK

Brake component Kit Ditec

Brake components kit NC6CS18KF



Scan product



Ref: KT10200600D800

Sliding Gate Motor Ditec NEOS Series 800kg

Sliding Gate Motor Ditec NEOS Series NEOS 800G 800kg



Max. leaf weight- 800kg

Stroke control - limit switch +virtual encoder

Maximum opening - 20 m

Duty class - 4 - heavy duty

Power supply- 230 Vac - 50/60 Hz

Motor power supply- 24 Vdc

Power input- 1,5 A

Thrust - 800 N

Opening and closing speed - 0.1 - 0.24 m/s

Release system for manual opening - key operated



Scan product

Intermit...

Ref: KT102006010ATSG

Automation Of Sliding Gate

Customize as per cleint requirement



Scan product



Ref: KT102006010SGMO

Sliding Gate Motor

Sliding Gate Motor



Scan product

Ref: KT102006001800

Sliding Gate Motor Ditec Cross18VEP LCA85

Sliding Gate Motor Ditec CROSS Series CROSS18EP 1800kg

Electromechanical actuator for sliding gates up to 1800 kg

Stroke control lever-operated mechanical stop

Capacity 1800 kg

Service index intensive - up to 350,000 cycles

Intermittent operation S2 = 60 min - S3 = 55%

Cycles / hour * 19

Consecutive cycles * 33

Power absorption 230 Vac - 50 Hz (60 Hz version on request)...



Scan product



Ref: KT102006002844P

Sliding Gate Motor 2200 KG FAAC

Model No. 844 R 3 PH

Make : FAAC

for commercial and industrial sliding gates with max weight of 2.200 kg (Z12)

Power supply- 400 Vac (3ph)(+6%-10%) 50 (60) Hz

Absorbed power -950 W

Motor rotation speed-1.400 rpm



Scan product

Ref: KT102006002M24

Sliding Gate Motor MCVICK 2400 kg

Sliding Gate Motor

Make: MCVICK

Power Supply: 230 V AC

Power: 250 W

Torque :22.5nm

Travel speed :11m/min

Protection Level: IP 44

Operation Temperature: -40°C ~ +55°C



Scan product



Ref: KT102006001000

Sliding Gate Motor Ditec NEOS Series 1000kg

Sliding Gate Motor Ditec NEOS Series NEOS1000G 1000kg



Max. leaf weight - 1000kg

Stroke control - limit switch +
virtual encoder

Maximum opening - 20 m

Duty class - 4 - heavy duty

Power supply - 230 Vac - 50/60 Hz
120 Vac - 50/60 Hz (J version)

Motor power supply - 24 Vdc

Power input - 2 A
4 A (J version)

Thrust- 1000 N



Scan product

Opening and closing speed - 0.1 - 0.19 m/s

Ref: KT102006002000

Sliding Gate Motor Ditec CROSS Series 2000kg

Sliding Gate Motor Ditec CROSS Series CROSS20VEI 2000kg



Electromechanical actuator for sliding gates up to 2000 kg

Stroke control - magnetic limit switch

Capacity - 2000 kg

Service index - very intensive - up to 450,000 cycles

Intermittent operation S2=90 min - S3=90%

Cycles / hour * 27

Consecutive cycles * 44

Power absorption 230 Vac - 50/60 Hz

Power input 3.5 A

Thru...



Scan product



Ref: KT1020060023500

Sliding Gate Motor Capacity 3500 Came

Sliding Gate Motor
Make: Came
Power Supply: 230 V AC
Power: 580 W
Max Speed: 10.5m / Minute
Protection Level: IP 44
Operation Temperature: -20 to +55
Max Capacity: 3500 KG



Scan product

Ref: KT102006002400

Sliding Gate Motor Ditec ION Series 600kg

Sliding Gate Motor Ditec ION Series ION6B 600kg

Max. leaf weight: 600 kg
Stroke control: Virtual encoder
Maximum opening width: 20 m
Service class: Intensive use, tested up to 150,000 cycles
Power supply: 100-120 Vac, 200-240 Vac (selectable by switch), 50-60 Hz
Power absorption: 24 Vdc
Thrust: 800 N pick-up current
Opening and closing speed: 0.1-0.3 m/s
Release system...



Scan product



Ref: KT102006002844R

Sliding gate Operator FAAC 844 R 380V MC 3 PH



SLIDING GATE OPERATOR 844 R 380V-MC- 3PH

Maximum anti-crushing safety by coupling the twin-disk oil-bath clutch with the electronic device and encoder.

- Inductive limit switch.
- Designed for height and side adjustable fastening.

Power supply voltage -380-415V~ 3PH+N 50/60 Hz

Electric motor Asynchronous three-phase

Max. power 950 W

Max. torque 62 Nm (*)

Max expressed force 25...



Scan product

Ref: KT102006002BK20

Sliding Gate Motor Model No BKV 2000 801MS 0360



Sliding Gate Motor

Make:Came

SLIDING GATE OPERATOR 801MS-0360 ITALY

MAXIMUM LENGTH OF LEAF 20MTR UP TO 2000KG GATE

PROTECTION RATING (IP) 44,

POWER SUPPLY (V - 50/60 HZ) 230 AC,

POWER SUPPLY TO MOTOR (V) 36 DC,

ABSORPTION (A) 9,

MANOEUVRING SPEED (M/MIN) 12, DUTY/CYCLE (%)

HEAVY-DUTY SERVICE,

POWER (W) 250,

THRUST (N) 900,

OPERATING TEMPERATURE (°C) -20 ÷ +55, 90%

DU...



Scan product



Ref: KT102006002BK22

Sliding Gate Motor Model No BK BKE 2200 Came



Sliding Gate Motor
Make:Came
Model No: BK- BKE 2200
Weight:21 KG
Power Supply: 230 V AC
Power: 580 W
Max Speed: 10.5m / Minute
Protection Level: IP 44
Operation Temperature: -20 to +55
Max Capacity;2200 KG



Scan product

Ref: KT102006002BK80

Sliding Gate Motor Came



Sliding Gate Motor
Make:Came
801ms031 sliding gate automation sysytem
(make came italy) up to 800kg sliding gate
230v ac control penal, base palte and limit
switch, photo cell,remote cotnrol and
frequency card for remote control

Weight:21 KG
Power Supply: 230 V AC
Power: 520 W
Max Speed: 10.5m / Minute
Protection Level: IP 44
Operation Temperature: -20 to +55
Max Capacity:800 ...



Scan product



Ref: KT102006002C851

Sliding Gate Motor 1800 kg FAAC C851

MODEL C851

Power supply voltage 220-240V ~ 50/60Hz

Motor 1.1 KW three phase with four poles

Type of gearmotor Worm screw with oil lubrication

Max. power 1,800 W

Max. torque 168 Nm (*)

Max expressed force 3.000 N (*)

Max. leaf width 20 m

Leaf speed 20 ÷ 40 m/min

Speed adjustment and motor control On control board

Opening and closing limit switch Integrated mechanics + magnetic

P...



Scan product

Ref: KT102006002D18

Sliding Gate Motor Ditec CROSS18EP LCA85

Model No. : Cross 18E

Travel control system - Lever

Capacity - 1800 Kg

Duty class - 4 Heavy Duty

Intermittent operation- S2 = 30 min, S3 = 50%

Power supply - 230V AC 50 HZ

Input -3A

Thrust -1200 N

Opening speed -0.2m/s

Closing speed -0.2 m/s

Max stroke -20 M

Release system for manual opening -Key-operated

Operating temperature - -20°C / +55°C (-35°C / +55°C with NIO enab...



Scan product



Ref: KT102006002E15

Sliding Gate Motor ESSL 1500 Kg

Model No.:ESSL-HG-1500

Make : ESSL

Features:

Magnetic limit switch or Mechanical limit switch.,

Aluminium Gear Box,

Thermal protection at 125°C built in motor winding,

In case of power failure, the gate can be opened and closed manually after release clutch.

Power supply : 220V AC 50Hz / 110V 60Hz

Motor power : 450W

Motor rotational speed : 1400r/min

Reduce ratio : 30:1

Max. do...



Scan product

Ref: KT102006003500

Sliding Gate Motor Ditec CROSS Series CROSS35VEI 3500kg

Sliding Gate Motor Ditec CROSS Series CROSS35VEI 3500kg

Electromechanical actuator - for sliding gates

up to 3500 kg

Stroke control - magnetic limit switch

Capacity - 2000kg

Service index- very intensive

up to 450,000 cycles

Intermittent operation- S1 = 100%

continuous use

Cycles / hour *- 32

Consecutive cycles * - continuous

Power absorption- 230 Vac - 50/60 Hz

Power input - 4...



Specification

steel worm screw; cemented, tempered and adjusted with a bronze crown

irreversible geared motor to avoid installation of electro-mechanical locks

Safety-Test function

sturdy le...



Scan product



Ref: KT10200600C800

Sliding Gate Motor Came 800 kg

Sliding Gate Motor

Make: Came

Sliding gate operator CAME ITELY MAKE

801MS-0030 Automation system complete with control board, radio decoder and mechanical end stops for sliding gates of up to 800 Kg and max 10 mtr length with module 4 pinion Push Button for gate Operator. Module 4 Galvanize rack 32X12X1000 with distance piece. 001DIR10Pair of photocells



Scan product

Ref: KT10200600D400

Sliding Gate Motor Ditec ION Series 400kg

Sliding Gate Motor Ditec ION Series ION4B 400kg

Max. leaf weight: 400 kg

Stroke control: Virtual encoder

Maximum opening width: 20 m

Service class: Intensive use, tested up to 150,000 cycles

Power supply: 100 Vac - 240 Vac, 50-60 Hz

Power absorption: 24 Vdc

Thrust: 600 N pick-up current

Opening and closing speed: 0.1 - 0.3 m/s

Release system for manual opening: Key ope...



Scan product



Ref: KT10200600D500

Sliding Gate Motor Ditec NEOS Series 500kg

Sliding Gate Motor Ditec NEOS Series NEOS 500 G 500kg



Max. leaf weight - 500 kg

Stroke control - virtual encoder

Maximum opening - 20 m

Duty class 4 - heavy duty

Power supply - 230 Vac - 50/60 H

Motor power supply - 24 Vdc

Power input -1,5 A

Thrust - 500 N

Opening and closing speed 0.1 - 0.25 m/s

Release system for manual opening key operated




Scan product

Intermittent operation...

Ref: KT10200600N600

Sliding Gate Motor Ditec NEOS Series 600kg

Sliding Gate Motor Ditec NEOS Series NEOS600 600kg



Max. leaf weight: 600 kg

Stroke control: Limit switch + virtual encoder

Maximum opening: 20 m

Duty class: 4 - heavy duty

Intermittent operation: S2 = 30 min; S3 = 50%

Power supply: 230 Vac - 50/60 Hz

Motor power supply: 24 Vdc

Power input: 1.5 A

Thrust: 600 N

Opening and closing speed: 0.1 - 0.24 m/s



Scan product

Protection ratin...



Ref: KT102006010MC40

Sliding Gate Motors 4000 KG

Motor for sliding Gate
Sliding gate Motor for 4000 Kg
Make : MCVCK



Opening Speed:- 25 mt/min
Motor Speed:- 1400 RMP
GATE (Type- Sliding, 220 V AC +/- 13% / 50Hz/ 750 Watts /
With all Accessories
1. Base plate, 2 no
2. Limit switch stopper (MAGNETIC TYPE), 2 no
3. Clutch Key , ON/OFF power switch etc & accessories)
4. Remote




Scan product

Ref: KT102006010SG25

Sliding Gate Motors Model SP SWG 2500 MG Smart Power

Motor for Sliding Gate
Gate Weight: 1800 KG
Make: Smart Power
Model - SP SWG 2500 ML
Opening Speed:15 mt/min
Motor Speed: 1400 RMP
Limit Switch: Magnetic
GATE (Type- Sliding, 220 V AC +/- 13% / 50Hz/ 750 Watts /
With all Accessories
1. Base plate, 2 no
2. Limit switch stopper (MAGNETIC TYPE), 2 no
3. Clutch Key , ON/OFF power switch etc & accessories)
4. Remote
5. Alarm Lig...



Scan product