



Product Catalogue

Telescopic Gate

Automation > Automatic Entry Solutions > Telescopic Gate



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT102006002BK18

Sliding Gate Motor 1800 kg Came



Sliding Gate Motor
Make: Came
Weight: 19.5 KG
Power Supply: 230 V AC
Power: 480 W
Max Speed: 10.5m / Minute
Protection Level: IP 44
Operation Temperature: -20 to +55
Max Capacity: 1800 KG
Warranty:- 1 Year on-site



Scan product

Ref: KT102006010SG20

Sliding Gate Motor 2000kg Bennica



GEARED MOTOR BULL20 HE
make - Bennica
Power supply 230 Vac (50Hz)
Motor supply 230 Vac
Max absorbed current 3 A
Maximum thrust 1100 N
Opening speed 10.5 m/min
Duty cycle 80%
Protection level IP44
Pinion for rack M4 Z18
Operating temperature -20°C / +50°C
Lubrication OIL
Maximum gate weight 2000 kg
Weight 21.4 kg
N. motors per pallet 20



Scan product



Ref: KT102006002M18

Sliding Gate Motor MCVICK 1800 kg



Sliding Gate Motor

Make: MCVICK

Power Supply: 230 V AC

Power: 250 W

Torque :22.5nm

Travel speed :11m/min

Protection Level: IP 44

Operation Temperature: $\square$ 40°C ~ +55°C

Warranty:- 1 Year on-site



Scan product

Ref: KT1020060013500

Sliding Gate Motor Capacity 4500 Kg

Sliding Gate Motor

Make - Anglo Indian make in India

model no 001C4500 with 440V electrical control panel, base plate , flashing lamp. for sliding gates of up to 3500 Kg and max 15 mtr. with module 4 pinion Push Button



Scan product



Ref: KT10200600C3500

Sliding Gate Motor Capacity 3500 Kg CEC001

Model No. SLIDING GATE OPERATOR CEC-001

Limits to use

Max gate-leaf weight (Kg/lb) 3500/7,720

Max gate-leaf length (m/ft) 23/75.45

Pinion module (m) 6

Technical features

Type 001C4500

Protection rating IP IP54

Power supply (V - 50/60 Hz) 230 - 400 V AC TRIPHASE

Motor power supply (V - 50/60 Hz) 230 - 400 V AC TRIPHASE

Current draw (A) 2

Power (W) 1125

Manoeuvre speed (m/min - f...



Scan product

Ref: KT102006002M12

Sliding Gate Motor MCVICK 1200 Kg

Sliding Gate Motor

Make: MCVICK

Model No: MXMP101

Weight: 9.13kg

Power Supply: 230 V AC

Power: 250 W

Torque :22.5nm

Travel speed :11m/min

Protection Level: IP 44

Operation Temperature: $\square$ 40°C ~ +55°C

Max. weight of gate : 1000 Kg



Scan product



Ref: KT102006002M60

Sliding Gate Motor 600 KG

Sliding Gate Motor -AZSL100B

1) Operator only 220V AC Operator AZSL100B- 1

No (including Operator+ control board +Base plate + Magnet limit + Fixing

Accessories)2)TRANSMITTER (AZT30A) - 1 Nos

Sliding Gate Motor -AZSL100B

Model -AZSL100B

Power supply -220V AC

Motor power -370 W

Gate moving speed -11 - 13 m / min

Maximum weight -600 Kg

Transmitter Distance -≤ 30 m

Limit switch ...



Scan product

Ref: KT10200600D800

Sliding Gate Motor Ditec NEOS Series 800kg

Sliding Gate Motor Ditec NEOS Series NEOS 800G 800kg

Max. leaf weight- 800kg

Stroke control - limit switch +virtual encoder

Maximum opening - 20 m

Duty class - 4 - heavy duty

Power supply- 230 Vac - 50/60 Hz

Motor power supply- 24 Vdc

Power input- 1,5 A

Thrust - 800 N

Opening and closing speed - 0.1 - 0.24 m/s

Release system for manual opening - key operated

Intermit...



Scan product



Ref: KT102006010SGMO

Sliding Gate Motor

Sliding Gate Motor



Scan product

Ref: KT102006001800

Sliding Gate Motor Ditec Cross18VEP LCA85

Sliding Gate Motor Ditec CROSS Series CROSS18EP 1800kg

Electromechanical actuator for sliding gates up to 1800 kg

Stroke control lever-operated mechanical stop

Capacity 1800 kg

Service index intensive - up to 350,000 cycles

Intermittent operation S2 = 60 min - S3 = 55%

Cycles / hour * 19

Consecutive cycles * 33

Power absorption 230 Vac - 50 Hz (60 Hz version on request)...



Scan product



Ref: KT102006002M24

Sliding Gate Motor MCVICK 2400 kg

Sliding Gate Motor

Make: MCVICK

Power Supply: 230 V AC

Power: 250 W

Torque :22.5nm

Travel speed :11m/min

Protection Level: IP 44

Operation Temperature: $\square$ 40°C ~ +55°C



Scan product

Ref: KT102006001000

Sliding Gate Motor Ditec NEOS Series 1000kg

Sliding Gate Motor Ditec NEOS Series NEOS1000G 1000kg



Max. leaf weight - 1000kg

Stroke control - limit switch + virtual encoder

Maximum opening - 20 m

Duty class - 4 - heavy duty

Power supply - 230 Vac - 50/60 Hz
120 Vac - 50/60 Hz (J version)

Motor power supply - 24 Vdc

Power input - 2 A
4 A (J version)

Thrust- 1000 N

Opening and closing speed - 0.1 - 0.19 m/s

Releas...



Scan product



Ref: KT102006002000

Sliding Gate Motor Ditec CROSS Series 2000kg

Sliding Gate Motor Ditec CROSS Series CROSS20VEI 2000kg

Electromechanical actuator for sliding gates up to 2000 kg

Stroke control - magnetic limit switch

Capacity - 2000 kg

Service index - very intensive - up to 450,000 cycles

Intermittent operation S2=90 min - S3=90%

Cycles / hour * 27

Consecutive cycles * 44

Power absorption 230 Vac - 50/60 Hz

Power input 3.5 A

Thru...



Scan product

Ref: KT1020060023500

Sliding Gate Motor Capacity 3500 Came

Sliding Gate Motor

Make:Came

Power Supply: 230 V AC

Power: 580 W

Max Speed: 10.5m / Minute

Protection Level: IP 44

Operation Temperature: -20 to +55

Max Capacity;3500 KG



Scan product



Ref: KT102006002400

Sliding Gate Motor Ditec ION Series 600kg

Sliding Gate Motor Ditec ION Series ION6B 600kg



Max. leaf weight: 600 kg

Stroke control: Virtual encoder

Maximum opening width: 20 m

Service class: Intensive use, tested up to 150,000 cycles

Power supply: 100-120 Vac, 200-240 Vac (selectable by switch), 50-60 Hz

Power absorption: 24 Vdc

Thrust: 800 N pick-up current

Opening and closing speed: 0.1-0.3 m/s

Release system...



Scan product

Ref: KT102006002844R

Sliding gate Operator FAAC 844 R 380V MC 3 PH

SLIDING GATE OPERATOR 844 R 380V-MC- 3PH

Maximum anti-crushing safety by coupling the twin-disk oil-bath clutch with the electronic device and encoder.

- Inductive limit switch.
- Designed for height and side adjustable fastening.

Power supply voltage -380-415V~ 3PH+N 50/60 Hz

Electric motor Asynchronous three-phase

Max. power 950 W

Max. torque 62 Nm (*)

Max expressed force 25...



Scan product



Ref: KT102006002BK20

Sliding Gate Motor Model No BKV 2000 801MS 0360



Sliding Gate Motor

Make:Came

SLIDING GATE OPERATOR 801MS-0360 ITALY

MAXIMUM LENGTH OF LEAF 20MTR UP TO 2000KG GATE

PROTECTION RATING (IP) 44,

POWER SUPPLY (V - 50/60 HZ) 230 AC,

POWER SUPPLY TO MOTOR (V) 36 DC,

ABSORPTION (A) 9,

MANOEUVRING SPEED (M/MIN) 12, DUTY/CYCLE (%)

HEAVY-DUTY SERVICE,

POWER (W) 250,

THRUST (N) 900,

OPERATING TEMPERATURE (°C) -20 ÷ +55, 90%

DU...



Scan product

Ref: KT102006002BK22

Sliding Gate Motor Model No BK BKE 2200 Came



Sliding Gate Motor

Make:Came

Model No: BK- BKE 2200

Weight:21 KG

Power Supply: 230 V AC

Power: 580 W

Max Speed: 10.5m / Minute

Protection Level: IP 44

Operation Temperature: -20 to +55

Max Capacity;2200 KG



Scan product



Ref: KT102006002BK80

Sliding Gate Motor Came



Sliding Gate Motor

Make:Came

801ms031 sliding gate automation system
(make came italy) up to 800kg sliding gate
230v ac control panel, base plate and limit
switch, photo cell, remote control and
frequency card for remote control

Weight:21 KG

Power Supply: 230 V AC

Power: 520 W

Max Speed: 10.5m / Minute

Protection Level: IP 44

Operation Temperature: -20 to +55

Max Capacity:800 ...



Scan product

Ref: KT102006002C851

Sliding Gate Motor 1800 kg FAAC C851

MODEL C851

Power supply voltage 220-240V ~ 50/60Hz

Motor 1.1 KW three phase with four poles

Type of gearmotor Worm screw with oil lubrication

Max. power 1,800 W

Max. torque 168 Nm (*)

Max expressed force 3.000 N (*)

Max. leaf width 20 m

Leaf speed 20 ÷ 40 m/min

Speed adjustment and motor control On control board

Opening and closing limit switch Integrated mechanics +
magnetic

P...



Scan product



Ref: KT102006002D18

Sliding Gate Motor Ditec CROSS18EP LCA85



Model No. : Cross 18E
Travel control system - Lever
Capacity - 1800 Kg
Duty class - 4 Heavy Duty
Intermittent operation- S2 = 30 min, S3 = 50%
Power supply - 230V AC 50 HZ
Input -3A
Thrust -1200 N
Opening speed -0.2m/s
Closing speed -0.2 m/s
Max stroke -20 M
Release system for manual opening -Key-operated
Operating temperature - -20°C / +55°C (-35°C / +55°C with NIO enab...



Scan product

Ref: KT102006002E15

Sliding Gate Motor ESSL 1500 Kg



Model No.:ESSL-HG-1500
Make : ESSL
Features:
Magnetic limit switch or Mechanical limit switch.,
Aluminium Gear Box,
Thermal protection at 125°C built in motor winding,
In case of power failure, the gate can be opened and closed manually after release clutch.
Power supply : 220V AC 50Hz / 110V 60Hz
Motor power : 450W
Motor rotational speed : 1400r/min
Reduce ratio : 30:1
Max. do...



Scan product



Ref: KT102006003500

Sliding Gate Motor Ditec CROSS Series CROSS35VEI 3500kg



Sliding Gate Motor Ditec CROSS Series CROSS35VEI 3500kg
Electromechanical actuator - for sliding gates
up to 3500 kg
Stroke control - magnetic limit switch
Capacity - 2000kg
Service index- very intensive
up to 450,000 cycles
Intermittent operation- S1 = 100%
continuous use
Cycles / hour *- 32
Consecutive cycles * - continuous
Power absorption- 230 Vac - 50/60 Hz
Power input - 4...

Specification

steel worm screw; cemented, tempered and adjusted with a bronze crown

irreversible geared motor to avoid installation of electro-mechanical locks

Safety-Test function

sturdy le...



Scan product

Ref: KT10200600C800

Sliding Gate Motor Came 800 kg



Sliding Gate Motor

Make: Came

Sliding gate operator CAME ITELY MAKE

801MS-0030 Automation system complete with control board, radio decoder and mechanical end stops for sliding gates of up to 800 Kg and max 10 mtr length with module 4 pinion Push Button for gate Operator. Module 4 Galvanize rack 32X12X1000 with distance piece. 001DIR10Pair of photocells



Scan product



Ref: KT10200600D400

Sliding Gate Motor Ditec ION Series 400kg

Sliding Gate Motor Ditec ION Series ION4B 400kg



Max. leaf weight: 400 kg

Stroke control: Virtual encoder

Maximum opening width: 20 m

Service class: Intensive use, tested up to 150,000 cycles

Power supply: 100 Vac - 240 Vac, 50-60 Hz

Power absorption: 24 Vdc

Thrust: 600 N pick-up current

Opening and closing speed: 0.1 - 0.3 m/s

Release system for manual opening: Key ope...



Scan product

Ref: KT10200600D500

Sliding Gate Motor Ditec NEOS Series 500kg

Sliding Gate Motor Ditec NEOS Series NEOS 500 G 500kg



Max. leaf weight - 500 kg

Stroke control - virtual encoder

Maximum opening - 20 m

Duty class 4 - heavy duty

Power supply - 230 Vac - 50/60 H

Motor power supply - 24 Vdc

Power input -1,5 A

Thrust - 500 N

Opening and closing speed 0.1 - 0.25 m/s

Release system for manual opening key operated



Scan product

Intermittent operation...



Ref: KT10200600N600

Sliding Gate Motor Ditec NEOS Series 600kg

Sliding Gate Motor Ditec NEOS Series NEOS600 600kg



Max. leaf weight: 600 kg

Stroke control: Limit switch + virtual encoder

Maximum opening: 20 m

Duty class: 4 - heavy duty

Intermittent operation: S2 = 30 min; S3 = 50%

Power supply: 230 Vac - 50/60 Hz

Motor power supply: 24 Vdc

Power input: 1.5 A

Thrust: 600 N

Opening and closing speed: 0.1 - 0.24 m/s



Scan product

Protection ratin...

Ref: KT102006010MC40

Sliding Gate Motors 4000 KG

Motor for sliding Gate

Sliding gate Motor for 4000 Kg

Make : MCVCK



Opening Speed:- 25 mt/min

Motor Speed:- 1400 RMP

GATE (Type- Sliding, 220 V AC +/- 13% / 50Hz/ 750 Watts /
With all Accessories

1. Base plate, 2 no
2. Limit switch stopper (MAGNETIC TYPE), 2 no
3. Clutch Key , ON/OFF power switch etc & accessories)
4. Remote



Scan product



Ref: KT102006010SG25

Sliding Gate Motors Model SP SWG 2500 MG Smart Power

Motor for Sliding Gate

Gate Weight: 1800 KG

Make: Smart Power

Model - SP SWG 2500 ML


Opening Speed: 15 mt/min

Motor Speed: 1400 RMP

Limit Switch: Magnetic

GATE (Type- Sliding, 220 V AC +/- 13% / 50Hz/ 750 Watts /
With all Accessories

1. Base plate, 2 no
2. Limit switch stopper (MAGNETIC TYPE), 2 no
3. Clutch Key , ON/OFF power switch etc & accessories)
4. Remote
5. Alarm Lig...



Scan product