



Product Catalogue

Corporate Solutions

Security > Corporate Solutions



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT1040240016FD4_RED_-_WHITE

6 Feet Wind Sock Double Fabric 4 Reflective Red White

Polyester With Double Fabrics
4 Reflective Strips of Reflective
Tapes for High Visibility for Night Use
Waterproof & Heat Resistant

Length: 6 Feet

Ring End Diameter: 2 Feet

Narrow End Diameter: 1 Foot

Warranty:- Not ApplicableColor: Red - White



[Watch video](#)



[Scan product](#)

Ref: KT104014002ARMG

Arm Guard

Arm Guard For Full body Protector



[Scan product](#)



Ref: KT1130050150301

Loto Product India Lockout Tagout



Material : High quality ABS

Size : 329mm X 100mm

Weight: 75gm

Scaffolding tag holder with specific "Ready to Use" message
+ having provision of tag insertion



Scan product

Ref: KT104014002FBPS

Full Body Protector



Advanced Padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, Knife Attacks Sharp projectiles or possible Threats in riot Situations.

Antimicrobial Fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design



Scan product



Ref: KT104008001DKRF

RFID Key Fob for DKMS



RFID Key Fob for Digital Key Management
Each key is attached to a smart-KeyFob. ISO14443 RFID.



Scan product

Ref: KT104021001PTMI

Walkie Talkie PT100 Mini 1 to 1.5 Km



Features:
Type-C USB charging
Two-way charger
99 channels
TOT function
Scan function
Power-saving function
General Specifications:
Frequency range: 446-446.2 MHz
Battery: 5000mAh li-ion
Operating temperature range: -20°C to +50°

Technical Specifications:

Model: PT100 MINI
Product Name: Handheld FM radio
Channel Capacity: 99
Channel Spacing: 25KHz/12.5KHz
Operating Voltage: DC...



Scan product



Ref: KT104014002PARS

Anti Riot Kit

Anti-Riot Kit Inclusive of
Full Body Protector Fire retardant with Advance padding
-with Anti Stab and Anti Impact, Forearm Guard, Groin
Guard, Knee Guard, Shin Guard
Polycarbonate Shield -1 Nos
KTI Polycarbonate Lathi Transperent 1 Mtr -1 Nos
Helmet -1 Nos

No image



Scan product



Ref: KT104021001WAV1

Walkie Talkie PT101 1.5 to 2KM

Frequency Range-446-446.2 MHZ
Channels 16
Channel Spacing: 25 KHz / 12.5 KHz
Working Temperature: -20°C ~ + 60°C
Antenna Impedance: 50 Ω
Operating Voltage: DC 7.5V (± 20%)
Battery Capacity: 5000 mAh
Frequency Stability: $\leq \pm 2.5$ ppm
Dimensions: 116 x 59 x 38 mm (Without Antenna)

Specification

Transmitting Specifications
Output Power: ≤ 5 W
Modulation: 11K Φ F3E/16K Φ F3E
Rated Audio Distortion: $\leq 5\%$
Adjacent Power: ≥ 60 dB
Modulation Limitation: $\leq + 2.5$ KHz / ± 5.0 KHz
Receive...



Scan product



Ref: KT104007001IPSN

Inductive Proximity Sensor

Square PNP-NC
Maximum Supply Voltage 40 Volts (DC)
Output Type PNP-NC
Sensing Distance 8 Millimetres
Specific Uses For Product proximity detection
Components SENSOR WITH 2MTR CABLE
Item Dimensions 36 x 18 x 18 Millimeters



Scan product

Ref: KT104021001HY77

Walkie talkie Hyundai GP 777 HXR

LICENSE FREE
IDEAL RANGE : 4KM
16 CHANNELS SCAN
INTELLIGENT DSP FUNCTION
1W SEMI DIGITAL AUDIO OUTPUT
ACCOUSTIC NOISE CANCELLATION
WATER SPLASH & DUST RESISTANCE (IP54)
36HR TALK TIME
48HR STANDBY BATTERY
AUTO BATTERY SAVE FUNCTION
LOW POWER VOICE ALERT
HIGH GAIN ANTENNA
ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL NAME
GP-777HXR Registration No: ETA-SD-20230503865



Scan product



Ref: KT104021001WAVX

Walkie Talkie PT100 1.5 to 2 Km



Frequency Range-446-446.2 MHZ
Channels 16
Channel Spacing: 25 KHz / 12.5 KHz
Working Temperature: -20°C ~ + 60°C
Antenna Impedance: 50 Ω
Operating Voltage: DC 3.7V (± 20%)
Battery Capacity: 4800 mAh
Frequency Stability: $\leq \pm 2.5$ ppm
Dimensions: 56 x 34 x 107 mm

Transmitting Specifications

Output Power: ≤ 5 W
Modulation: 11K Φ F3E/16K Φ F3E
Rated Audio Distortion: $\leq 5\%$
Adjacent Power...



Scan product

Ref: KT10402100WAVXP

Walkie Talkie PT100 Plus 1.5 to 2 Km



Model : PT100 Plus
Device Name : Wireless Intercom
Channel Capacity : 128
Channel Spacing - 25 KHZ /12.5KHz
Frequency range : 446-446.2 MHZ
Battery Capacity -6800 Mah

ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL NAME
Wavex PT100 Plus
ETA-SD-20250605118



Scan product



Ref: KT1040210017HXL

Walkie talkie Hyundai Wireless 6km



Hyundai GP 777- HXL transceiver

License free ideal range 6 KM

Acoustic noise cancellation 48 hr. Talk time

- License Free Transceiver
- Ideal Range 6km
- Intelligent DSP Function
- IW Semi Digital Audio Output
- Accoustic Noise Cancellation
- Water Splash & Dust Resistance (IP54)

HYUNDAI

- 48 Hr Talk Time
- 60 Hr Standby Battery
- Auto Battery Save Function
- Low Power Voic...



Scan product

Ref: KT1040240016FD4_ORANGE_-_GREEN

6 Feet Wind Sock Double Fabric 4 Reflective Orange Green



- Polyester With Double Fabrics
 - 4 Reflective Strips of Reflective
 - Tapes for High Visibility for Night Use
 - Waterproof & Heat Resistant
 - Length: 6 Feet
 - Ring End Diameter: 2 Feet
 - Narrow End Diameter: 1 Foot
- Color: Orange - Green



Scan product



Ref: KT11200500PLSL

Police Shoulder Light

Voltage -3.8 V

Charger Voltage - 5V Strobe Frequency 6 HZ

Size : 78*35*31 CM

Electric Current -50mA

Flashing mode: red and blue strobe, Visible distance 500m, Besides, it also have the function of lighting.



[Watch video](#)



[Scan product](#)

Ref: KT104024001WSTW

6 Feet Windsock with Stand 6 Ft Height & 2 Ft Long Cage

Windsock Cage Stand with Windsock
WINDSOCK 6 FEET WITH 4 REFLECTIVE TAPE
MADE OUT OF G.I. PIPE 'C'CLASS

- (25mm) WITH 2 BEARINGS (GERMANY) HOUSED IN DUST PROOF CASING
- THE BEARING ALSO ENABLES THAT
- OFFERS THE WIND SOCKS EASIER MOVEMENT IN THE WIND DIRECTION
- ROUNDED FRAME MADE OF MS STRIPS
- WATER PROOF & HEAT RESISTANT
- COLOUR: GREEN
- HEIGHT: 6 FEET
- CAGE SIZE : 2 FEET...



[Scan product](#)



Ref: KT116022900TTLR

300 MM Dia Traffic Light RED

SIZE - 300MM

Color - Red

BODY -Polycarbonate ,Suitable for extreme conditions

LIGHT SOURCE- Ultra bright LEDS

LENS- UV Stabilized,Waterclear Polycarbonate

FRONT HOOD - made of HDPE

Traffic Signal Light -230V Operated



Scan product



Ref: KT104014002FUCP

Body Chest Protector

Advance Padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, Knife

Attacks Sharp projectiles or possible Threats in riot Situations.

Fire retardant, Antimicrobial and chemical resistant Fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design

Size : Medium



Scan product



Ref: KTI04021001PTMR

Walkie Talkie PT100R 2-2.5 KM



Model : PT 100R
Channel Capacity : 16
Channel Spacing - 25 KHZ/12.5 KHZ
Working Voltage -DC 7.5 V
Standard Battery: 5000 mAH Li-Poly
Antenna Impedance -50ohm
Size -118X60X34 mm
Frequency - +/- 2.5 PPM
Reference Sensitivity --119dBm
intermodulation >66 dB
Standard Accesories
Antenna, Battery, Charger, Adapter, Belt Clip, Lanyard

ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL ...




Scan product

Ref: KTI16022900TTLA

300 MM Dia Traffic Light Amber



300 MM POLYCARBONATE
LED BLINKER WORKING ON 230 VOLT
,Suitable for extreme conditions LIGHT SOURCE- Ultra bright
LEDS LENS- UV Stabilized,Waterclear Polycarbonate FRONT
HOOD - made of HDPE Traffic Signal Light -230V Operated



Scan product



Ref: KT104014002RGSH

Anti Riot Safety Helmet Green



Visor with Wire mesh
Adjustable, Protective and Comfortable to wear
Snap fit and quick release chin strap.
Scratch Proof, Shatterproof, Transparent polycarbonate Visor provides excellent protection against projectiles.
Anti - Bacterial Cloth.
Quick Release buckle.
Proper Ventilation.



Scan product

Ref: KT104021001PT20

Walkie Talkie PT200 1 to 2KM

Walkie Talkie PT200 15 to 2KM



Frequency Range 446-446.2 MHz
Battery Voltage 7.4V
Channel Capacity 16
Antenna Impedance 500
Weight 319g
PLL Channel Spacing 12.5kHz/25KHz
Battery Capacity 5000mah
Dimensions(without Antenna) 125.7*62.5*41 mm
ETA-SD-20260504183

Specification

16 storage channels
High capacity polymer lithium battery
Extra long standby
VOX voice control
Side key customization
CTCSS/DCS non-standard sub tone programming
Scrambling functio...



Scan product



Ref: KT104021001WTWX

Battery for Wavex Walkie Talkie

Make :Wavex
For Walkie Talkie



Scan product

Ref: KT104021001L00N99

Lenovo Walkie talkie Model Lenovo N99

Model :Lenovo N99
Make : lenovo
Range -1-2 KM
Frequency PMR 446 Mhz
ETA-SD-20220706321
Channels -16
Size : 131X58X36 MM Without Antenna
Battery Capacity -3000 mAh
Non-magnetic Speaker
Logo Warning Light
PTT button
Application Scenario :
Security ,Construction site , KTV ,Hotel ,Market , Residential
,Wharf & Many Other aspects.



Scan product



Ref: KT104021001WTBH

Battery for Walkie Talkie Make Hyundai

Battery for Team Walkie Talkie - Make Hyundai
No warranty applicable for Battery



Scan product

Ref: KT104015001SR30

Vehicle Speed Radar Tracer SRA3000 PRO

SPECIFICATIONS

Speeds Range: 10 to 199 in MPH or KMH

Point and Shoot technology

Reading Distance : up to 1500 feet

Noise filter setting: To reduce or eliminate undesired reading, the Tracer Pro has a user adjustable noise filter with three settings.

F 1 (default) is the least noise filtering and provides maximum range. Typically 110 feet baseballs and 1500 feet car/trucks

Opera...



Scan product



Ref: KTI16022900TTLG

300 MM Dia Traffic Light Green

SIZE - 300MM

Color- Green

BODY -Polycarbonate ,Suitable for extreme conditions

LIGHT SOURCE- Ultra bright LEDS

LENS- UV Stabilized,Waterclear Polycarbonate

FRONT HOOD - made of HDPE

POWER SUPPLY - 230 V



Scan product

Ref: KTI18005001M290

Industrial Motor Siren 220V

Specifications

Product Electronic Siren - MS-290

Tone - Standard Siren Tone

Operating Voltage - 220V

Distance Covered - Min. 700Mtrs (Mounted at 10Mtrs Height)

Continuous Operation - Maximum for 20 Minutes

Color - Grey

Weight - 1.3 Kg (approximately with packing)

Mounting Bracket - Adjustable mounting bracket)

Dimension - 166mm X 138mm X 95mm



Scan product



Ref: KT116022900TTRG

300 MM Dia Traffic Light 2 In 1 Red, Green 230V Operated

SIZE - 300MM

Color- Green +Red In Single Light

Arrow - Green upside

Cross - Red

BODY -Polycarbonate, Suitable for extreme conditions

LIGHT SOURCE- Ultra bright LEDS

LENS- UV Stabilized,Waterclear Polycarbonate

FRONT HOOD - made of HDPE

POWER SUPPLY - 230 V



Scan product

Ref: KT1180100DMJAD5

Double Mounting Siren 5 KM Carbon Brushless

Horizontal Double Mounting SIREN Three Phase

JAD:500

220/250 Volts

RPM - 2880

50 Cycle

Pure A.C (Carbon Brushless)



Scan product



Ref: KT104015002SMVS

Speed Display Board Sereniti Mini VASS AC Operated

SERENITi MINI VASS

SPEED DIGITS -Height: 12 inches, Display: 7 segments

"YOUR SPEED" legend -3.93", spell "YOUR SPEED"

Customizable message

LEDs -Ultra-bright, Green, and Red

LEGILITY -300+m

POWER CONSUMPTION Average



Scan product

Ref: KT1120050YELLOW

Revolving Light Yellow

Revolving Light Yellow

12 V Operated Magnetic Base

(Customs|Commodity|HS code: 85308000)



Scan product



Ref: KT10401000HXCCD20

3D People Counter HX-CCD20

- 1) Detection Accuracy up to 90% to 95%
- 2) Two-Way People Counting - Support drawing detection frames to detect the number of people entering, exiting, passing, staying, and returning
- 3) Regional People Counting - Support custom drawing of detection areas, accurately counting the number of people in a specified area, and the length of time people stay in a specified area
- 4) Dis...



Scan product

Ref: KT113005015MGVL

Mini Gate Valve Lock

Mini Gate Valve Lock – Adjustable gate valve



Scan product



Ref: KT113005015PCBL

Pin type Circuit breaker Lock Out

Pin type Circuit breaker Lock Out



Scan product

Ref: KT113005015UCBL

Universal Circuit Breaker Lock

Universal Circuit Breaker Lock out-K (Foldable MCB)



Scan product



Ref: KT118005001KI50

KIOSK 50 inch

1. KIOSK MADE OF MILD STEEL
2. 1.5MM TO 2.0MM THICK METAL IS USED.
3. POWER COATING OF 50 MICRON TO 70MICRON MAX
4. HEIGHT AND WIDTH OF KIOSK WILL BE AS PER PANEL.
5. CASTER WHEELS WITH 02 LOCKABLES



Scan product

Ref: KT10401500CLOUD

Cloud charges for Speed Display board

Cloud Charges for Vehicle Lite Speed Detector
Per device per anum



Scan product



Ref: KT10300600ANPSA

ANPR Camera INT21 PNPR1



ANPR Camera
Model No.: INT21-PNPR1
Recognition Camera : Up to 30 Meter
Compression : H.264
Data Protection : AES Encrytion
Deep Learning Based AI Engine
Trained Over 10 Millions Images
Specially Designed for Indian Number Plates
Resolution : 4 MP
IR Range : 20 Meter
Lens: 12 mm Fixed
Frame Rate : 30 FPS



Scan product

Ref: KT10400400210X50S

Binocular Olympus 10 x 50 S



Type Porro-prism series
Diopter adjustment range - over +/- 2 1/m
Eye interval adjustment range -60 - 70mm
Objective lens diameter - 50mm
Closest focal point -6m
Eye relief - 12mm
Lens configuration - 5 elements / 3 groups
Magnification -10x
Exit pupil diameter - 5mm
Apparent angle of view- 59.2°
Field of view at 100m- 11.3m



Scan product



Ref: KT11800500JAS25

Industrial Siren Electrical Jay Kay Make 0.25 KM JAS 25

Industrial Siren (Electrical)

MODEL NO:- JAS : 25

Horizontal or Vertical Single Mounting SIREN Single Phase,
220/250 Volts, 2880 RPM, 50 Cycle, A.C (CARBON
BRUSHLESS)



Scan product

Ref: KT103006AN041L3

ANPR Camera Model No CP-UNC- TT41L3-VMD-Q

ANPR Camera

Model no.: CP-UNC-TT41L3-VMD-Q

- 1/1.8" 4 MP CMOS sensor (1.411 centimeters)
- Max. 4MP (2688 × 1520)@30fps
- H.265, H.264M, H.264H, H.264B, MJPEG
- 10 mm-50 mm Motorized Lens
- WDR(140dB), Day/Night(ICR), 3D NR, BLC, HLC
- IR Range of 30 Mtr., IP67, IK10 System



Scan product



Ref: KT112005009FIBL_RED

LED Blinker for Ambulances, Fire Fighting Vehicles 12V Red

LED Blinker for Ambulances & Fire Fighting Vehicles
Flasher Charge Will be extra
12V
137mm X 137mm X 52mm
(Height) X (Width)X(Depth)
CURRENT DRAIN :- 400mA Color: Red



Scan product

Ref: KT112005009FIBL_WHITE

LED Blinker for Ambulances, Fire Fighting Vehicles 12V White

LED Blinker for Ambulances & Fire Fighting Vehicles
Flasher Charge Will be extra
12V
137mm X 137mm X 52mm
(Height) X (Width)X(Depth)
CURRENT DRAIN :- 400mA Color: White



Scan product



Ref: KT104014002LEGG

Leg Guard

Leg Guard For Full body Protector



Scan product

Ref: KT104024001SFLS

Solar Powered Illuminated Wind Socks



WINDSOCK STAND

(SOLAR TYPE)

TECHNICAL SPECIFICATIONS

Windsock Cloth

Material: Polyester Parachute Fabric

► Eyelets: Brass (Anti-corrosion)

► Size: 24 x 72 inches

► Color Options: Orange & Lime Green / Red & White

► Reflective Tape: 4 Nos: provided for night visibility

Aviation Light with Solar Panel

Light Type: Low Intensity Solar LED Light (Type A) Light

Color: Red

► Power Out...



Scan product



Ref: KT104021001HY77E

Walkie talkie Hyundai GP 777 HXE

LICENSE FREE
IDEAL RANGE : 2KM
16 CHANNELS SCAN
INTELLIGENT DSP FUNCTION
1W SEMI DIGITAL AUDIO OUTPUT
ACCOUSTIC NOISE CANCELLATION
WATER SPLASH & DUST RESISTANCE (IP54)
24HR TALK TIME
36HR STANDBY BATTERY
AUTO BATTERY SAVE FUNCTION
LOW POWER VOICE ALERT
HIGH GAIN ANTENA
BATTERY 3.7V 4400mah
ETA IS ISSUED FOR A SINGLE MODEL WITH MODEL NAME
GP-777HXE Registration No: ETA-SD-202...



Scan product



Ref: KT1040210GP66LV

Walkie talkie Hyundai GP 666LV

Model No.:GP-666LV
Brand - Hyundai
Analog Two Way Transceiver
* License Free Transceiver
* Ideal Range 1.5km
* 1W Audio Output
* Accoustic Noise Reduction
* Waterproof & Dust Resistance (IP54)
* 16 Channel Group Calling
* 15 Hr Talk Time
* 30 Hr Standby Battery
* Low Power Voice Alert
* High-Gain Antenna
ETA Certificate No. : ETA-SD-20250403389



Scan product



Ref: KT11800500203KM

Industrial Double mounted Siren Electrical Jay Kay Make 3KM J1D 350

Horizontal or Vertical Double Mounting SIREN Single Phase,
Model No.: J1D:350
H.P-1/10
6000 RPM
50 Cycle, A.C
Range: 3 Km
24, 30, 48, 110 & 220/250 Volts, 50 Cycle, A.C



Scan product

Ref: KT118005001501KM

Industrial Siren Electrical Jay Kay Make J1S 150

Model : J1S:150
HORIZONTAL SINGLE MOUNTING TYPE, SINGLE PHASE,
220/250 VOLTS, 6000 RPM, 50 CYCLES, A.C, AUDIBLE
DIAMETRICAL SOUND 1.5 K.M RANGE SIREN. (HEAVY-DUTY)
(COPPER WINDING)

No image



Scan product



Ref: KT1180050021KM3

Industrial Double mounted Three phase Siren Make 1KM J3D 100

ELECTRIC SIREN
PHASE : THREE RANGE : 1/2 MILE
VOLT : 400/440
RPM : 2880 ,CYLCLES : 50
TYPE : HORIZONTAL DOUBLE MOUNTING
MODEL : J3D-100 STD :
AS PER IS:1941-1976
MAKE : JEEKAY



Scan product

Ref: KT104001001KIOS

Interactive Kiosk 22 inches

Construction:Enclosure: 1.6 mm thick MILD steel , floor mounted with and screw less chassis.
Type : LED back light with Touch Monitor
Size : 22" inches Color LED touch Screen
Resolution : 1980X1080
LED Touch Panel : 250 CD/m2 (NITS) Brightness
Processor - Android Based
Memory - 4GB
HDD/Storage - 16GB
Expansion I/O - 1 x USB, 1 x LAN
Audio - 1 x Line-out / 1 x Line-in
Speaker - ...



Scan product



Ref: KT11800202AVLLD_RED

Aviation Light AVIL LD Red



Aviation Light - AVIL-LD
Working on Single Phase AC 220/250V
Color : Red / Green / Amber
Light Duty Type
Type LED



Scan product

Ref: KT113005015HASP

Steel Lockout HASP



Steel Lockout HASP/25MM DIA



Scan product



Ref: KT104014002FUBP_M

Full Body Protector Fire redardant with Advance padding M Size

Advanced padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, knife attacks, sharp projectiles or possible Threats in riot Situations.

Fire-retardant, antimicrobial, and chemical-resistant fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design

Custom...

No image



Scan product

Ref: KT104014002FUBF

Female Full Body Protector with Advance padding

Advance Padding material for maximum trauma and impact resistance.

poly & EVA foam pading for extra protection.

Gives solid potection against stone /brick pelting, Knife attacks, Sharp projectiles or possible threats in riot situatins.

Fire Retardant , Anti microbial and chemical resistance fabric.

velco + Buckle for comfortable fit.

Ergonomicllay designed using anthropomet...



Scan product



Ref: KT104008001CTFS

Controller For Siren

"KHERAJ" MAKE ADVANCED SIREN CONTROLLER,
MODEL - KEI-ASC-T
FOR THREE PHASE SIREN, 400/440 VOLTS, AC, 50 HZ,
(SIREN CONTROL PANEL COMPLETE WITH 1 NO. SIREN
STARTER PANEL)
WITH 1 NO. SIREN STARTER PANEL)



Scan product

Ref: KT104015001SCPR

Pocket Radar Smart Coach speed gun Radar

Accuracy: +/- 1 MPH (+/- 2 KPH)

- Speed Range: 25-130 MPH (40-209 KPH)
- Measurement Modes: Manual, Constant-On, or App Controlled
- Units of Measure: MPH, KPH
- Recall Memory: 25 internal to unlimited with App
- Memory Clear Function
- Works with Pocket Radar Smart Display
- Measurement Range: 120 feet on baseball or softball
- Power Options: 2 AAA batteries
- Battery Life in ...



Scan product



Watch video



Ref: KT10401500TRCM2

Laser Speed Camera LTI 2020 TruCAM II



Model -LTI 20/20 TruCAM II
Handheld Day & Night Photo
Lidar with Standard accessories (TruCAM
Shoulder Stock, Trucam LCD Stylus-2 nos, Turcam
Sun Shade - 1 No, 12V Charger- 1, High capacity SD
Reader-1, 32GB Card-1, Rechargeble Battery pack-
2 Nos, Pelican hard case with foam)



Scan product

Ref: KT1180040018J3D

Electrical Siren Jay Kay Make J3D 8 km



HORIZONTAL DOUBLE MOUNTING TYPE,
400/440 VOLTS THREE PHASE 2800 RPM
50 CYCLE A.C. 5 H.P.
AUDIBLE DIAMETRICALL SOUND,
8.00 KMS RANGE SIREN,
(HEAVY DUTY) (COPPER WINDING) (ISI MOTOR)
(MODEL NO:J3D-800)



Scan product



Ref: KT10400400211050

Nikon Binocular ACULON A211 10x 50



Brand Nikon

Age Range (Description) Adult

Special Feature Lightweight

Objective Lens Diameter 50

Magnification Maximum 8

Product Dimensions : 21.84 x 10.8 x 10.8 cm

Large objective lens diameter for a brighter and wider field of view

Multilayer-coated lenses for bright, sharp images, Eye relief (mm): 11.8

Aspherical eyepiece lenses for undistorted images across entire surface...



Scan product

Ref: KT104008001GP10

Guard Tour Reader with Fingerprint GP Finger 101



Storage Capacity: 60,000 pieces

Alarm Clock: 200 groups

Fingerprint Record: 200 groups

Battery: 3.7V lithium rechargeable battery

Bluetooth Card: Less than 10 meters.

Communication: USB 2.0, no need to drive

Operating Temperature : -40°C to + 85°C

Features :

Voice prompt

Biometric Fingerprint

Impact detect

Pedometer

Flashlight

200 groups of alarm clock

Magnetic connectivity...



Scan product



Ref: KT104008002CTFS

Customised Controller For Siren

KHERAJ" MAKE SIREN CONTROLLER TONES

MODEL KEI-ASC-8Z T

Having Selectable 8 Zones output Multi Programmed mode (Tone) Operations with Single Starter panel working on Three Phase 400/440V AC & 50 HZ



Scan product

Ref: KT118010002JK15

Single Mounting Siren 1.50 KM Make Jay Kay

HORIZONTAL SINGLE MOUNTING TYPE, 220/250 VOLTS
SINGLE PHASE 6000 RPM 50 CYCLE A.C. AUDIBLE
DIAMETRICALL SOUND, 1.50 KMS RANGE SIREN
(HEAVY DUTY)



Scan product



Ref: KT104001002K10K

Interactive Kiosk with 32" Screen



Kiosk Type: Floor Standing
 Dimensions: -4' Height x 2.5' Width x 1.5' Depth
 Easily Portable on wheels
 MS body made of 1.6mm thick Sheet
 CNC LASER cut & CNC Bending
 Powder Coating :
 White (texture) / Offwhite / Silver/Siemens Grey / RAL 7032
 /RAL 7035 / Dark Grey
 Maintenance Door Back side Access
 Inbuilt 6A Power Plug Sockets
 Castor Wheels with brakes
 KIOSK APPLICATION -Android ...



Scan product



Ref: KT104001021K10S

Interactive TouchScreen Kiosk 21.5 Inch

Model -XN-WMKIOSK-22"
 Display Size: 21.5"
 LED Type: 10 POINT CAPACITIVE
 Resolution: 1920 X 1080
 Brightness: 250 NITS
 Contrast Ratio (typical) : 4000: 1
 Colour Support: 16.7 Million
 Operation Hours: 24 * 7
 Surface Finish: anti-reflective
 Certification: IP 65 Front waterproof

CPU Model :
 Make: XEXAGON
 Processor: Intel i5-12th generation
 Ram: 16 GB
 SSD: 512 GB
 IO PORTS: 2 USB PO...



Scan product



Ref: KT10401000PVC3DN

V Count People Head Count Sensor

Model : V-Count

Key Features:

- Accuracy of up to 99% and 95 % on average.
 - Plug-and-play installation.
 - Bi-directional counting.
 - An exceptional Mean Time Between Failure (MTBF) of over 20 years.
 - Accurate counting with video evidence.
 - Improved 3D counting accuracy through superior processing power.
 - WiFi connectivity.
 - An optional staff exclusion add-on feature
- Techni...



Scan product

Ref: KT112005009RERD

Revolving Light Blue

Revolving Light



Scan product



Ref: KT112005009REYE

Revolving Flasher Light Yellow



Revolving Light Yellow

For Car, Marine, Truck or Any Emergency

Power rating 220v/24v/12v (Different Options Available)



Scan product

Ref: KT104021001RANGV9

Ranger V9 vertel upto 6Km walkie talkie



Ranger V9 vertel upto 6Km walkie talkie

LICENSE-FREE WALKIE TALKIE

V9 BLUETOOTH WALKIE TALKIE IP67 WATER & DUST PROOF

GENERAL SPECS

Frequency range : 446-446.2 MHz

Channel capacity : 199 Channels

Channel spacing : 12.5KHz

Operation Voltage : DC 7.4V

Battery Capacity : 4500mAh (Li-ion)

4500mAh (Li-ion) : About 20 hours

Frequency Stability : ± 2.5 ppm

Operating Temperature : -20 t...

Specification

Ideal for hotels, events, schools, hospitals, and large facilities requiring instant team communication.

Useful for coordinating operations, emergency response, maintenance, and fi...



Scan product



Ref: KT104014002FUBP_L

Full Body Protector Fire redardant with Advance padding L Size

Advance Padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, Knife Attacks Sharp projectiles or possible Threats in riot Situations.

Fire redardant, Antimicrobial and chemical resistant Fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design

Customiss...

No image



Scan product

Ref: KT118010002FMTS

Flameproof Multi Tone Audio visual Alarm

Make : Baliga

FPHF 117 Flameproof Multi Tone Audio Visual Alarm

Product Code FPHF 117

Part no : FPHF117 Manufacturer : BALIGA

SIREN,112DB,POWER,1,24/230VDC/AC,TOP,CAS

SOUND LEVEL : 112 dB

DRIVEN BY : POWER

PHASE : 1

RATED VOLTAGE : 24/230 VDC/AC

MOUNTING : TOP

MATERIAL : CAST ALUMINIUM

DUTY : INTERMEDIATE

ENCLOSURE : IP65

CAPACITY(HEARING RANGE) : 1 KM

PROGRAMMABLE : YES

MOTOR...



Scan product



Ref: KT104021001PK50

walkie talkie KENWEE Model K 50

walkie talkie KENWEE Model K 50

General:

Frequency Range: 446 MHz

Channels: 128

Working Voltage: 7.4 V DC

Working Temperature: -20°C to +60°C

Antenna: High-Gain Antenna

Antenna Impedance: 50 Ω

Mode of Operation: Simplex or Semi-Duplex

Weight: 248 g (with 5200 mAh battery)

Transmitter:

Frequency Range: 446.000 – 446.025 MHz

RF Power: 0.5 W

Modulation Type: FM

Spurious Radiation...



Specification

An IP65 Rating means the Radio has the highest level of dust protection, and is able to withstand low-pressure water jets from all directions. IP65 is not a waterproof Radio.



Scan product

Ref: KT104024001SFLW

Windsock with LED Light Steel Stand

Windsock Standpipe: -

Dia 32 MM, Made of SS304

Height: 10 Ft provided with a Pedestal

Flange at the bottom for easy installation.

Wind Indicator Cage/Ring: 2 Feet Diameter with support cage of 2 Feet Length made of SS304

E. LED Bulb Light:

Flameproof LED Bulb Light (16 Watt) is provided at the center of the cage to illuminate the cage during the night, stormy and gloomy en...



Scan product



Ref: KT104021001POC1

Walkie talkie POC100 SIM Based



Wavex : POC-100 walkie talkie SIM Based

1.44 "color screen

Dual card single standby, automatic/manual switching

Polymer lithium battery

Extra long standby

Multi-member single call

Key lock

Battery display/low battery warning

TECHNICAL SPECIFICATIONS

Sim Required in client scope : Vi, Airtel, Jio

Model: POC-100

Device name: LET POC NETWORK RADIO

Working voltage: DC: 3.4V-4.2V

...

Specification

The simplest app for simulating traditional hardware. Users just tune into the same randomly generated channel number (line) to instantly speak, functioning like a public or privat...



Scan product

Ref: KT104021GP777HXS

Walkie talkie Hyundai GP 777 HXS



Digital Two-Way Transceiver Hyundai GP777HXS

* License Free Transceiver

* Ideal Range 5km

* Next Generation Digital CPU 2W Digital Audio Output

* Accoustic Noise Cancellation

* Waterproof (IP67)

* Intrinsically Safe Equipment

* 32 CH, Tier 2 Communication

* 48 Hr Talk Time

* 60 Hr Standby Battery

* Auto Battery Save Function

* Low Power Voice Alert

* High Gain Antenna

Specification

The Hyundai GP-777 HXS Walkie Talkie is a compact and reliable two-way communication device designed for clear and convenient communication.

It is suitable for security teams, offi...



Scan product



Ref: KT1180100DMJFD5

Double Mounting Flame Proof Siren 5 KM Make Jaykay

Horizontal Double Mounting Type, 400/440 Volts
Three Phase 2800 , RPM 50 Cycle A.C 3 H.P
Audible Diametrical Sound, 5 KM Range Flame Proof Siren.
(HEAVY DUTY)
(MODEL NO: JFD-500)



Scan product

Ref: KT104014002ARLH

Anti Riot Safety Helmet Light Weight

Helmet
with Grill Protection
Adjustable, Protective and Comfortable to wear
Snap fit and quick release chin strap. Quick Release buckle.
Proper Ventilation.



Scan product



Ref: KTI040240016FLL

6 Feet Windsock with SS Stand and Flameproof PESO Certified Light

LED Illuminated Windsock Stand With Cage & light, Stand made of good quality Stainless Steel 304 Structure with SS 304 pipe Stand

A. Windsock Cloth: The Windsock cloth is made up of Parachute Polyester Double Layer fabric. Brass eyelets give anticorrosion properties.

Size - 24 x 72 Inches comes in Red & White/Orange & Green Color combination along with Reflective Tape wi...

Specification

6 Feet Windsock Cloth: The Windsock cloth is made up of Parachute Polyester Double Layer fabric. Brass eyelets give anticorrosion properties. Size - 24 x 72 Inches comes in Red & W...



Scan product

Ref: KTI18004001J3D1

Double mounting Electrical Three Phase Jay Kay Make 11 km

Model : J3D1150

Horizontal or Vertical Single Mounting SIREN Three Phase, 400/440 Volts, 2880 RPM, 50 Cycle, A.C
HP :7.5 , KM : 1150



Scan product



Ref: KT10401200108X8

KT1 Porta Cabin 8X6X8 Feet

Porta Cabin

Size : 8 X 6 X 8.6 ft (L X W X H)
(OUT TO OUT)

MAIN MS DOOR : 6 .6 X 3 FT -1 NO ,
AL SLIDING WINDOW 3X3 FT - 2 NO CABIN FAN : 1NO , LED
LIGHT , (15 W) -2 No

Inside : 1 No - Circular fan , 1 No - led lights , , 5 amp power
socket

No image



Scan product



Ref: KT104021001RANGV7

Ranger V7 Vertel Walkie talkie 4 KM

Ranger V7 Vertel Walkie talkie 4 KM

TECHNICAL SPECIFICATIONS

Frequency range : 446-446.2 MHz

Channel capacity : 99 Channels

Operation Voltage : DC 7.4V

Antenna Impedence : 50Ω

Channel spacing : 12.5KHz

Operating Temperature : -20°C to +60°C

Frequency Stability : ±2.5 PPM

Dimension : 149*64*37mm

Weight : 292g

Battery Capacity : 4200mAh

LICENSE-FREE WALKIE TALKIE IP67 Waterproof ...

Specification

Ideal for hotels, events, schools, hospitals, and large facilities
requiring instant team communication.

Useful for coordinating operations, emergency response,
maintenance, and fi...



Scan product



Ref: KT118010002PS01

Horizontal Single Mounting Pure AC Siren 1 KM



Horizontal Or Vertical Single Mounting Siren
Single Phase 220V/250V
2800 RPM
50C/s AC/DC
Horizontal Single Mounting
Siren PS-100



Scan product

Ref: KT1180100S3MFLP

Single Mounting Flame Proof Siren 3.25 KM Make Kheraj



Model : FS-325
Horizontal Single Mounting Siren Three Phase 400/440V
2800 RPM 50 HZ, AC



Scan product



Ref: KT104004002KDMS

RFID KTI Digital Key Management System



RFID-Based Electronic Key Management System. Holds keys Securely and Provides Keys to Authorized Personnel Only. The key fob has an RFID tag inside, which Communicates with the cabinet wirelessly. It is Tamper, wear & tear Proof. Each key is attached to a Keyfob enabling the key to have a unique Identity.

Woven Around State of Art RFID Technology
Holds key Securely
Identifi...



Scan product

Ref: KT118004001JAS5


Carbon Brushless Single mounting Electrical Siren Jay Kay Make 5 km



Horizontal or Vertical Single Mounting SIREN Single Phase, 220/250 Volts, 2880 RPM, 50 Cycle, A.C (CARBON BRUSHLESS)



Scan product



Ref: KT118005001KI55

KIOSK 55 inch

STANDEE MODEL

Model No: DS-SD55P-KSO-A11-BL

Brand & Make: Kiosk India

Standee Type: Floor Standing

Dimensions: 6' Height x 2.5' Width x 2' Base Depth

Weight : 70 KGs

Easily Portable on wheels

Android 11.0 (Red Velvet Cake

Amlogic S905X3 Quad Core,

Very Fast Processor with support for upto 4K content

RAM: 4GB

Flash memory : 32GB

Penta-Core Mali G31

Ethernet

DualBand Wireless 2....



Scan product

Ref: KT11800500JAS10

Industrial Siren Electrical Jay Kay Make JAS100

Industrial Siren (Electrical)

MODEL NO:- JAS : 100

Horizontal or Vertical Single Mounting SIREN Single Phase,
220/250 Volts, 2880 RPM, 50 Cycle, A.C (CARBON
BRUSHLESS)



Scan product



Ref: KT10401200161PC

Porta Cabin 6ft X6ft X9 Ft 6 Inch

G.I.PORTABLE CABIN -6'x6'x9'-6"

Extra Window

Work Station -3'x2'x2'-6"

Over Head Cabinet -3'x13"x1'-6"

Revolving Chair

Top frame -50 mm x 50 mm m.S square pipe

Bottom frame -100 mm x 50mm I beam

Stiffener top -40 mm x 20 mm MS pipe

Stiffener bottom -50mm x 50 mm MS pipe

Side post -60mm x 60 mm MS square pipe

Side wall stiffener -specially fabricated corrugated sheet

1.00 mm/ ...



Scan product

Ref: KT1040120011GPC

Porta Cabin 10ft X10ft X9 Ft 6 Inch

G.I.Portable cabin size-10'x10'x9'-6"

Cabin fan 01nos

Main board -01nos

LED light -02nos

6amp switch socket -01nos

16amp AC provision -01nos

Mcb -1 nos

Carpet -polyvinyl

Window with grill 3x3 -03 mps

Bulkhead -01nos

Extra window

Work station

Overhead cabinet

Revolving chair

Top frame -50 mm x 50 mm m.S square pipe

Bottom frame -100 mm x 50mm I beam

Stiffener top -40 mm x 20 mm...



Scan product



Ref: KT104014002FUBP_2XL

Full Body Protector Fire redardant with Advance padding 2XL Size

Advanced padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, knife attacks, sharp projectiles or possible Threats in riot Situations.

Fire-retardant, antimicrobial, and chemical-resistant fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design

Custom...

No image



Scan product

Ref: KT104023TSH53B

X Ray Baggage Scanner Handy 53B

Single Generator and Single View

Series - Handy 53B

Dimension(LXWXH) - 1664X766X1207

Tunnel Size - 515X 312 MM

Anode Voltage -160 KV

Tube current - 1.2 mA

Wire Resolution -38 AWG

Speed -0.2 Meter per second

Load -165 Kgs

Height from ground 675 mm

Power Requirement 220($\pm$ 10%), 50 $\pm$ 3Hz



Scan product



Ref: KT10040020A2735

Nikon Binocular Aculon A211 7x35



Magnification: 7x
Objective Lens Diameter: 35 mm
Prism Type: BaK-4 Porro Prism system
Lens Coating: Anti-reflection multilayer-coated Eco-Glass™
(lead and arsenic-free)
Eyepiece Design: Aspherical lens elements to eliminate image distortion
Angular Field of View (Apparent): 59.3°
Linear Field of View: 163 meters at 1,000 meters (488 feet at 1,000 yards)
Exit Pupil: 5.0 mm
Eye ...



Scan product

Ref: KT104012001105P

KTI Porta Cabin 5LX5WX8H Feet

No image

Size : 5'X5'X8'-6"
MS New Portable Office Container
Size: 10Lx10Wx8.5H feet
(Accessories)
Door-1 No.
Window -2 No.
Fan-01 No.
Power point-04 No.
Light-04 No.
Ac provision-01 No.
5X2.5 Size Table for Four People work -01 No



Scan product



Ref: KT116022003TS20G

200 MM Dia Traffic Light

200 MM DIA (IP 65 CERTIFIED)
SIGNAL HEAD with unbreakable polycarbonate housing with
transparent lens including glass epoxy PCB with superbright
high intensity traffic grade
LED's working on 230 VOLT /12V/24V



Scan product

Ref: KT118003002H96P

Hooters PLMT 96X96 Kheraj

MODEL PEIZO With LED (Multi tone)
Make : Kheraj
SIZE : 96 MM X96MM, 50 MTR,RANGE
(DIAMETRICAL)90DB @1MTR, 220 VOLTS
AC/DC(EITHER), PROTECTION IP55, INDOOR DUTY,
Hooters Working On Single Phase AC 220/250 V



Scan product



Ref: KT1180040012J35

Electrical Siren Jay Kay Make J3D 350

Model No.: J3D:350

3 KM Range

Horizontal or Vertical Single Mounting SIREN Three Phase

400/440 Volts, 2880 RPM,

50 Cycle, A.C

No image



Scan product

Ref: KT1040012BF1050

Bushnell binocular Falcon 10x50 133450

Bushnell binocular Falcon 10x50 (133450)

Multi-coated optics for superior light transmission

Insta Focus® systems for fast focus on moving targets

Poly carbonate

Non-slip rubber grip pads for secure grip in all details that you would expect in weather conditions, including weather resistance

Magnification X Obj Lens 10x50

Close Focus (m) 7 meters

Prism System Porro prism

Fo...

Specification

Accessories: Soft carrying case, Neck strap, cleaning cloth, brush, silica gel, eyecup and objective lens cover.

□ Multi coated optics for superior light transmission

□ InstaFocus®...



Scan product



Ref: KT10401200110PC

KTI Porta Cabin 10Lx10Wx8.5H feet

MS New Portable Office Container

Size: 10Lx10Wx8.5H feet

(Accessories)

Door-1 No.

Window -2 No.

Fan-01 No.

Power point-04 No.

Light-04 No.

Ac provision-01 No.

5X2.5 Size Table for Four People work -01 No



Scan product

Ref: KT104023002604A

X Ray Baggage Scanner 6040 Single Energy Zkteco

Make:Zkteco

Model No:6040A

unnel Dimensions (W*H) 600*400 (mm)

Conveyor Speed 0.3m/sec

Load on Conveyer 180kg (evenly distributed)

Conveyor Height 680 mm

Horizontal Φ 1.0mm

Vertical Φ 2.0mm

Steel Penetration 8mm

Wire Resolution 34AWG

Single-energy Yes



Scan product



Ref: KT118004001J3D5

Double mounting Electrical Three Phase Jay Kay Make 5 km

Model : J3D 500

Horizontal or Vertical Double Mounting SIREN Three Phase
400/440

HP : 3 , KM : 5 km

400/440 Volts, 2880 RPM, 50 Cycle, A.C



Scan product

Ref: KT118005002010M

Industrial Double mounted Siren Electrical Jay Kay Make 100M J1D10

Horizontal or Vertical Double Mounting SIREN Single Phase,
Model No.: J1D:10

H.P-1/10

6000 RPM

50 Cycle, A.C

Range: 100 m Double Mounting

Horizontal or Vertical Double Mounting SIREN Single Phase,
24, 30, 48, 110 & 220/250 Volts, 6000 RPM, 50 Cycle, A.C



Scan product



Ref: KT1180100DD3FLP

Double Mounting Flame Proof Siren 3.25 KM Make Kheraj

Model : FD 325
HORIZONTAL DOUBLE MOUNTING FLAME PROOF SIREN
Horizontal
Double Mounting Siren
Three Phase
400/440V
2800 RPM
50 HZ AC

No image



Scan product

Ref: KT10400100VKIOV

Vistor Management KIOSK

Vertical Visitor Management Kiosk With Windows 10 OS, 22"
Capacitive Touch Screen & 3" Thermal Printer
KIOSK MODEL No. KI-OT22P-VMS-W10-WH-P
Brand & Make: Kiosk India
Kiosk Type: Floor Standing
Dimensions:
5.5' Height x 1.5' Width X 1' Base Depth
Easily Portable on wheels
MS CRCA body made of 1.6mm thick Sheet

CNC LASER cut & CNC Bending
Powder Coating : Milky White'
Printer R...



Scan product



Ref: KT1040020AUVS3D

NUVO SCAN 3D Automated Under Vehicle Scanning System

NUVO SCAN 3D Automated Under Vehicle Scanning System NuvoScan™ (3D) - complete underground installable UVSS unit, generally as per the catalog attached, and compliance furnished, majorly comprising :-

- >> Color AreaScan camera
- >> Automated Number plate reader system for entry lane only.
- >> Driver Image module for Entry lane only.
- >> Dual Area Scan Camera.
- >> Computer system with...



Specification

Technical Specifications

Main Camera
Imager : CMOS AreaScan Sensor
Resolution : 1920x1200 pixels
Video Format: GigE
Certifications: CE compliant
Power: 12 V to 24 V DC

License Pl...



Scan product

Ref: KT10400400FCDBL

Forklift Blue Big Arc Light

Forklift Blue ArcLight (HIS- FLWS-022C) Big Arc

Power: 18W

Input Voltage: 10-80V DC

Color : Blue

Working life :>50000 Hours

Water Resistance : IP 67

Application : Forklift

Material : Aluminium

Light Resources - High Power Colored LED

Certification : ISO, CE and Rohs



Scan product



Ref: KTI04010001MHCND

Manual Head Count system wiith Net

Model No: KTIMHC3

- Make: KTI
- Display : Date, Time, Net, In And Out
- 2 Button for In andOut
- Display Color : Red
- Must Have Single Entry and Exit
- Manual Operation



Display:-

- 1) NET Display = character height 1.5inch, colour RED, No of digit 4.
- 2) IN Display = character height 1.5 inch, colour RED, No of digit 4.
- 3) OUT Display = character height 1.5 inch, colour RED, No...



Scan product

Ref: KTI0401000HP5LM

LED Display for Head Count System

P5 LED Module

Size: 1 x 0.5 feet

Power supply 230V

Aluminum Body

Sensor support SO415 Backlite connector (for in/out and rest)

Display Show: Date + Time + Net + In + Out



Scan product



Ref: KT104023TS6650

X Ray Baggage Scanner 6650 Magtech

Dimensions (in mm) -2020 L X 915 W X 1406 H

Gross Weight -590 KGS

Tunnel Size (in mm) -665(W) x 508(H)

Anode Voltage -160 KV

Tube Current -1.2 mA

Steel Penetration -35 mm

Wire Resolution -38 AWG

Speed -0.2 meter per second

Recognition Types -Recognizes 35 types of objects: gun, explosive fireworks, container spray, knife, impenetrable materials, axe, scissors, ignition oil, n...



Scan product

Ref: KT113014002DLLO

Digital Mobile Locker 16 Locker

3400 height x 500 wide x 600 deep

with 16 locker in a unit

with powder coating finish

and Digital Lock



Scan product



Ref: KTI16022900T1RG

300 MM Dia Traffic Light 2 In 1 Red, Green 12V DC Operated

SIZE - 300MM

Color- Green +Red In Single Light

Arrow - Green upside

Cross - Red

BODY -Polycarbonate, Suitable for extreme conditions

LIGHT SOURCE- Ultra bright LEDS

LENS- UV Stabilized,Waterclear Polycarbonate

FRONT HOOD - made of HDPE

POWER SUPPLY - 12V DC



Scan product

Ref: KTI18004001J16

Double mounting Electrical Three Phase Jay Kay Make 16 km

MODEL NO:- J3D : 1600

HORIZONTAL DOUBLE MOUNTING TYPE,

THREE PHASE, 415/440 VOLTS,

10 H.P,

2880 RPM,

50 CYCLES,

AC, AUDIBLE DIAMETRICAL SOUND 16.00 K.MS RANGE

SIREN. (HEAVY-DUTY) (COPPER WINDING)



Scan product



Ref: KT118010002FP05

Single Phase Flameproof Siren 0.500KM Make Kheraj

Siren FSS-050 (500m)
Horizontal Single phase Flameproof Siren Electrically
operated Sirens HORIZONTAL
SINGLE MOUNTING SINGLE PHASE 220V/250V
2800 RPM
50 HZ AC



Scan product

Ref: KT1180100DMJFD3

Double Mounting Flame Proof Siren 3.50 KM Make Jaykay

Horizontal Double Mounting Type, 400/440 Volts
Three Phase 2800, RPM 50 Cycle A.C 3 H.P
Audible Diametrical Sound, 5 KM Range Flamp Proof Siren.
(HEAVY DUTY)
(MODEL NO:JFD-350)



Scan product



Ref: KT1018011002MTS

Siren Kheraj Make Multi Tone 3.25 KM Range 5 Tone



3 TONE SIREN
MODEL - ESTT-350
220 VOTLS, AC,
3.50 KM RANGE

Also We Have Double Tone, Triple Tone up-to 3.50 Km
Ranges Siren Available
Warranty: 1 Year



Scan product

Ref: KT104001001BLL2

Bushnell legend 10x42 roof prism E Series



Bushnell Legend E Series 10X42 MM
Objective Lens Diameter 42 Millimeters
Magnification Maximum 10
Angle of View -6.5° (Actual)



Scan product



Ref: KT104001001TMVS

Trailer Mounted Variable Message sign



Size : Offered Display Size: 1280x960mm
 Model: AP- DT10-1R1G1B
 LED Type -SMD
 Estimated LED lifespan (Hours) -100000 Hrs
 Pixel Pitch (mm) -10
 Pixel -1RGB
 Module Resolution (W x H) -32 x 16 pixels (320 X 160 mm)
 Module pixels -512 dots
 Module quantity -4 x 6 = 24 nos.

Size (W x H) mm -1380 x 1060 mm
 Material -M.S CRCA Sheet of suitable thickness
 VMS screen size (W x H) mm -1280 ...



Scan product

Ref: KT104001003KIOS

Interactive Kiosk 21.5 inches



Model No: KI-ST22L-STD-W10-LG-T
 Kiosk Type: Floor Standing
 Dimensions: 5' Height x 2' Width x 1.5' Depth
 Castor Wheels with brakes, Easily Portable on wheels
 KIOSK ENCLOSURE
 MS body made of 1.6mm thick Sheet
 Powder Coating:White (texture) / Offwhite / Silver/ Siemens
 Grey / RAL 7032 / RAL 7035 / Anthracite Grey
 Maintenance Door Back side Access
 Inbuilt 6A Power Plug Sockets
 Den...



Scan product



Ref: KT10400100KI18I

Interactive Kiosk 18.5 inches

Construction: Enclosure: 1.6 mm thick MILD steel , floor mounted with and screw less chassis.

Type : LED back light with Touch Monitor

18.5" display size with capacitive touch

Operating system: windows

RAM: 4 GB

internal storage: 500 GB

APPLICATION AREA

- ☐ Entertainment
- ☐ Hospital
- ☐ Telecom
- ☐ E-Government
- ☐ Industrial
- ☐ Retail
- ☐ Education
- ☐ Hospital
- ☐ Corporate
- ☐ Banking System ...



Scan product

Ref: KT10400200UVS2D

Under Vehicle Scanning System 2D

Under Vehicle Scanning System-2D

2D-Single Area scan UVSS

system is Bidirectional , embaded Solution that introduces in response to the growing need for under vehicle servelince system.

*the systems main aim to provide Private or government institutions with a powerful inspection tool that allows visual detection of potential threts to the security of its facilty

*generate singl...



Scan product



Ref: KT10400200UVS3D

Under Vehicle Scanning System 3D

Under Vehicle Scanning System-3D
3D-Single Area scan UVSS
system is Bidirectional, embedded Solution that introduces in response to the growing need for under vehicle surveillance system.

Generate 3D Image of the under chassis of the vehicle, LEFT Composite image and Right Composite image
Capture under chassis image of any moving vehicle speed ranging from 0km/hr to 40km/hr
Easy to ...



Scan product

Ref: KT104004002DM50

Digital Key Management System for Marshal 50 Keys

Face, Fingerprint & Card Device with windows based License software Feature List Only authorized user can take
Key report printable at any time. Release key accessible 24/7 without supervisor on site.

Specification- Key Slot -50KEYS,
i-keybox-L,

AccessWay-Face+Finger+Card+Password- Finger recog time= $\approx 0.6s(1:1)$ Weight=49~55KG

Feature List-

1. Only Authorized user can take key.

...



Scan product



Ref: KT104004003KDWG

RFID Digital Key Management System with Genetec Integration

RFID-Based Electronic Key Management System with 7" Screen Size

Secure, Traceable, and Intelligent Key Management System
Automatic Sync of Card User and System User Data to KMS
Access through exit readers is automatically restricted when sensitive keys are withdrawn from the KMS, ensuring enhanced security control.
Automatically grant or restrict access to specific facility zon...



Scan product

Ref: KT1040041HPR8X42

Nikon Prostaff 5 8x42 Binocular

Product Dimensions : 16.5 x 13 x 5.4 cm; 630 Grams

Date First Available : 1 May 2016

Manufacturer : Nikon

ASIN : B01F16NYQE

Item model number : BIN0-2190

Country of Origin : China

Manufacturer : Nikon, NIKON VISION CO. LTD., NIKON FUTABA BLDG , 3-25, FUTABA 1 CHOME SHINAGAWA-KU, TOKYO 142-0043

Packer : NIKON VISION CO. LTD., NIKON FUTABA BLDG , ...



Scan product



Ref: KT104007001DFDC

AI Dashcam for Driver Fatigue Monitoring system

AI Dashcam : 2ch, ADAS + DFMS, 4g, Wifi, GPS



1. Supports two-channel recording (Front 1080P + In-Cabin 720P) for full vehicle monitoring and driver behavior analysis
2. Built-in ADAS (Advanced Driver Assistance System) for lane deviation and collision warnings
3. Built-in DSM (Driver Status Monitoring) to detect fatigue, distraction, and unsafe driving behavior
4. Real-time GP...



Scan product

Ref: KT104007001PH3M

Photosensor 3 Meter Range

Model : IBX 43

Photosensor For Multiple Uses.


3 Wire : 1- Positive, 2- Negative, 3- PNP.

Transmit and Received Inbuilt.

3 Meter Range

Power : 12V DC.

Color : Black Or Black



Scan product



Ref: KT10401000FP221

TOF People Counter FP221

Using TOF technology, it does not rely on visible light images, and directly obtains the depth map and grayscale map of the object instead of the RGB image, which can 100% protect the privacy of personnel; 2. Through specific tags, employees can be accurately filtered, support custom height cutoff points, distinguish between adults and children, and count them separately (HSN N...



Scan product

Ref: KT104011001LFC3

Ladies Frisking Cabin with roof

Ladies Frisking Cabin(Sides With Cloth)

Product Specification-

ACP Sheet at 2 side with Roof

1. Pipes: Mild Steel With Powder Coating.
2. Gauge of the Pipe:16 Gauge
3. Dimension of the Pipe:1.25" Dia
4. Booth Dimension-(4ft L X 4ft W X 6.5 ft H)
5. Cloth Would Be Used in Sides.
6. Curtain in Front.

Special Features-

1. One Can Easily Install and as Well as Dismantle It.
2. Ea...

No image



Scan product



Ref: KT10401200202PC

Porta Cabin 33 X 20 Ft

G.I portable cabin size 33'x20'x8'.6" (MDF) including 01 main door, 08LED Light, 04 fan, 04 window 03'x03', electrical points, switch socket, vinyl flooring, bulcket light above the door.

Size : 33'x20'x8'.6"

Base : M.S square-pipe Of 125 X 65 MM with 4mm thickness.

Along With square-pipe Of 75 X 40 Mm.(Welded With M.S

Square pipe From Length To Length)Square Pipe Of 50 X 5...

No image



Scan product

Ref: KT104014002FUBP_XL

Full Body Protector Fire redardant with Advance padding XL Size

Advanced padding material for Maximum trauma and impact Resistance

Poly and EVA Foam Padding for Extra protection

Gives Solid Protection against Stone/brick pelting, knife attacks, sharp projectiles or possible Threats in riot Situations.

Fire-retardant, antimicrobial, and chemical-resistant fabric

Velcro + Buckle for Comfortable fit

Lightweight and Ergonomic Design

Custom...

No image



Scan product



Ref: KT104021001PA33

Walkie Talkie Airlink A33 15 to 2 KM

Walkie Talkie Airlink A33 15 to 2 KM

General:

Channel: 16

Working Voltage: 3.7V DC

Working Temperature: -20°C ~ +50°C

Weight: 180g (including Antenna and Battery)

Dimensions: 114 x 59 x 33mm

Transmitter:

Frequency Range: 446 - 446.200 MHz

RF Power: 0.5W

Modulation Type: FM

Spurious Radiation: $\leq 7.5\mu\text{W}$

Modulation Noise:

Specification

TOT • Scan • English Voice Prompt

• Battery Saver Function • Low Battery Prompt

• Narrow/Wide Bandwidth Selection • VOX

• Scrambler • Busy Channel Lock • Squelch Level

• Programmin...



Scan product



Ref: KT104021001RANGV2

Ranger V2 Vertel Walkie talkie upto 2 KM

Ranger V2 Vertel Walkie talkie upto 2 KM

TECHNICAL SPECIFICATIONS

Walkie Talkie upto 2.5 KM Make Vertel

Frequency range : 446-446.2 MHz

Channel capacity : 16 Channels

16 Channels : DC 3.7V

Battery Capacity : 3000mAh

(Li-ion)

Battery Life : About 15 hours

Frequency Stability : ± 2.5 ppm

Operating Temperature : -200C to +600C

Antenna Impedance : 50 Ω

Dimension (HxWxD) With Antenna...

Specification

RECEIVER SPECIFICATIONS

Receiving Sensitivity : 0.20 μV @12dB SINAD

Adjacent Channel Selectivity : >70dB

Audio Output Power : >500mW

Audio Distortion :



Scan product



Ref: KT104021001RANGV5

Ranger V5 Vertel Walkie talkie upto 3 KM

Ranger V5 Vertel Walkie talkie upto 3 KM

TECHNICAL SPECIFICATIONS

Walkie Talkie upto 3.5 KM Make Vertel

Frequency range : 446-446.2 MHz

Channel capacity : 199 Channels

Channel spacing : 12.5KHz

Operation Voltage : DC 7.4V

Antenna Impedence : 50Ω

Operating Temperature : -20 to +60°C

Frequency Stability : ±2.5 ppm

Dimension : 130*57*34mm

Weight : 240g

Battery Capacity : 3800mAh (...)

Specification

Ideal for hotels, events, schools, hospitals, and large facilities requiring instant team communication.

Useful for coordinating operations, emergency response, maintenance, and fi...



Scan product

Ref: KT10402100BPK50

Spare Battery with Belt clip for KANWEE K50 Radio

"Spare Battery with Belt clip for KANWEE K50 Radio"

Brand: Kanwee

Model: BT-K50

Battery Type: Lithium Battery Pack

Rated Voltage: 3.7 V DC

Battery Capacity: 5200 mAh

Energy Rating: 19.24 Wh

Safety Information:

Do not disassemble.

Do not dispose of in fire.

Do not change or charge the battery in hazardous locations.

Do not short-circuit the terminals.

Specification

An IP65 Rating means the Radio has the highest level of dust protection,

and is able to withstand low-pressure water jets from all directions.

IP65 is not a waterproof Radio.



Scan product



Ref: KT104023001T604

X Ray Baggage Scanner 6040 Trust Safety

- Outfeed Table Included
- Monitor Included
- Installation and Training (1day)
- One Year Warranty

=6040 (TSS 6040) is specifically designed to meet the needs and applications of airports, prisons, railways and subways, stadium, courts, parcels service or wherever high security is required.

Features:

- Linux operation system
- ARM cpu
- Digital signal and processor
- Continuous...



Scan product

Ref: KT10402300ES503

X Ray Baggage Scanner 5030 ESSL

Make : ESSL

Tunnel Size : 500 (W) ×300 (H) mm

Conveyor Speed : 0.22m/s

Conveyor Max Load : 150 kg

Single inspection dosage : < 1.32μGy

Leakage radiation : < 0.06μGy/h

Wire Resolution : 40 AWG(0.0787mm metal line)

Steel Penetration : 10mm

Film Safety : For ISO 1600

Storage Temperature : -20°C to 60°C

Operating Temperature : 0°C to 45°C



Scan product



Ref: KT104023T6550A

X Ray Baggage Scanner 6550A Dual Energy Zkteco

X Ray Baggage Scanner 6550A Dual Energy Zkteco

Specification:

Tunnel Size W660mm × H510mm

Speed 0.20 m/s

Height of Transmission Belt 1300 mm

Maximum Load ≤180 kg (Adequate distribution)

Wire Resolution 40 AWG (0.0787mm metal wire)

Space Definition Horizontal Φ1.0mm \ Vertical Φ2.0mm

Penetrate Definition 34 AWG

Penetration 38mm Steel board

Monitor 22 inch LED

System Function

...

Specification

ZKX6550 uses reliable high quality dual energy X-ray generator. With the superb image algorithm, ZKX6550 could offer clear scanning image, which allows operators to identify pot...



Scan product

Ref: KT104023TSH100

X Ray Baggage Scanner 100100 Zkteco Dual Energy

X Ray Baggage Scanner 100100 Zkteco Dual Energy

Specification:

Tunnel Size(W*H) 1000*1000(mm)

Speed 0.2-0.4m/s (adjustable)

Height of Transmission Belt 387 mm

Maximum Load 200 kg (Adequate distribution)

Wire Resolution 38 AWG

Space De nition Horizontal Φ1.0mm \ Vertical Φ2.0mm

Penetrate De nition 32 AWG

Penetration 30 mm steel board

Monitor 21.5 inch LED * 2

System Function

H...

Specification

ZKX100100 X-ray inspection system increases the operator's ability to identify potential threats; the device is designed to scan the objects up to a size of 100 × 100cm.



Scan product



Ref: KT104024001WDTW

6 Feet Windsock with 10 Feet Long Double Bearing stand

Wind sock Stand Heavy Duty G.I Pipe of 1 Inch Dia and 10 Feet Long, Fitted with MS Dam Ring of 2 Feet Dia, which is fixed with 2 Nos weather-proof Ball bearing mounted on GI Pipe Stand



Wind sock cloth made of 100% Fluroscent Polyster (waterproof cloth) having alternate orange and lime-green colour strips with Inner Lining, 2 feet x 6 feet x 1 Feet

8 No. Brass Eyelets at equ...



Scan product

Ref: KT108003002VSCC

Central Control Unit

Ryzen5, 16 GB RAM, 1 TB HDD, Windows OS.
CPU- AMD Ryzen5 4500U,6C 6T upto 4.0 GHZ
CPU AMD Ryzen 5 4500U, 6C 6T upto 4.0GHz
GPU AMD Radeon Graphics (up to 1500MHz)
WIFI + BT RTL8852, BT5.3, Wi-Fi 6E 802.11ac/a/b/g/n
STORAGE M.2 *2 (1x 2242, 1x2280), SATA + NVME
MEMORY DDR4, SO-DIMM*2, Maximum 64gb
ADAPTER DC IN, 19V/5A
ETHERNET RTL8111G, RJ45 port
DIMENSIONS 114 x 106 x 42.5 mm ...



Scan product



Ref: KT108003002VSPB

Panic Button

Dimensions : 10cm (width) x 18cm (length) x 8 cm (height)
Dual Core 240 MHz Processor
Built in Wi-Fi (2.4GHz)
Built in re-chargeable battery (3.7V, 4400 mAH)
IP 67 Housing
Large Externally Projected button
Built in browser based application to configure the device
when connected to a power supply (12V DC 1 Amp)
Provision to add RTC (Real Time Clock)



Scan product

Ref: KT108003002VSZC

Zonal Control Unit

1.2 GHz Quad Core Processor
Built in Wi-Fi and Ethernet
Built in HDMI (to connect a monitor / display)
Built in USB (to connect Keyboard & Mouse)
1 GB RAM & 32 GB Memory
Works on 5V DC 4 Amp
Built in Linux Distro & MariaDB
Built-in Browser-Based Application



Scan product



Ref: KT112005002PAS

Security 2 Wheeler PA Light, Siren

Light & Sirens for Motorcycle
Inclusive of Control Panel for siren and Light, Set of PA Mike
amd Vinsild- Teni Light
Siren SES- 30 Size: 135X162X176 Mm
Siren SES -40 Size : 175X170X178 mm
Light SLB-111, Size: 105X97 MM
SLB-222, Size : 80X84 MM



Scan product

Ref: KT112005009FI24

LED Blinker for Ambulances, Fire Fighting Vehicles 24V

LED Blinker for Ambulances & Fire Fighting Vehicles
Flasher Charge Will be extra
24V
137mm X 137mm X 52mm
(Height) X (Width)X(Depth)
CURRENT DRAIN :- 400mA



Scan product



Ref: KT112005009REBU

Revolving Light Blue All power Rating

Revolving Light Blue

For Car, Marine, Truck or Any Emergency

Power rating 220v/24v/12v (Different Options Available)



Scan product

Ref: KT1130050151N21

Electronic shelf label DG04A1N21

Features:

7.8mm ultra-thin body

7-color LED light

Bluetooth 5.0 technology

Multi-color E-ink screen

8-year lifespan

Multi-channel management

2.5D protection lens

DIY templates



Scan product



Ref: KT113005015A1F21

Electronic shelf label DG04A1F21

Features

7.8mm ultra-thin body
7-color LED light
Bluetooth 5.0 technology
Multi-color E-ink screen
8-year lifespan
Multi-channel management
2.5D protection lens
DIY templates

Description

Screen Size: 2.13 inches

Active Screen Area: 49*24 mm

Resolution: 250*122

Communication Protocol: Bluetooth Low Energy 5.0

Battery Type: CR2450 * 2

Battery Lifetime: 5 Years (5 updates/d...



Scan product

Ref: KT113005015A1F42

Electronic shelf label DG04A1F42

Features

7.8mm ultra-thin body
7-color LED light
Bluetooth 5.0 technology
Multi-color E-ink screen
8-year lifespan
Multi-channel management
2.5D protection lens
DIY templates

Description

Screen Size: 4.2 inches

Active Screen Area: 85*64 mm

Resolution: 400 * 300

Communication Protocol: Bluetooth Low Energy 5.0

Battery Type: CR2450 * 4

Battery Lifetime: 5 Years (5 updates/...



Scan product



Ref: KT113005015A1N26

Electronic shelf label DG04A1N26

Features

7.8mm ultra-thin body
7-color LED light
Bluetooth 5.0 technology
Multi-color E-ink screen
8-year lifespan
Multi-channel management
2.5D protection lens
DIY templates

Description

Screen Size: 2.66 inches

Active Screen Area: 60*31 mm

Resolution: 296 * 152

Communication Protocol: Bluetooth Low Energy5.0

Battery Type: CR2450 * 2

Battery Lifetime: 5 Years (5 updates/...



Scan product

Ref: KT113005015A1N42

Electronic shelf label DG04A1N42

Features

7.8mm ultra-thin body
7-color LED light
Bluetooth 5.0 technology
Multi-color E-ink screen
8-year lifespan
Multi-channel management
2.5D protection lens
DIY templates

Description

Screen Size: 4.2 inches

Active Screen Area: 85*64 mm

Communication Protocol: Bluetooth Low Energy 5.0

Resolution: 400 * 300

Battery Type: CR2450 * 4

Battery Lifetime: 5 Years (5 updates/...



Scan product



Ref: KT113005015A1P21

Electronic shelf label DG04A1P21

Features

7.8mm ultra-thin body
7-color LED light
Bluetooth 5.0 technology
Multi-color E-ink screen
8-year lifespan
Multi-channel management
2.5D protection lens
DIY templates



Description

Screen Size: 2.13 inches

Active Screen Area: 49*24 mm

Resolution: 250*122

Battery Type: Specific low temperature battery

Battery Lifetime: 5 Years (5 updates/day)

Display Technology: EPD...



Scan product

Ref: KT113005015AADBBD

Price Tag Adapter board

Adapter board

Color: Transparent

Suitable screen size: 2.13"/2.66"/4.2" ESLs

Features: This is the basic accessory of the electronic tag and can be used with other accessories. Four corners on the front each snap can be assembled to the edge snap corners of ESLs under 4.2 inches, or can fit into the groove on the back of 4.2-inch and larger transponders. There are functional ...



Scan product



Ref: KT113005015ACLIP

Price Tag CLIP B

Thumb clip floor stand

Color:Gray

Suitable screen size: 2.13"/2.66"/4.2" ESLs

Remark□Use with an adapter board as needed



Scan product

Ref: KT113005015ACLPA

Price Tag Clip A

Wooden clip (horizontal)

Color:Transparent

Suitable screen size: 2.13"/2.66"/4.2" ESLs

Remark□Use with an adapter board as needed



Scan product



Ref: KT113005015ADG04

Electronic shelf label DG04G1

The gateway DG04-G1 working as a center controller of Bluetooth devices, monitoring their wireless signal and transmitting to IoT Cloud Platform via Wi-Fi or Ethernet. DG04-G1 features a fasion appearance with 7-color light loop, which appears different colors according to different status. With high-sensitivity Bluetooth signal reception, it supports a wide monitoring range. M...




Scan product

Ref: KT113005015AFLST

Price tag Floor Stand

Single screen liftable floor stand Color:Black
Suitable screen size: 2.13"/2.66"/4.2" ESLs
Remark□Use with an adapter board as needed



Scan product



Ref: KT113005015AHOOK

Price Tag Hook

T-shaped hook

Color :Transparent

Suitable screen size: 2.13"/2.66"/4.2" ESLs

Remark □ Use with an adapter board as needed



Scan product

Ref: KT113005015ASARL

Price Tag Shelf Rail

Rail(Suitable for shelf)

1PCS rail with 3PCS angle adjusters and 2PCS anti-scratch plugs

Color: Light blue transparent length:: 1 m

Suitable screen size: 2.13"/2.66" ESLs



Scan product



Ref: KT113005015ATABS

Price Tag Table Stand

T-shaped stand

Color:Transparent

Size:Base: 70*70*23 mm, Buckle: 54*36*29 mm

Suitable screen size: 2.13"/2.66"/4.2" ESLs



Scan product

Ref: KT113005015LLSC

Safety Isolation Pad Lock

Safety Isolation Padlock having a steel shackle, SAFETY PADLOCK The new management key technology,- 6 level management,*High Quality with waterproof, anti-corrosion and strong adhesive.

Side of the anti-skid design, you can wear gloves.

Key retention ensures that the padlock is not left unlocked

Configuration key card, easy to know personal ID indicating the corresponding pa...



Scan product



Ref: KT113014001DLLO

Digital Mobile Locker 8 Lockers

Size :1700 height x 250 wide x 300 deep
with 8 lockers in a unit
with powder coating finish
RFID Lock
Operated with RFID Card and Sensor



Scan product


Ref: KT11301400618LL

Luggage Lockers for16 Lockers

Size :6.feet by 6.5
22.gauge with power coating staple hook lock arrangement
One locker Size 3 Feet (w)X X6.5 Feet (Height)X 19 inch
Depth



Scan product



Ref: KT113014006MDKL

Mechanical Double Bitted Key Lock

33" wide x 27" deep x 60" height

29" deep including hinges

1222 kg weight +-5%

two mechanical double bitted key lock



Scan product



Ref: KT116022900CR30

300 MM Dia Cross Green arrow Traffic Light

SIZE - 300MM

VOLT : 12V & 24V

Color- Green Arrow +Red Cross In Light

Colours - Red - 625 nm , Green - 500 nm

BODY -Polycarbonate, Suitable for extreme conditions

Lens / Housing UV stabilized polycarbonate

Luminance Intenisty - Red - 400 cd , Green - 400 cd

Weight - Less than 2 kg

Protection - IP 65

Dimension - 310 mm X 310 mm X 100 mm

Power Consummption - Between 11 - 12...



Scan product



Ref: KT118002010AVIL

Aviation Light AVIL

Aviation Light - AVIL

LED Type

Working on Single Phase AC 220/250V

Color Options : Red / Green / Amber

Standard Type LED

No image



Scan product

Ref: KT118002010AVIN_GOLDEN

Aviation Light AVIN Golden

Aviation Light - AVIN

Bulb Type

Working on Single Phase AC 220/250V

Color Options : Red / Green / Amber

Standard Type Standard Bulb

Warranty: 1 Year

Color: Golden



Scan product



Ref: KT118002010AVIN_GREEN

Aviation Light AVIN Green

Aviation Light - AVIN

Bulb Type

Working on Single Phase AC 220/250V

Color Options : Red / Green / Amber

Standard Type Standard Bulb

Warranty: 1 YearColor: Green

No image



Scan product

Ref: KT118002010AVIN_RED

Aviation Light AVIN Red

Aviation Light - AVIN

Bulb Type

Working on Single Phase AC 220/250V

Color Options : Red / Green / Amber

Standard Type Standard Bulb

Warranty: 1 YearColor: Red



Scan product



Ref: KT11800202AVLLD_GOLDEN

Aviation Light AVIL LD Golden

Aviation Light - AVIL-LD
Working on Single Phase AC 220/250V
Color : Red / Green / Amber
Light Duty Type
Type LED
Warranty: 1 YearColor: Golden



Scan product

Ref: KT11800202AVLLD_GREEN

Aviation Light AVIL LD Green

Aviation Light - AVIL-LD
Working on Single Phase AC 220/250V
Color : Red / Green / Amber
Light Duty Type
Type LED
Warranty: 1 YearColor: Green



Scan product



Ref: KT11800203AVNHD_GOLDEN

Aviation Light AVIN HD S Golden

Aviation Light - AVIN-HD-S
Working on Single Phase AC 220/250V
Color Options: Red / Green / Amber
Heavy Duty / IP65 (Single Light) LED Bulb
Warranty: 1 YearColor: Golden



Scan product

Ref: KT11800203AVNHD_GREEN

Aviation Light AVIN HD S Green

Aviation Light - AVIN-HD-S
Working on Single Phase AC 220/250V
Color Options: Red / Green / Amber
Heavy Duty / IP65 (Single Light) LED Bulb
Warranty: 1 YearColor: Green



Scan product



Ref: KT11800203AVNHD_RED

Aviation Light AVIN HD S Red

Aviation Light - AVIN-HD-S
Working on Single Phase AC 220/250V
Color Options: Red / Green / Amber
Heavy Duty / IP65 (Single Light) LED Bulb
Warranty: 1 YearColor: Red



Scan product

Ref: KT11800204AVLHD_GOLDEN

Aviation Light AVIL HD S Golden

Aviation Light - AVIL-HD-S
Working on Single Phase AC 220/250V
Color Options : Red / Green / Amber
Heavy Duty / IP65 (Single Light) Standard Bulb
Warranty: 1 YearColor: Golden



Scan product



Ref: KT11800204AVLHD_GREEN

Aviation Light AVIL HD S Green

Aviation Light - AVIL-HD-S
Working on Single Phase AC 220/250V
Color Options : Red / Green / Amber
Heavy Duty / IP65 (Single Light) Standard Bulb
Warranty: 1 YearColor: Green



Scan product

Ref: KT11800204AVLHD_RED

Aviation Light AVIL HD S Red

Aviation Light - AVIL-HD-S
Working on Single Phase AC 220/250V
Color Options : Red / Green / Amber
Heavy Duty / IP65 (Single Light) Standard Bulb
Warranty: 1 YearColor: Red



Scan product



Ref: KT11800205AVNHD_GOLDEN

Aviation Light AVIN HD D Golden

Aviation Light - AVIN-HD-D
Working on Single Phase AC 220/250V
Color Options: Red / Green / Amber
Heavy Duty / IP65 (Double Light) Standard Bulb
Warranty: 1 YearColor: Golden



Scan product

Ref: KT11800205AVNHD_GREEN

Aviation Light AVIN HD D Green

Aviation Light - AVIN-HD-D
Working on Single Phase AC 220/250V
Color Options: Red / Green / Amber
Heavy Duty / IP65 (Double Light) Standard Bulb
Warranty: 1 YearColor: Green



Scan product



Ref: KT11800205AVNHD_RED

Aviation Light AVIN HD D Red

Aviation Light – AVIN-HD-D
Working on Single Phase AC 220/250V
Color Options: Red / Green / Amber
Heavy Duty / IP65 (Double Light) Standard Bulb
Warranty: 1 YearColor: Red



Scan product

Ref: KT118005001AV10

SIREN WITH LED STROBE AVA100

Product: Electronic Siren with LED Strobe

- Model Number: AVA100
- Tone: Standard Siren
- Operating Voltage: 10 ~ 15Volt DC (Typical 12Volt DC)
- Current: 250mA (at 12Volt DC)
- Sound level: 110dB $\pm$ 2 dB at 1 Meter Distance (at 12Volt DC)
- Operating Temperature: 0o C to +60o C
- Material of Housing: Polycarbonate
- Color: Red / Water clear
- Weight: 200 gm (approximately with packing)



Scan product



Ref: KT118005001KI2S

Floor Standing KIOSK



Dimensions: 4' Height x 2.5' Width x 1.5' Depth

Easily Portable on wheels

MS body made of 1.6mm thick Sheet

CNC LASER cut & CNC Bending

Powder Coating :White (texture) / Offwhite / Silver/ Siemens

Grey / RAL 7032 /RAL 7035 / Dark Grey

Maintenance Door Back side Access

Inbuilt 6A Power Plug Sockets

Castor Wheels with brakes

VIEWSONIC TOUCHSCREEN DISPLAY

32" Screen Size with

27" ...



Scan product

Ref: KT118006001VASP

Audio Visual Alarm with Revolving Panel



Electrical Panel Hooter

230 VOLTS

IP 55



Scan product



Ref: KT118010002HS50

Three Phase Siren 500 Meter Make Kheraj

Horizontal Single Mounting Siren
Audible Range : 500 Meter
H.P. - 1/4
Model No. HST -050
Three Phase 400/440 v
2800RPM
50Hz,AC



Scan product

Ref: KT118010002PS15

Horizontal Single Mounting Pure AC Siren 1.5 KM

Model: PS 150
Horizontal Single Mounting Siren
Single Phase 220V/250V
2800 RPM
50C/s AC/DC
Horizontal Single Mounting Siren
H.P 1/2
Audible range - 1.50 KM



Scan product



Ref: KTI18010002Q35KM

Single Phase Siren 3.25 KM Qutak

Electrical Siren: 3.25 Km
RPM: 8000
Motor HP Rating : 1/2
Winding : Copper
Body Material : alluminium Casting
Colour : Grey
Fittment : Horizontal
Mounting : Double Sided
Power supply: 220V 50 HZ



Scan product

Ref: KTI18010003117X

Piezo Siren SQR 117 IOTA 12V DC

IOTA SQR 117 Piezo Siren is a compact, high-output electronic sounder engineered for security systems, industrial automation panels, and intrusion alarm alerting. Brand / Manufacturer: IOTA International Model: SQR 117 (SQR117) Product Type: Piezoelectric Sounder / Electronic Siren Tone Profile: Standard Siren Tone Sound Pressure Level: 110 dB at 1 Meter (at 12V DC) Operating Voltage...

Specification

The IOTA SQR 117 12V DC Piezo Siren delivers high-intensity acoustic warning in a compact, lightweight form factor. Built with solid-state piezoelectric transducer technology, it p...



Scan product



Ref: KT1180100DD5FLP

Double Mounting Flame Proof Siren 5KM Make Kheraj

Model : FD 500
HORIZONTAL DOUBLE MOUNTING FLAME PROOF SIREN
Horizontal
Double Mounting Siren
Three Phase
400/440V
2800 RPM
50 HZ AC



Scan product

Ref: KT1180100DD6FLP

Double Mounting Flame Proof Siren 16KM Make Kheraj

Model : FD 1600
HORIZONTAL DOUBLE MOUNTING FLAME PROOF SIREN
Horizontal 10 HP,
Double Mounting Siren
Three Phase
400/440V
2800 RPM
50 HZ AC



Scan product



Ref: KT1180100DMJAD8

Double Mounting Siren 8 KM Carbon Brushless

Horizontal Double Mounting SIREN Three Phase
Model no.: JAD:800
220/250 Volts
RPM - 2880
50 Cycle
Pure A.C (Carbon Brushless)



Scan product

Ref: KT1180100S3VST5

Vertical Single Mounting Siren 5 KM Make Kheraj

Model : VST-500
Vertical Single Mounting Siren Three Phase 400/440V 2800
RPM 50Hz AC
Range : 5 KM
H.p. -3



Scan product