



Product Catalogue

Binoculars

Security > Corporate Solutions > Binoculars



KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara



Ref: KT104004002084D

Binocular Olympus 8 x 40

Model : 8×40 S

Box contents : Dedicated case, strap, eyepiece cap and objective lens cap

Magnification: 8x

Diameter of exit pupil : 5mm

Actual field of view:8.2-degree

Apparent field of view : 65.6-degree

Eye interval adjustment range :60×-70mm



Scan product

Ref: KT104001001B2050

Binocular Bushnell Power view 20 x 50

Product NamePowerview Binoculars, 20x50mm

Adapts to Tripod : Yes

Close Focus : (m)45ft / 13.7m

Color : Black

Display Type: 0

Exit Pupil : 2.5mm / 0.098in

Eye Relief : 9mm / 0.354in

Eyecups : Fold-down

Lead Free Glass : Yes

Length : N/A

Lens Coating : Multi-Coated

Magnification x Objective Lens : 20x50mm

PC-3 Phase Coating : No

Prism Glass : BK-7

Prism Type : Porro

Water Resis...



Scan product



Ref: KT10400400281TCS

Binocular Tasco Essentials 16x50

Essentials™ (Porro) - 16x 50mm, Standard
Model: Essentials
Magnification x Objective Lens (mm) 16x50
Size Class Standard
Focus System Center
Prism System Porro
Prism Glass BK-7
Lens Coating Multi
Field of View (ft.@1000yds/m@1000m) 204/187
Close Focus (m) 5m
Exit Pupil (mm) 3.1
Eye relief (mm) 10
Waterproof / Fogproof No
Color Black
Weight (oz. / g) 29.3oz
Adapt to Tripod Yes



Scan product

Ref: KT1040040020A16

Nikon Binocular ACTION EX 16X50 C

Make:- Nikon
ACTION EX 16X50 CF
Magnification (x) 16
Objective Diameter (mm) 50
Angular field of view (real/degree) 3.5
Angular field of view (apparent/degree) 56
Field of view at 1000 meters (m) 61
Exit pupil (mm) 3.1
Relative brightness 9.6
Eye relief (mm) 17.8
Close focusing distance (m) 7
Interpupillary distance (mm) 56-72
Weight (g) 1040
Length (mm) 177
Width (mm) 196

ACTION EX 16X50 CF



Scan product



Ref: KT1040040020A2750

Nikon Binocular A211 7*50



Make:- Nikon
WEIGHT (G) (BODY ONLY)*1 905g
INTERPUPILLARY DISTANCE ADJUSTMENT (MM) 56mm - 72mm
CLOSE FOCUSING DISTANCE (M) 8.0m
RELATIVE BRIGHTNESS 50.4
EXIT PUPIL (MM) 7.1mm
FIELD OF VIEW AT 1,000M (M) 112m
ANGULAR FIELD OF VIEW (APPARENT/DEGREE) 42.7°
ANGULAR FIELD OF VIEW (REAL/DEGREE) 6.4°
OBJECTIVE DIAMETER (MM) 50mm
MAGNIFICATION (X) 7x
SERIES Aculon
WATERPROOF BINOS No
...



Scan product

Ref: KT10400400210X50S

Binocular Olympus 10 x 50 S



Type Porro-prism series
Diopter adjustment range - over +/- 2 1/m
Eye interval adjustment range -60 - 70mm
Objective lens diameter - 50mm
Closest focal point -6m
Eye relief - 12mm
Lens configuration - 5 elements / 3 groups
Magnification -10x
Exit pupil diameter - 5mm
Apparent angle of view- 59.2°
Field of view at 100m- 11.3m



Scan product



Ref: KT10400400210X50D

Binocular Olympus 10 x 50 DPS I

Model : Binocular Olympus 10 x 50 DPS I
Type: Porro-prism series
Eye interval adjustment range : 60 - 70mm
Diopter adjustment range : over +/- 2 1/m
Lens configuration : 5 elements / 3 groups
Magnification : 10x
Objective lens diameter : 50mm
Exit pupil diameter : 5mm
Actual field of view : 6.5°
Apparent angle of view : 65°
Field of view at 100m : 11.4m
Relative brightness : 25...



Scan product

Ref: KT1040040020840

Binocular Olympus 8 x 40 S

Binocular Type : Porro Prism type
Magnification : 8x
Effective diameter of objective lens : 40mm
Diameter of exit pupil : 5mm
Actual field of view : 8.2-degree
Apparent field of view : 65.6-degree
Field of view at : 1000m 143m
Relative Brightness: 25
Eye-relief : 12mm
Diopter adjustment range Over : ± 2 m-1
Eye interval adjustment range : 60x-70mm
Closest Focusing Distance : 4m
Weigh...



Scan product



Ref: KT104004002810I

Binocular OLYMPUS 8 16 x 40 Zoom DPS

OLYMPUS 8-16 x 40 Zoom DPS I Binoculars



Brand-OLYMPUS

Model Name -8-16 x 40 Zoom DPS I

Type-Binoculars

Magnification-Aug-16 x

Objective Diameter-40 mm

Closest Focus Distance - Distance 10 m

Interpupillary Distance Adjustment- 60 - 70 mm

Diopter Adjustment Range - Over 1 m - 1

Enhance your travel experience immeasurably with the
Olympus Trooper 8-16 x 40 Zoom DPS I Binoculars...



Scan product

Ref: KT10400400211050

Nikon Binocular ACULON A211 10x 50



Brand Nikon

Age Range (Description) Adult

Special Feature Lightweight

Objective Lens Diameter 50

Magnification Maximum 8

Product Dimensions : 21.84 x 10.8 x 10.8 cm

Large objective lens diameter for a brighter and wider field
of view

Multilayer-coated lenses for bright, sharp images, Eye relief
(mm): 11.8

Aspherical eyepiece lenses for undistorted images across
entire surfa...



Scan product



Ref: KT10400400201050

Nikon Binocular ACULON A211 10 22 x 50



Product Name: Nikon ACULON A211 -10-22 x 50 8252
Binocular (Black)

Product Dimensions : 21.8 x 10.8 x 10.8 cm; 1.39 Kilograms

Manufacturer : Nikon Corporation, Nikon Corporation
Shinagawa Intercity Tower C, 2-15-3, Konan, Minato-
Ku,Tokyo 106-6290 Japan

ASIN : B00B9Z24J0

Item model number : 8252

Item Weight : 1 kg 390 g

Item Dimensions LxWxH : 21.8 ...



Scan product

Ref: KT104004002816S

Binocular Olympus 8 16X40 S



Model No.: 8-16X40S

Make : olympus

Natural Colours,

Wide Field of View,

Lightweight - Ideal for Nature Observation,

Birdwatching and Concerts,

8 to 16x Magnification,

Black

Product Dimensions 18.3 x 15.4 x 6 cm; 795 Grams

Mounting Hardware Binocular, Binocular Bag

Magnification Maximum 8 x

Optical Zoom 8 x

Optical Sensor Resolution 40 MP

Min Aperture 16

Min Focal ...



Scan product



Ref: KT1040041H208X42

Bushnell H2o 8x42 mm (158042) Binocular



Model: 158042R
Magnification x Objective Lens (mm) 8x42mm
Size Class Standard
Focus System Center
Prism System Roof
Prism Glass BaK-4
Lens Coating Fully Multi Coated
Field of View (ft.@1000yds/m@1000m) 350/116m
Length 6"/153mm
Close Focus (ft./m) 12/3.6
Exit Pupil (mm) 5
Eye relief (mm) 17
Eyecups Twist-Up
Waterproof / Fogproof Yes IPX7
Weight (oz. / g) 22.6/643
Adapt to Tripod...



Scan product

Ref: KT1040012210142

Bushnell 10x42 roof prism 210142



Model: 210142
Magnification x Objective Lens (mm) 10x42mm
Size Class Standard
Focus System Center
Prism System Roof
Prism Glass BK-7
Lens Coating Fully Coated Lenses
Field of View (ft.@1000yds/m@1000m) 305/101
Close Focus (ft./m) - 23/7
Exit Pupil (mm) 4.2mm
Eye relief (mm) 18.5mm
Eyecups Twist-up
Waterproof / Fog proof No
Color Black
Weight (oz. / g) 22.2/620
Adapt to Tripod Y...



Scan product



Ref: KTI0400123B1050

Binocular Bushnell Legacy 10x50mm

Bushnell Binocular legacy 10x50 mm (120150)

Item ID (SKU) 120150

Item ID (SKU) 120150

Product Name Legacy Binoculars, 10x50mm

Adapts to Tripod Yes

Close Focus (m) 12ft / 3.6m

Color Black

Display Type 0

Exit Pupil 5mm / 0.197in

Eye Relief 18mm / 0.709in

Eyecups Twist-up

Lead Free Glass Yes

Length N/A

Lens Coating Multi-Coated

Magnification x Objective Lens 10x42mm

PC-3 Phase C...



Scan product

Ref: KTI0040020A2735

Nikon Binocular Aculon A211 7x35

Magnification: 7x

Objective Lens Diameter: 35 mm

Prism Type: BaK-4 Porro Prism system

Lens Coating: Anti-reflection multilayer-coated Eco-Glass™
(lead and arsenic-free)

Eyepiece Design: Aspherical lens elements to eliminate
image distortion

Angular Field of View (Apparent): 59.3°

Linear Field of View: 163 meters at 1,000 meters (488 feet at
1,000 yards)

Exit Pupil: 5.0 mm

Eye ...



Scan product



Ref: KT1040012BF1050

Bushnell binocular Falcon 10x50 133450



Bushnell binocular Falcon 10x50 (133450)

Multi-coated optics for superior light transmission

Insta Focus® systems for fast focus on moving targets

Poly carbonate

Non-slip rubber grip pads for secure grip in all details that you would expect in weather conditions, including weather resistance

Magnification X Obj Lens 10x50

Close Focus (m) 7 meters

Prism System Porro prism

Fo...

Specification

Accessories: Soft carrying case, Neck strap, cleaning cloth, brush, silica gel, eyecup and objective lens cover.

□ Multi coated optics for superior light transmission

□ InstaFocus®...



Scan product

Ref: KT10400123B1042

BUSHNELL H2O 10x 42mm 150142



Model: 150142

Magnification x Objective Lens (mm) 10x42mm

Size Class Standard

Focus System Center

Prism System Roof

Prism Glass BaK-4

Lens Coating Multi

Field of View (ft.@1000yds/m@1000m) 305/123

Exit Pupil (mm) 4.20

Eye relief (mm) 18

Eyecups Twist-Up

Waterproof / Fogproof Yes

Weight (oz. / g) 25/709

Adapt to Tripod No



Scan product



Ref: KT1040041H2P8X42

Bushnell Prime 8x42 Roof Prism Binocular



Prime 8x42 Roof Prism FMC, Bone collector BaK-
Model: Prime BPR842
Magnification x Objective Lens (mm) 8x42mm
Size Class Standard
Focus System Center
Prism System Roof
Prism Glass BaK-4
Lens Coating Fully Multi-coated
Field of View
(ft.@1000yds/m@1000m)
350/117
Close Focus (ft./m) 10/3
Exit Pupil (mm) 5.3 mm
Eye relief (mm) 24mm
Eyecups Twist-Up
Waterproof / Fogproof Yes, IPX7
...



Scan product

Ref: KT104004A2110X42

Nikon Aculon A211 10X42



Specifications
TYPE
SKU BAA812SA
FEATURES
WEIGHT (G) (BODY ONLY)*1 760g
INTERPUPILLARY DISTANCE ADJUSTMENT (MM) 56mm -
72mm
CLOSE FOCUSING DISTANCE (M) 5.0m
RELATIVE BRIGHTNESS 17.6
EXIT PUPIL (MM) 4.2mm
FIELD OF VIEW AT 1,000M (M) 105m
ANGULAR FIELD OF VIEW (APPARENT/DEGREE) 55.3°
ANGULAR FIELD OF VIEW (REAL/DEGREE) 6.0°
OBJECTIVE DIAMETER (MM) 42mm
MAGNIFICATION (X) 10x
SERIE...



Scan product



Ref: KT1040010011650

Binocular Power View 16x50

Binocular

Prism Type:- Porro (BK7)

Magnification:- 16x

Objective Lens Diameter:- 50 mm

Angle of View:- 3.9° (Actual)

Field of View:- 204.7' @ 1000 yd / 68.2 m @ 1000 m

Exit Pupil Diameter:- 3.1 mm

Eye Relief:- 10 mm

Diopter Adjustment:- Yes

Focus Type:- Center



Scan product

Ref: KT104001001BLL1

Bushnell legend 10x42 roof prism L Series

Bushnell Legend L Series 10X42 MM

ED (Extra Low Dispersion) Prime Glass

100% waterproof/Fogproof

ED Prime Glass

Rainguard HD

Ultra wide Band Coating

Fully Multi Coated Optics



Scan product



Ref: KT104001001BLL2

Bushnell legend 10x42 roof prism E Series

Bushnell Legend E Series 10X42 MM
Objective Lens Diameter 42 Millimeters
Magnification Maximum 10
Angle of View -6.5° (Actual)



Scan product

Ref: KT1040010021250

BINOCULAR ACULON A211 12X50

FEATURES

WEIGHT (G) (BODY ONLY)*1 910g
INTERPUPILLARY DISTANCE ADJUSTMENT (MM) 56mm - 72mm
CLOSE FOCUSING DISTANCE (M) 8.0m
RELATIVE BRIGHTNESS 17.6
EXIT PUPIL (MM) 4.2mm
FIELD OF VIEW AT 1,000M (M) 91m
ANGULAR FIELD OF VIEW (APPARENT/DEGREE) 57.2°
ANGULAR FIELD OF VIEW (REAL/DEGREE) 5.2°
OBJECTIVE DIAMETER (MM) 50mm
MAGNIFICATION (X) 12x
SERIES Aculon
WATERPROOF BINOS No
EYE R...



Scan product



Ref: KT1040040021050

Nikon Binocular 10 x 50 CF Action Series

Binocular
Make:- Nikon
Series:- Action Series
Range:- 10 x 50 CF
Weight (g):- 1020
Interpupillary Distance (mm):- 56-72
Field of View at 1000 meters (m):- 114
Magnification (x):- 10
Objective Diameter (mm):- 50
Angular Field of View (real/degree):- 6.5
Relative Brightness:- 25
Eye Relief (mm):- 17.2
Close Focusing Distance (m):- 7
Length (mm):- 178
Width (mm):- 196
Warranty:- ...



Scan product

Ref: KT1040041H2T8X42

Bushnell Trophy 8x42 Roof Prism Binocular

Binocular Trophy 8x42mm Roof Prism

Features

Bak-4 porro prisms
Fully multi coated lenses of maximum light transmissions
optimum brightness
Heavy-duty , 100% waterproof /Fogproof constructions
2 stp twist-up eyecups allow quick adjustment fo optimum
eye relief
Large center – focus know for precise focusing even when
wearing gloves
Tiim, ergonomic shape for easy , all day u...



Scan product



Ref: KT1040041HPR8X42

Nikon Prostaff 5 8x42 Binoculars

Product Dimensions : 16.5 x 13 x 5.4 cm; 630 Grams

Date First Available : 1 May 2016

Manufacturer : Nikon

ASIN : B01F16NYQE

Item model number : BIN0-2190

Country of Origin : China

Manufacturer : Nikon, NIKON VISION CO. LTD., NIKON
FUTABA BLDG , 3-25, FUTABA 1 CHOME SHINAGAWA-KU,
TOKYO 142-0043

Packer : NIKON VISION CO. LTD., NIKON FUTABA BLDG , ...



Scan product