Product Catalogue

Corner Pillar Guard

Safety > Road Traffic Safety Solutions > Corner Pillar Guard

KT Automation Private Limited · D 32-33 Kamalanjali Commercial Complex,
Radhakrishna Crossing, Akota · 390020 Vadodara

Ref: KTI16007002V80R

KTI Pillar, Corner Guard V Shape 800 MM

Make - KTI
Size-Length: 800 mm, Width: 100 mm x 100 mm, Thickness: 10mm
Material-Rubber
Weight-2kg
The Pillar Guards mainly used at Parking lot, Hospitals, hotels, Schools, Airport, Office, Garages, Elderly apartment.Corner Guards having special smooth surface on the outside avoids scratches to the vehicles and will not damage the pillar or wall edges.Their reflective sticker p...

Watch video

Scan product

Ref: KTI16007002INST · PAAS

Pillar Guard Installation

Installation of Pillar Guard with Screws by Drill Machine
Installed by well trained engineers

Scan product

Ref: KTI16007002D10R

KTI Pillar, Corner Guard D Shape 1000 MM

Make - KTI
Size-100 * 100 *1000 MM *12/25 MM
Material-Rubber
Weight-
Warranty:- Not Applicable

Scan product

Ref: KTI16007002WGRD

KTI Wall Guard

Make - KTI
Wall Guard
Length: 1000 mm
Width: 200 mm
Thickness: 10 mm
Weight: 2.5 kg
Reflective: Retro Reflective

Scan product

Ref: KTI16007002INWG

Wall Guard Installation

Installation of Wall Guard with Screws by Drill Machine
Installed by well trained engineers

Scan product



Ref: KTI16007002PU90

PVC, PU Corner Guard 900MM

Size-H 900mm x W 100mm
Material-PVC/PU
Weight-1.5-2 kg
Warranty:- Not Applicable

Scan product

Ref: KTI16007002V12R

Pillar Corner Guard V Shape 1200 MM

Size-1200 mm (L) * 100 x 100 mm (W) * 10-11 mm thichness
Material: Rubber
Warranty:- Not Applicable

Scan product

Ref: KTI16007002WGWP

Wall Pro Wall Guard SF 135 WG

(SF-135-WG)

made with extruded EPDM size :W 130 x H 22 mm with outer wall thickness of 3mm and supporting beams thickness 5mm having tensile strength 70 Kg per cm, elongation 250% , hardness 70+5 Shore A , (ASTM D414) and (STMD 1149)with excellent UV resistance and water resistance including two PVc reflector strip of 18mm on the top of profile . The profile will fixed with 6...

Scan product

Ref: KTI16007002WG10

Wall Guard

Make - KTI
Wall Guard
Length: 1000 mm
Width: 155 mm
Thickness: 55 mm
Weight: 5.2 kg
Reflective: Retro Reflective

Scan product

Ref: KTI16007002CPTA

Corner Protection Type A

Corner protection type A: 25 mm
According to DIN EN 13501-1 / class E
From -40 ° C to 100 °C
Adhesive : Profile body is affixed using light –and ageing-resistant high
performance adhesive which has got an adhesion power of 21 N / 25 mm
Warning and protective Bumper Guard
Color – Yellow / Black
Product Code -10010
Brand:Knuffi
Make - Germany
1 m - 0,40 kg 5 m -1,83 kg 50 m - ...

Scan product

Ref: KTI16007002V10R

Pillar Corner Guard V shape 1000 MM

Size-100x100x1000mmx12mm
Material-Rubber
Weight-2.5kg
Warranty:- Not Applicable

Scan product

Ref: KTI16007002EKPG

Edge Protection Type G

Edge Protection Type G
Brand: Warning and protective Bumper Guard
Color – Yellow / Black
Product Code -10016
Warranty : Not Applicable

Scan product

Ref: KTI16007002D12R

Pillar Corner Guard D Shape 1200 MM

Size-100 * 100 *1200 MM *12/25 MM
Material-Rubber
Weight-
Warranty:- Not Applicable

Scan product



Ref: KTI16007002EKPE

Corner Protection Type E

Warning and protective Bumper Guard
Color – Yellow / Black
Product Code -10014
Brand:Knuffi
Make - Germany
Warranty : Not Applicable

Scan product

Ref: KTI16007003EKPB

11011 Edge Protection Type B

Technical Data Sheet

Edge protection type B: 40 mm

Edge protection type B is a warning and protective bumper guard with the distinctive name Knuffi® that act as a personal crumple zone for people, machines and fixtures, absorb hard impacts and thus prevent injury or damage.

Profile body	Recyclable polyurethane foam
Surface	Polyurethane foam coloured by reverse printing and fixed in place by foaming so that no paint appears on outside
Resistant to temperature	From -40 °C to 100 °C
Fire classification	According to DIN EN 13501-1/class E
Colours	Bright yellow and black hatching as per ASR A1.3, red and white hatching as per ASR A1.3, black, white, fluorescent hatching, photoluminescent (glow in the dark) hatching as per ASR A3.4/3
Standard lenghts	1 m, 5 m (shrinked in foil) and up to 50 m (in cardboard)
Installation	Simply fix to clean, grease-free surfaces
Weight	1 m - 0,60 kg 5 m -3,07 kg 50 m - 31 kg
Shore Hardness	Shore A + 40

Technical changes reserved

11011 - Edge Protection Type B
Warning and protective Bumper Guard
Color – Yellow / Black
Warranty : Not Applicable

Scan product

Ref: KTI16007002CPA+

Corner Protection Type A Plus

Corner Protection Type – A+
Warning and protective Bumper Guard
Color – Yellow / Black
Product Code -11010
Brand:
Make - Germany

Scan product

Ref: KTI16007002CPAA

Corner Protection Type AA



Corner protection type AA: 40X36 mm
According to DIN 4102 B2 & Certified UL 94 HB/10 mm
From -40 ° C to 100 °C
Adhesive : Profile body is affixed using light –and ageing-resistant high
performance adhesive which has got an adhesion power of 21 N / 25 mm
Installlation : Simply adhere to clean, grease-free surfaces
Warning and protective Bumper Guard
Color – Yellow / Black
Bra...

Scan product

Ref: KTI16007002CPHP

Corner Protection Type H Plus



Corner protection type H+: 48mm

Corner protection type H+ is a warning and protective bumper guard with the distinctive name Knuffi that act as a personal crumple zone for people, machines and fixtures, absorb hard impacts and thus prevent injury or damage
Profile body -Recyclable polyurethane foam
Surface - Polyurethane foam coloured by reverse printing and fixed in place by ...

Scan product

Ref: KTI16007003EKPR

11011 Edge Protection Type B Plus



Watch video

11011 - Edge Protection Type – B+
Warning and protective Bumper Guard
Color – Yellow / Black
Warranty : Not Applicable

Scan product

Ref: KTI16007002TY0S

Corner Protection Type S



Surface protection type S: 75x25 mm
Resistant to temperature :From -40 ° C to 100 °C
Fire classification :According to DIN 4102 B2 and certified UL 94 HB/10mm
Colours :Bright yellow and black hatching as per BGV A8, red and white hatching as per BGV A8, black, white.
Standard lenghts :1 m
Weight :1 m - 1,10 kg
Shore Hardness :Shore A = 40

Scan product

Ref: KTI16007003KPKO

Edge Protection Type O

Type O

Scan product

Ref: KTI16007002D08R

KTI Pillar, Corner Guard D Shape 800 MM

Make - KTI
Size-90*90*25*800mm
Material-Rubber
Weight-
Warranty:- Not Applicable

Scan product

Ref: KTI16007002WPCG

Wall Pro Columm, Corner Guard SF 82 CG

(SF-82-CG)
Providing and fixing of corner /columm guard (in parking) made with extruded EPDM size :W 82 xH 82 mm X H16 with outer wall thickness of 3mm and supporting beams thickness 5mm having tensile strength 70 Kg per cm elongation 250%, , hardness 70+5 Shore A , (ASTM D414) and (STMD 1149)with excellent UV resistance and water resistance including two PVc reflector strip ...

Scan product

Ref: KTI16007002CG52S

Wall Pro Columm, Corner Guard CG 52S

width -52X52 MM
offset 9MM
Max Lengths -8 Feet (2438 MM)
Corner conditions - Continuous Outside
Superior Wall Mounted Impact Resistance From Carts ,Language , Beds And Trolly Stretchers & Wheelchairs Wit 2mm Thick Aluminium Retainers With Thick 2mm Vinyl Top Cover With Width Of 52x52 Mm Of Length 8’ (Feet) And 10 Mm Offset Along With Continuous Outside Coroner

Scan product

Ref: KTI16007002ER30

Piping Protection Type R30

Warning and protective Bumper Guard
Color – Yellow / Black
Brand:Knuffi
Make - Germany
Warranty : Not Applicable

Scan product

Ref: KTI16007002PS80

Pillar Corner Guard V Shape PVC 800 MM

Size-75W x 75L x 15T x 800H MM
Material-PVC Strip
Weight-

Scan product

Ref: KTI16007002KFTF

Corner Protection Type F

Surface protection type F: 40x11 mm
Recyclable polyurethane foam
From -40 °C to 100 °C
1 m, 5 m (shrinked in foil) and up to 50 m (in cardboard)
Simply adhere to clean, grease-free surfaces
1 m - 0,30 kg 5 m - 1,50 kg 50 m - 15 kg
Shore A = 40

Scan product

Ref: KTI16007002R20T

Pillar Corner Guard Round Shape 20T 1000L MM

Size - 200 W x 20T x 1000L MM
Material-Rubber
Weight: 2.5 KG
Warranty:- Not Applicable

Scan product

Ref: KTI16007002KFTW

Corner Protection Type W



Profile body -Recyclable polyurethane foam
Surface-Polyurethane foam coloured by reverse printing and fixed in place by foaming so that no paint appears on outside
Adhesive -Profile body is affixed using light –and ageing-resistant high performance adhesive which has got an adhesion power of 21 N / 25 mm
Resistant to temperature -From -40 ° C to 100 °C
Fire classification -Acco...

Specification

Edge protection type W is a warning and protective bumper guard with the distinctive name Knuffi® that act as a personal crumple zone for people, machines and fixtures, absorb hard...

Scan product

Ref: KTI16007002ER50

Piping Protection Type R50



Piping Protection Type – R50
Warning and protective Bumper Guard
Color – Yellow / Black
Brand:Knuffi
Make - Germany
Warranty : Not Applicable

Scan product

Ref: KTI16007002TY0D

Corner Protection Type D

Surface protection type D: 50x20 mm
Resistant to temperature : From -40 ° C to 100 °C
Standard lengths : 1 m, 5 m (shrinked in foil) and up to 50 m (in cardboard)
Recyclable polyurethane foam

Scan product

Ref: KTI16007003EKPG

Edge Protection Type BB

Warning and protective Bumper Guard
Color – Yellow / Black
Product Code – 14011
Warranty : Not Applicable

Scan product

Ref: KTI16007002SN45

Stair Nosing ASN4523



Matt Silver
Blackmat Anodized
Champagne (Other
colors available on request
with MOQ 100 Pcs Chrome
in Gloss Finish)

10ft

Utility: A stair noise protector is a device or solution designed to reduce or eliminate the noise created when using stairs.

Use In: Residential Homes, Apartment Buildings, Office Buildings, Hotels, Schools and Universities etc.....

Scan product

Ref: KTI16007002EPDM

KTI Pillar, Corner Guard



Make - KTI
Size : 800x75x725mm (8mm thick)
Material :EDPM Rubber
Color : Available in black .Yellow & Grey Color

Scan product

Ref: KTI16007002H210

Pillar Corner Guard L shape 1000 MM

Length : 1000 mm
Width : 100 x 100 mm
Thickness : 10-11 mm
Reflective Tape : 5 x 4 Inch

Scan product

Ref: KTI16007002R30T

Pillar Corner Guard Round Shape 30T 1000L MM

Size – 200W x 30T x 1000L MM
Material-Rubber
Weight: 5.2 Kg
Warranty:- Not Applicable

Scan product

Ref: KTI16007002WPTG

Wall Pro Trolley Guard SF 92 TG

(SF-92-TG)
Providing and fixing of wallpro trolley guard made with thermo-e- polymer Size: W 87 X H 35 with outer wall thickness of 4mm and supporting beam thickness 6 mm having tensile strength 55kg per cm, elongation 50%, hardness 70±5 shore – A, withexcellent UV resistance and water resistance insert into aluminum profile size 92x 11 with overall thickness of 2mm and 15 micr...

Scan product

Ref: KTI16007002WS76G

Wall Pro Columm, Corner Guard SF 76 CG

SF-76-CG
Providing and fixing of Wallpro Wallguard (In parking) made with extruded from thermo - e- polymer
Size: W 76XH 76X H15 MM with outer wall thickness of 3 mm and Supporiting Beams thickness 4 mm having Tensile Strength 83 kg per cm (ASTM E8) ,
Elongation 140% as per (ASTMD 1149) , Hardness 70+_ Shore A (ASTM D141) , Impact Resistance -Pass (ASTM D 25690 B)
and water r...

Scan product