

### VEHICLE ENTRY CONTROL

GATECLAW designed and manufactured in the UK by SAE Systems Ltd is a high quality, very heavy duty steel constructed vehicle barrier designed to handle vehicles of all sizes and volumes.

GATECLAW is the ultimate one way or bi directional surface mounted vehicle barrier.

Manufactured to exacting standards with no compromise on build quality GATECLAW can be fitted as a permanent or semi-permanent vehicle barrier offering the ability to control vehicle movements through a specific road way area.

#### **UNIQUE 3 MODE MECHANISM**

GATECLAW is fitted with a unique bespoke locking mechanism designed by SAE Systems Ltd that allows the system to be quickly set in one of three modes:

#### **LOCKING**

Additional locking of the GATECLAW in the FIXED UP MODE is possible by padlocking the claws by utilising a 10mm hole present on one claw on each individual module (padlocks not supplied).

#### **APPLICATIONS**

Ideal for lane control, car park exit lanes, garage forecourts, check points and high security entrances. GATECLAW can be set to prevent vehicles entering a facility in the wrong lane or via the exit lane.

It can also be set in the FIXED UP MODE across roadways out of hours to prevent traffic in both directions entering or leaving a facility. It can be FIXED DOWN during operational house to allow vehicles to pass in either direction if required.



# THE ULTIMATE SURFACE MOUNTED SPIKED BARRIER





## **GATECLAW 500**

**Dimensions:** 500mm Long x 500mm Wide x 60mm High (claws down) 125mm (claws up).

**Material:** 10mm S275 Carbon Steel Galvanised 25 micron, 5 mm S235 Durbar Plate.


Unit Weight: 40kg.


Design Rating: 40 Metric Tonnes.

**Locking Mechanism:** Rotating Barrel with Male/Female Recessed Socket, 3 Positions.

**Finish:** Galvanised Base Module / Heavy Duty Black Polyurethene Painted Top Plate / Claws: High Vis Glocote Fluorescent Yellow Finish.

Price: £450.00 ex vat ex works UK










## **GATECLAW 1000**



**Dimensions:** 1000mm Long X 500mm Wide x 60mm High (claws down) 125mm (claws up).

**Material:** 10mm S275 Carbon Steel Galvanised 25 micron, 5 mm S235 Durbar Plate.

Unit Weight: 76kg.

**Design Rating:** 40 Metric Tonnes.

**Locking Mechanism:** Rotating Barrel with Male/Female Recessed Socket, 3 Positions.

**Finish:** Galvanised Base Module / Heavy Duty Black Polyurethene Painted Top Plate / Claws: High Vis Glocote Fluorescent Yellow Finish.

Price: £750.00 ex vat, ex works UK

