

ADOR INDUS CAM

TRAFFIC CONTROL DEVICE





ADOR INDUS CAM

The Ador Indus CAM Vehicle activated speed sign is specifically designed for campuses and industrial safety. This awareness display with camera solution can help to protect your employees and streets from over speed driving. This solution can be used both inside and outside your campus/industries.

Ador Indus cam helps to alert the drivers to their speeds and enforces when over-speed's. It will provide detailed data on where over speeding is occurred, which vehicle along with number plate, vehicle image, speed of the vehicle, speed limit, data and time etc.

This solution is a very powerful tool to aware and enforce speed limits and reinforce driver positive behavior towards road safety.

Main Features



This will work in both day & night conditions.



It can be operational in all weather conditions.



Ideal for Campus and community roads.



Data can be accessed in both cloud and server storage



Set speed limit and violation speed limit.



Ador in house software

Ador Indus CAM Specifications



SPEED DISPLAY	
SPEED DIGIT	Height: 16 inches, Display: 7 Segment
"YOUR SPEED" legend	1.37-inch, spell "YOUR SPEED" Customizable message
LED's	Ultra-bright,3 row thick, tri-color:Amber, Green, Red 🧶 🔵 🛑
LEGILITY	300+ m
POWER CONSUMPTION	Average < 150W
TEXT DISPLAY	
LED's	Ultra-bright, tri-color:Amber, Green, Red
MESSAGE	Pre-programmed or entirely personalized
SIZE-FONT / GRAPHICS	1- or 2-lines text, Customizable (Drag and Draw)
DETECTION	
RADAR	Dual direction, 24GHz - ISM – Band / K Band
ACCURACY	99% accuracy, ±2 Km/h
SPEED DETECTION	5km/h up to 199 km/h
DETECTION RANGE	250m
EXTERNAL INTEGRATION	Siren can be integrated (if required)
CASING	
MATERIAL	Noncorrosive metals with curved polycarbonate front face
SIZE / WEIGHT	29"(H) * 29"(W) * 10"(D), 26KG (Without Batteries)
WATERPROOF-RATING	IP 65
COLOR	Graphite Gray RAL7024
BATTERY ENCLOSURE	Capacity to hold up to 2 batteries
CAMERA	
IR CAMERA	ANPR 2 MP CAMERA
MAX RESOLUTION	1440P (2560 * 1140)
LENS	Suitable for Night & Day Images, Auto Focus.
FRAME RATE	1920*1080@50fps
COERAGE	1-3 Lane
POWER SUPPLY	24V DC
SOFTWARE AND CONFIGURATION	
INDUS WEB APP	Software for Configuration Logs, Live graph for Traffic Data
COMMUNICATION	MINI B-TYPE USB, LAN, GSM (Optional)
THRESHOLDS	Speed (Min, Limit, Max)
TRAFFIC DATA ANALYSIS	
INDUS CLOUD APP	Central application to handle multiple sites
SPEED	Average and Maximum Speed
COUNT	Estimated vehicle count
TYPE	Time-stamped data for both direction of the road
MEMORY STORAGE CLOUD	Up to 2milions Data
FORMAT	Charts and detailed report extraction
VIOLATION IMAGES	4 Images Solution (3-month Image availability)
EMAIL & SMS	EMAIL & SMS (Optional)
POWER OPTIONS	ACCESSORIES
"AC" (city lighting)	230 AC MOUNTING KITS POLE mouthing brackets



ADOR POWERTRON LIMITED

An ISO 9001 & ISO 14001 Company

Registered Office - Ador Warrior City Campus, Plot No. 51, D-2 Block, Ramnagar, MIDC, Chinchwad, Pune-411019, Maharashtra, India. Tel+91 - 20 - 40737300 Fax no.:+91 - 20 - 27475817 Email: cmo@adorpower.com